

National Occupational Analysis

Heavy Duty Equipment Technician

2014





Occupational Analyses Series

Heavy Duty Equipment Technician

2014

Trades and Apprenticeship Division Division des métiers et de l'apprentissage

Workplace Partnerships Directorate Direction des partenariats en milieu de

travail

National Occupational Classification: 7312

Disponible en français sous le titre : Mécanicien/mécanicienne d'équipement

lourd

This publication is available online: www.red-seal.ca This document is available on demand in alternative formats (Large Print, Braille, Audio Cassette, Audio CD, e-Text Diskette, e-Text CD, or DAISY), by contacting 1 800 O-Canada (1 800 622-6232). If you have a hearing or speech impairment and use a teletypewriter (TTY), call 1 800 926-9105. © Her Majesty the Queen in Right of Canada, 2014 **PDF**

Cat. No.: Em15-1/6-2014E-PDF

ISBN: 978-1-100-24748-9

FOREWORD

The Canadian Council of Directors of Apprenticeship (CCDA) recognizes this National Occupational Analysis as the national standard for the occupation of Heavy Duty Equipment Technician.

Background

The first National Conference on Apprenticeship in Trades and Industries, held in Ottawa in 1952, recommended that the federal government be requested to cooperate with provincial and territorial apprenticeship committees and officials in preparing analyses of a number of skilled occupations. Employment and Social Development Canada (ESDC) sponsors a program, under the guidance of the CCDA, to develop a series of NOAs

The NOAs have the following objectives:

- to describe and group the tasks performed by skilled workers;
- to identify which tasks are performed in every province and territory;
- to develop instruments for use in the preparation of Interprovincial Red Seal
 Examinations and curricula for training leading to the certification of skilled workers;
- to facilitate the mobility of apprentices and skilled workers in Canada; and,
- to supply employers, employees, associations, industries, training institutions and governments with analyses of occupations.

ACKNOWLEDGEMENTS

The CCDA and ESDC wish to express sincere appreciation for the contribution of the many tradespersons, industrial establishments, professional associations, labour organizations, provincial and territorial government departments and agencies, and all others who contributed to this publication.

Special acknowledgement is extended to the following representatives from the trade who attended a national workshop to develop the previous edition of this NOA in 2009

Roger Beck Newfoundland and Labrador

Mitchell (Mitch) Bordeleau Alberta

David Braun Saskatchewan

Matthew Compton Prince Edward Island

Larry Henley Ontario
Joey MacDougall Nova Scotia

Larry Monkman Northwest Territories

Larry O'Neil Quebec

D. Keith Poisson British Columbia

Peter Politis Manitoba

Joey Whalen New Brunswick

This 2014 edition of the NOA was reviewed, updated and validated by industry representatives from across Canada to ensure that it continues to represent the skills and knowledge required in this trade. The coordinating, facilitating and processing of this analysis were undertaken by employees of the NOA development team of the Trades and Apprenticeship Division of ESDC. The host jurisdiction of Prince Edward Island also participated in the development of this NOA.

Comments or questions about National Occupational Analyses may be forwarded to:

Trades and Apprenticeship Division Labour Market Integration Directorate Employment and Social Development Canada 140 Promenade du Portage, Phase IV, 5th Floor Gatineau, Quebec K1A 0J9

Email: redseal-sceaurouge@hrsdc-rhdcc.gc.ca

TABLE OF CONTENTS

FOREWORD			I					
ACKNOWLEDO	GEMENTS		II					
TABLE OF CON	ITENTS		III					
STRUCTURE O	F ANALYSIS		VI					
DEVELOPMEN	T AND VALID	ATION OF ANALYSIS	VIII					
		ANALYSIS						
SAFETY			3					
SCOPE OF THE	HEAVY DUTY	EQUIPMENT TECHNICIAN	4					
OCCUPATIONA	AL OBSERVAT	IONS	6					
BLOCK A	COMMON	COMMON OCCUPATIONAL SKILLS						
	Task 1	Uses and maintains tools and equipment.	7					
	Task 2	Performs general maintenance and inspections.	10					
	Task 3	Organizes work.	15					
	Task 4	Performs routine trade activities.	18					
BLOCK B	ENGINES	AND ENGINE SUPPORT SYSTEMS						
	Task 5	Diagnoses engines and engine support systems.	23					
	Task 6	Repairs engines and engine support systems.	28					
BLOCK C	HYDRAUI	LIC, HYDROSTATIC AND PNEUMATIC SYSTEMS						
	Task 7	Diagnoses hydraulic, hydrostatic and pneumatic systems.	34					
	Task 8	Repairs hydraulic, hydrostatic and pneumatic systems.	37					

BLOCK D	DRIVETRAIN	N SYSTEMS	
	Task 9	Diagnoses drivetrain systems.	42
	Task 10	Repairs drivetrain systems.	45
BLOCK E	STEERING, S AND UNDER	USPENSION, BRAKE SYSTEMS, WHEEL ASSEMBLIES CARRIAGE	
	Task 11	Diagnoses steering, suspension, brake systems, wheel assemblies and undercarriage.	51
	Task 12	Repairs steering, suspension, brake systems, wheel assemblies and undercarriage.	55
BLOCK F	ELECTRICAL	AND VEHICLE MANAGEMENT SYSTEMS	
	Task 13	Diagnoses electrical systems.	60
	Task 14	Repairs electrical systems.	62
	Task 15	Diagnoses electronic vehicle management systems.	64
	Task 16	Repairs electronic vehicle management systems.	66
BLOCK G	ENVIRONMI	ENTAL CONTROL SYSTEMS	
	Task 17	Diagnoses environmental control systems.	68
	Task 18	Repairs environmental control systems.	72
BLOCK H	STRUCTURA	L COMPONENTS, ACCESSORIES AND ATTACHMENT	S
	Task 19	Diagnoses structural components, accessories and attachments.	77
	Task 20	Repairs structural components, accessories and attachments.	79

APPENDICES

APPENDIX A	TOOLS AND EQUIPMENT	85
APPENDIX B	GLOSSARY	89
APPENDIX C	ACRONYMS	91
APPENDIX D	BLOCK AND TASK WEIGHTING	93
APPENDIX E	PIE CHART	97
APPENDIX F	TASK PROFILE CHART	98

STRUCTURE OF ANALYSIS

To facilitate understanding of the occupation, the work performed by tradespersons is divided into the following categories:

Blocks the largest division within the analysis that is comprised of a

distinct set of trade activities

Tasks distinct actions that describe the activities within a block

Sub-Tasks distinct actions that describe the activities within a task

Key Competencies activities that a person should be able to do in order to be called

'competent' in the trade

The analysis also provides the following information:

Trends changes identified that impact or will impact the trade including

work practices, technological advances, and new materials and

equipment

Related Components a list of products, items, materials and other elements relevant to

the block

Tools and Equipment categories of tools and equipment used to perform all tasks in the

block; these tools and equipment are listed in Appendix A

Context information to clarify the intent and meaning of tasks

Required Knowledge the elements of knowledge that an individual must acquire to

adequately perform a task

The appendices located at the end of the analysis are described as follows:

Appendix A — Tools and Equipment	a non-exhaustive list of tools and equipment used in this trade
Appendix B — Glossary	definitions or explanations of selected technical terms used in the analysis
Appendix C — Acronyms	a list of acronyms used in the analysis with their full name
Appendix D — Block and Task Weighting	the block and task percentages submitted by each jurisdiction, and the national averages of these percentages; these national averages determine the number of questions for each block and task in the Interprovincial exam
Appendix E — Pie Chart	a graph which depicts the national percentages of exam questions assigned to blocks
Appendix F — Task Profile Chart	a chart which outlines graphically the blocks, tasks and sub-tasks of this analysis

DEVELOPMENT AND VALIDATION OF ANALYSIS

Development of Analysis

A draft analysis is developed by a committee of industry experts in the field led by a team of facilitators from Human Resources and Skills Development Canada. This draft analysis breaks down all the tasks performed in the occupation and describes the knowledge and abilities required for a tradesperson to demonstrate competence in the trade.

Draft Review

The National Occupational Analysis (NOA) development team then forwards a copy of the analysis and its translation to provincial and territorial authorities for a review of its content and structure. Their recommendations are assessed and incorporated into the analysis.

Validation and Weighting

The analysis is sent to all provinces and territories for validation and weighting. Participating jurisdictions consult with industry to validate and weight the document, examining the blocks, tasks and sub-tasks of the analysis as follows:

BLOCKS Each jurisdi	ction assigns a percenta	age of questions to each block for an
----------------------------	--------------------------	---------------------------------------

examination that would cover the entire trade.

TASKS Each jurisdiction assigns a percentage of exam questions to each task within a

block.

SUB-TASKS Each jurisdiction indicates, with a YES or a NO, whether or not each sub-task

is performed by skilled workers within the occupation in its jurisdiction.

The results of this exercise are submitted to the NOA development team who then analyzes the data and incorporates it into the document. The NOA provides the individual jurisdictional validation results as well as the national averages of all responses. The national averages for block and task weighting guide the Interprovincial Red Seal Examination plan for the trade.

This method for the validation of the NOA also identifies common core sub-tasks across Canada for the occupation. If at least 70% of the responding jurisdictions perform a sub-task, it shall be considered common core. Interprovincial Red Seal Examinations are based on the common core sub-tasks identified through this validation process.

Definitions for Validation and Weighting

YES sub-task performed by qualified workers in the occupation in a specific

jurisdiction

NO sub-task not performed by qualified workers in the occupation in a

specific jurisdiction

NV analysis Not Validated by a province/territory

ND trade Not Designated in a province/territory

NOT sub-task, task or block performed by less than 70% of responding COMMON jurisdictions; these will not be tested by the Interprovincial Red Seal

CORE (NCC) Examination for the trade

NATIONAL average percentage of questions assigned to each block and task in

AVERAGE % Interprovincial Red Seal Examination for the trade

Provincial/Territorial Abbreviations

NL Newfoundland and Labrador

NS Nova Scotia

PE Prince Edward Island


NB New Brunswick

QC Quebec
ON Ontario
MB Manitoba
SK Saskatchewan

AB Alberta

BC British ColumbiaNT Northwest TerritoriesYT Yukon Territory

NU Nunavut



SAFETY

Safe working procedures and conditions, accident prevention, and the preservation of health are of primary importance to industry in Canada. These responsibilities are shared and require the joint efforts of manufacturers, government, employers and employees. It is imperative that all parties become aware of circumstances that may lead to injury or harm. Safe learning experiences and work environments can be created by controlling the variables and behaviours that may contribute to accidents or injury.

It is generally recognized that safety-conscious attitudes and work practices contribute to a healthy, safe and accident-free work environment.

It is imperative to apply and be familiar with the Occupational Health and Safety (OH&S) Acts and Workplace Hazardous Materials Information System (WHMIS) Regulations. As well, it is essential to determine workplace hazards and take measures to protect oneself, co-workers, the public and the environment.

Safety education is an integral part of training in all jurisdictions. As safety is an imperative part of all trades, it is assumed and therefore it is not included as a qualifier of any activities. However, the technical safety tasks and sub-tasks specific to the trade are included in this analysis

SCOPE OF THE HEAVY DUTY EQUIPMENT TECHNICIAN TRADE

"Heavy Duty Equipment Technician" is this trade's official Red Seal occupational title approved by the Canadian Council of Directors of Apprenticeship. This analysis covers tasks performed by heavy duty equipment technicians whose occupational title has been identified by some provinces and territories of Canada under the following names:

	NL	NS	PE	NB	QC	ON	MB	SK	AB	ВС	NT	YT	NU
Heavy Duty Equipment Mechanic								✓		✓			✓
Heavy Duty Equipment Mechanic (Construction)					✓								
Heavy Duty Equipment Mechanic (Non-Construction)					✓								
Heavy Duty Equipment Technician	✓	✓	√			√	✓						
Heavy Duty Equipment Technician (Off Road)												√	
Heavy Equipment Service Technician				✓									
Heavy Equipment Technician											✓		
Heavy Duty Equipment Technician - Heavy Duty Equipment Mechanic (Off Road)									√				

Heavy duty equipment technicians inspect, diagnose, repair, adjust, overhaul, maintain, test and verify heavy duty equipment.

Heavy duty equipment technicians are employed by companies that own and operate heavy equipment, heavy equipment dealerships, rental and service companies, construction contractors, forestry companies, mining companies, ski hills and government departments that service and repair their own equipment. Technicians can work in the following industries: construction, forestry, mining, marine, oil and gas, material handling, landscaping and land clearing. Many heavy duty equipment technicians have experience on a wide variety of equipment types and manufacturers.

It is recognized that heavy duty equipment technicians are increasingly working with alternative prime movers such as electrical. However, the focus of this analysis is based on the internal combustion engine as the prime mover.

Heavy duty equipment technicians work in the full range of environmental conditions: from service shops to remote sites where inclement weather can affect the technician's performance of his/her duties. Good physical condition and agility are important because the work often requires considerable standing, bending, crawling, lifting, climbing, pulling and reaching.

Due to the size and complexity of the equipment, safety is of prime importance. Technicians must be conscious of the impact on people, equipment, work area and environment when performing their work. There is risk of injury when working with heavy equipment.

Some important attributes of the heavy duty equipment technician are: mechanical and mathematical aptitude, an ability to work with computers, an ability to communicate effectively, to work with little or no supervision, to work as a team player and to plan and work sequentially.

This analysis recognizes similarities or overlaps in the work of other tradespersons, such as automotive service technicians, agricultural equipment technicians, truck and transport mechanics, millwright, powerlift truck technicians and transport trailer technicians.

OCCUPATIONAL OBSERVATIONS

Some significant observations and trends emerged from the national occupational analysis of the heavy duty equipment technician occupation. These observations and trends are briefly outlined in this section.

Computer software is increasingly being used for diagnostics, function calibration, programming, service and parts information. The use of computerized equipment has raised the level of troubleshooting ability required by technicians. Onboard electronic monitroring systems are being used to increase efficiency, reliability and performance. This in turn requires a higher level of training for technicians.

Satellite monitoring and diagnosing of machinery has been introduced and is becoming more widespread. The use of Global Positioning System (GPS) and wireless technology has been introduced to improve equipment operation and repair. The use of remote control equipment is increasing in the mining and construction sectors.

Regular predictive and preventative maintenance is being emphasized to reduce downtime and costs related to major failures. Improved oils and filtering are being used to extend oil life in order to reduce the amount of environmental waste.

More emphasis is being placed on the safe handling, disposal, storage and recycling of toxic or environmentally hazardous materials. There is concern regarding diesel engine emissions produced. Changes to regulations and emission standards will have an impact on the way diesel engines are constructed and on the duties of technicians. Different issues and vehicle faults may arise because of the new designs of these engines and components.

BLOCK A

COMMON OCCUPATIONAL SKILLS

Context This block includes activities that heavy duty equipment technicians

perform throughout their trade.

Trends Documentation is increasingly becoming electronic. There is a greater

emphasis on safety in this trade. Because of renewed environmental considerations, waste-handling and anti-spill procedures are more stringent. Remote fluid analysis checks using plug-in ports to collect fluids have become more common. There is a greater variety of fluids such as bio-fuels, synthetic oils, vegetable based oil and propane being

used in heavy duty equipment.

Related Components All components apply.

Tools and **Equipment**

See Appendix A.

Task 1

Uses and maintains tools and equipment.

K 1	types of tools such as hand tools and power tools
K 2	types of measuring and testing tools such as gauges, meters and precision tools
K 3	government regulations
K 4	training requirements for rigging, lifting and access equipment
K 5	hoisting, rigging and lifting equipment such as slings, spreader bars and load levellers
K 6	access equipment such as personnel lifts, ladders, scissor lifts, and scaffolding
K 7	applications of tools and equipment
K 8	imperial and metric measuring systems
K 9	capacity and limitations of lifting equipment
K 10	personal protective equipment (PPE) and safety equipment

-												
Sub-t	ask											
A-1.01	l	Ma	intains	s tools	and eq	uipme	nt.					
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	encies										
A-1.01	.01	clea	n and lı	ubricate	tools a	nd equi	pment					
A-1.01	.02	insp	ect tool	ls to det	ermine	wear ar	nd dama	age				
A-1.01	.03	orga	anize ar	nd store	tools ar	nd equi _]	pment					
A-1.01	.04		and cal		neasurii	ng tools	such as	s micror	neters a	ınd cali _]	pers to e	ensure
A-1.01	.05				as hois d ratings	_	ting and	d access	equipn	nent for	require	ed
A-1.01	.06		fy appr repaired	-	-	nel of de	efective	tools ar	nd equi	pment s	so that t	hey
Sub-ta	ask											
A-1.02	2	Use	es hois	ting ar	ıd liftir	ng equi	pment					
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	encies										
A-1.02	.01	loca	te comp	onent	weights	and lift	points					
A-1.02	02		ermine l ags and	_		gging ec	- Juipmer	nt maxii	num ca	pacities	s by refe	erring
A-1.02	03	-		· 1	-		-	ts to be I				uch as
A-1.02	.04	com	ımunica	ite lift tl	nrough	hand si	gnals or	radio c	ommui	nication	ļ	
A-1.02	05	imp	lement	safety p	oractices	s such a	s securi	ng lift a	rea and	usings	spotters	
A-1.02	.06					-		nponen ations a		_	-	ıder
A-1.02	07	obta	ain requ	ired cle	arances	, certifi	cation/li	icensing	5			
A-1.02	.08		-	_	nd liftin l condit	_	ds such	as pow	er lines	, unstal	ole grou	nd

Sub-ta	ask											
A-1.03	3	Op	erates	access	equipn	nent.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	AB yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	ncies										
A-1.03	.01		determine hazards in location such as uneven ground, overhead lines and other hoisting devices on site								nd	
A-1.03	.02	ensi	ıre equi	pment	is appro	priate f	or task	at hand				
A-1.03	.03	obta	in clear	ances, o	certifica	tion and	d license	es for us	se of acc	ess equ	ipment	
A-1.03	.04		access e operati						all prot	ection,		
A-1.03	.05	-	ımunica						radio c	ommur	nication	
Sub-ta	ask											
A-1.04	<u> </u>	Use	es pers	onal pi	otectiv	e equi	pment	(PPE) a	and saf	ety eq	uipmer	ıt.
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	BC yes	NT NV	YT NV	<u>NU</u> NV
Key C	ompete	ncies										
A-1.04	.01		ct PPE a		ty equi	pment a	s requi	red for t	task at l	nand an	d work	
A-1.04	.02		ntify site ipment	hazaro	ls and r	egulatio	ons requ	uiring th	ie use o	f PPE ar	nd safet	y
A-1.04	.03	insp	ect, ma	intain F	PE and	safety e	equipm	ent				
A-1.04	.04		ly local, nsport o	-			,	y regula	tions su	ıch as W	VHMIS	and

Task 2

Performs general maintenance and inspections.

K 1	types of fluids such as engine, drivetrain and hydraulic
K 2	fluid ratings such as viscosity and quality
K 3	fluid handling, storage and disposal procedures and regulations
K 4	filter ratings
K 5	fluid sample analysis
K 6	imperial and metric fasteners and measuring systems
K 7	types and grades of fasteners
K 8	torque specifications
K 9	different tightening methods such as torque turn, hydraulic torque and straight torque
K 10	chemical reactions involved in sealants and adhesives
K 11	types of sealing devices such as gaskets, o-rings and packing
K 12	types of adhesives
K 13	types of hoses, tubing, piping and fittings such as Society of Automotive Engineers (SAE), Joint Industry Conference (JIC), British Standard Pipe (BSP), o-ring boss (ORB) and o-ring flange (ORF)
K 14	bearing materials and types such as ball, tapered, roller and plain or sleeve
K 15	bearing specifications
K 16	seal types such as, static and dynamic
K 17	seal materials such as steel, neoprene and nitrile
K 18	types of safety features such as lighting and warning devices, fire suppression systems, lock-out bars and operator access features
K 19	operation of safety features
K 20	government regulations such as roll-over protective structure (ROPS), FOPS and OPS
K 21	mechanical and electronic lock-out systems
K 22	audible and visual warning systems and devices
K 23	manufacturers' service recommendations
K 24	preventative maintenance requirements
K 25	machine operation and controls
K 26	licensing and authorization requirements for operation and repair of equipment
K 27	equipment and component limitations

K 28 K 29		pre-start and walk around inspection parking and shut-down procedures										
Sub-t	ask											
A-2.0	1	Ma	intains	s fluids	6.							
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	AB yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	encies										
A-2.01	.01				s fuel, l cording						ls and	
A-2.01	.02	hydraulic fluids according to manufacturers' specifications select types and grades of fluids and lubricants for the application according to manufacturers' specifications and fluid capacity										
A-2.01	.03	chai	nge flui	ds and	filters, a	nd insp	ect use	d filters	for sign	ns of cor	ntamina	tion
A-2.01	.04	perform sensory inspection of fluids to check for impurities and improper mixing										
A-2.01	.05	use diagnostic equipment to test fluid properties such as coolant strength, oil pour point and temperature										
A-2.01	.06	maintain a clean working environment in order to prevent contamination of systems							on of			
A-2.01	.07		ct and u limited		itives su ditives	ich cool	ant chai	rge filte	rs, diese	el fuel co	onditio	ners
Sub-t	ask											
A-2.02		Sei	vices f	astene	rs, seal	ing dev	vices, a	dhesiv	es and	gasket	s.	
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	encies										
A-2.02	01	ider gasl		es, size	s and g	rades of	fastene	ers, seali	ing dev	ices, adl	nesives	and
A-2.02	02	chas	se threa	ds and	repair w	vith tap	and die	es				
A-2.02	03	rem	ove bro	ken fas	teners u	sing me	ethods s	such as	drilling	, heating	g and w	elding
A-2.02	04	inst	all threa	nd inser	ts to cre	ate orig	inal bo	lt size				
A-2.02	05	sele	ct types	of thre	ads suc	h as coa	rse and	fine us	ed for d	lifferent	applica	ntions

A-2.02.06	torque fasteners to manufacturers' specified torque rating
A-2.02.07	prepare surfaces to receive sealing devices, adhesives and gaskets according to manufacturers' specifications
A-2.02.08	select and apply sealing compounds to lock fasteners
A-2.02.09	select and apply sealing compounds to seal, to repair imperfections or to aid gaskets
A-2.02.10	identify types of gaskets such as pre-formed composite gaskets, paper, cork-rubber and metal
A-2.02.11	make gaskets according to task requirements
A-2.02.12	install gaskets according to manufacturers' specifications in order to ensure tight seal and prevent damage to the gasket

Sub-t	ask											
A-2.03	3	Ser	vices l	oses, t	ubing,	piping	g and fi	ttings.				
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>on</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV

Key Competencies

A-2.03.01	identify ratings and applications of hoses, tubing, piping and fittings
A-2.03.02	identify types of fittings such as reusable and crimp
A-2.03.03	crimp fittings using crimping tools and dies
A-2.03.04	bend and flare tubing and piping using hand and power tools
A-2.03.05	perform preventative maintenance of hoses, tubing, piping and fittings by checking for deficiencies such as chafed hoses, bubbling and leaks
A-2.03.06	remove and replace hoses, tubing, piping and fittings
A-2.03.07	fabricate hoses, tubing and piping to specifications by cutting to length, cleaning interior and verifying the crimp of fittings

Sub-ta	ask											
A-2.04	<u> </u>	Ser	vices b	earing	s and s	seals.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key Co	ompete	ncies										
A-2.04 A-2.04 A-2.04	.02	equi rem rem	ipment, ove and	cooling l install l install	s and eq g equipt bearing seals su e seals	ment, ar gs	nd seal a	and bea	ring dri	vers	C	als
A-2.04	.04	lubr	icate be	arings	and seal	ls as req	uired b	y manu	facture	rs' speci	fication	ıs
A-2.04	.05	insp	ect bear	rings ar	nd seals	for leak	s, stiffn	ess and	wear			
A-2.04	.06	ider	ntify typ	es of se	eals for t	he task	such as	lip seal	ls and d	ual con	e	
A-2.04	.07	rene	ew shaft	using	wear sle	eeve to r	epair se	eal surfa	ace area			
A-2.04			end pla	0	ording to		ideturer	s speci			s pre re	
A-2.05		Ser	vices s	afety f	eatures	6.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key Co	ompete	ncies										
A-2.05	.01	-	orm fur warnin		est and	mainter	nance of	safety	features	s such a	s restrai	nts
A-2.05	.02	repo	ort defe	cts of sa	ıfety fea	tures in	order t	o ensur	e the de	fects ar	e correc	ted
A-2.05	.03	reco	gnize c	riteria f	or repai	r or rep	laceme	nt of saf	ety feat	ures		
A-2.05	.04	-	air safety	•	es acco	rding to	manuf	acturers	s' and g	overnm	ent	
A-2.05	.05			-	e safety ications		s accord	ding to 1	manufa	cturers'	and	
A-2.05	.06	,		•	res acco egulatio	_	operat	ing mar	nufactui	ers' spe	ecificatio	ons

Sub-ta	ask											
A-2.06	5	Per	forms	schedu	ıled ma	aintena	nce pr	ocedur	es.			
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	yes yes NV yes yes yes yes NV NV NV								NV	
Key C	ompete	ncies										
A-2.06	.01	follo	ow man	ufactur	ers' and	l compa	ny guid	lelines f	or sched	duled m	naintena	ance
A-2.06	.02	reco	ord defic	ciencies	with ec	quipmer	nt in ord	ler to ar	range f	or repai	r	
A-2.06	.03			_	,	ion and e accord	-	ng envi	ronmer	ıt of equ	ıipment	and
A-2.06	.04	refe	r to pre	vious m	aintena	nce rec	ords for	mainte	nance a	nd repa	air histo	ry
A-2.06	.05					perator (quireme		er and r	efer to c	perator	record	s for
A-2.06	.06	veri	fy main	tenance	and re	pair						
A-2.06	.07	mai	ntain se	rvice re	cords							
Sub-ta	ask											
A-2.07	7	Ide	ntifies	operat	tional f	aults.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	ncies										
A-2.07	.01	veri	fy comp	olaints v	with ope	erating e	equipm	ent				
A-2.07	.02		ermine a		al opera	nting cha	aracteri	stics suc	ch as sq	uealing,	, knocki	ng
A-2.07	.03	inte	rpret so	urce an	d cause	of abno	ormal o	perating	g charac	teristics	3	
A-2.07	.04			_		nd testi ostic ec	_		_l uipmer	nt such a	as scant	ners,
A-2.07	.05	reco	ord defic	ciencies	with ec	quipmer	nt in ord	ler to ar	range f	or repai	r	

Sub-task

A-2.08 Performs operational check-out.

NL <u>NS</u> PE<u>NB</u> <u>ON</u> <u>SK</u> <u>BC</u> <u>NT</u> <u>YT</u> QC <u>MB</u> <u>AB</u> <u>NU</u> NVNV NV NV yes yes yes yes yes yes yes yes yes

Key Competencies

A-2.08.01 perform walk-around inspection and start-up procedures
A-2.08.02 verify working condition of operating equipment
A-2.08.03 perform equipment shut-down procedures
A-2.08.04 record and report findings from operational check-out

Task 3

Organizes work.

K 1	types of service information
K 2	technical service bulletins (updates)
K 3	onboard and external diagnostic systems
K 4	schematic types and function
K 5	factory support
K 6	data storage and transfer methods
K 7	government regulations, and industry and company standards
K 8	personal and company liability
K 9	types of service-related documents
K 10	types of safety-related documents such as Material Safety Data Sheet (MSDS) and Commercial Vehicle Inspection Program (CVIP)
K 11	trade terminology
K 12	WHMIS
K 13	jurisdictional and company safety practices and regulations
K 14	location of safety equipment such as first aid equipment, fire extinguishers and eye wash stations
K 15	parts lists and requisition procedures

Sub-ta	ask											
A-3.01	l	Use	es docu	menta	tion an	d refer	ence n	naterial	ls.			
<u>NL</u> yes	<u>NS</u> yes	PE yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	ncies										
A-3.01	.01	read manuals such as operator, service, parts and safety manuals in order to locate required information									er to	
A-3.01	.02	use part	comput s	ers to lo	ocate re	quired i	nforma	tion suc	ch as wa	nrranty,	service	and
A-3.01	.03	inte	rpret an	d apply	technie technie	cal info	rmation	to situa	ation			
A-3.01	.04	interpret schematics and drawings										
A-3.01	.05	uses	on-boa	ırd and	externa	l diagno	ostic sys	stems				
Sub-ta	ask											
Sub-ta A-3.02		Co	mplete	s docu	mentat	ion.						
		Con PE yes	mplete <u>NB</u> yes	s docu <u>QC</u> NV	mentat <u>ON</u> yes	ion. MB yes	<u>SK</u> yes	AB yes	BC yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
A-3.02 <u>NL</u> yes	2 <u>NS</u>	<u>PE</u> yes	<u>NB</u>	<u>QC</u>	<u>on</u>	<u>MB</u>		·				
A-3.02 <u>NL</u> yes	NS yes ompete	<u>PE</u> yes ncies reco	<u>NB</u>	<u>QC</u> NV	<u>ON</u> yes formatio	MB yes	yes as warı	yes	yes aims, se	NV rvice re	NV cords,	NV
A-3.02 NL yes Key C	NS yes ompete	PE yes ncies reco	NB yes	<u>QC</u> NV nical inf e maint	ON yes formations enance d inform	MB yes on such records	yes as warı and fai uch as t	yes canty cla lure ana technici	yes aims, se alysis u an hour	NV rvice re sing pho	NV cords, otograp	NV hs hine
NL yes Key Co	NS yes ompete .01	PE yes ncies reco prev reco hou com	NB yes ord technology ventativentativerd worl	OC NV nical infe e maint k-related cle iden	ON yes formation enance d informatification ated do	MB yes on such records nation s on numb	yes as warn and fai uch as t er (VIN	yes ranty cla lure ana technici I), parts	yes aims, se alysis u an hour used a	NV rvice re sing pho rs worke nd task	NV cords, otograp ed, mac descrip	NV hs hine tion

Sub-ta	ask											
A-3.03	3	Co	mmuni	icates v	vith ot	hers.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	encies										
A-3.03	.01	mer	itor app	rentices	s in orde	er to pa	ss on tra	ade skill	s and p	ractices	;	
A-3.03	.02	con	vey tech	ınical ir	ıformati	ion in la	ypersoi	n terms				
A-3.03	.03		commu llite pho		n tools a	ınd equ	ipment	such as	compu	ters, cel	l phone	es, and
A-3.03	.04	obta	in techi	nical inf	formatio	on from	operato	or throu	gh ques	stioning	;	
A-3.03	.05	colla	aborate	with ot	her tech	nicians	in orde	er to solv	ve probl	lems		
A-3.03	.06	give	and fo	llow dii	rections	through	n effecti	ive liste	ning an	d comm	nunicati	on
Sub-ta	ask											
A-3.04	1	Pre	pares j	ob acti	on pla	n.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	NT NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	encies										
A-3.04	.01		-			0 1	•	disasser	•	assist ir	n assem	bly
				0.				and ma	rking			
A-3.04			•	-	•	or to dis		•	1.	. 1		
A-3.04								ents for o	_		_	
A-3.04 A-3.04		-	-	-		-		ermine a ch as di				nd
71-0.04	.03	repa		Ji iiiaiii	teriarice	proced	ures su	cii as cii	sassem	51y, asse	illoly a	Πα
A-3.04	.06	refe	r to mai	nual if a	vailable	e for an	overvie	ew of re	pair pro	cedures	S	
A-3.04	.07	-	n repair time co	-		eration	s such a	as hoisti	ng requ	iiremen	ts, clear	ıliness,
A-3.04	.08		sult witl ders and	-		echnicia	ans and	other t	rades su	ıch as m	nachinis	sts,
A-3.04	.09	estii	mate rej	pair tim	es and f	finish da	ates					
A-3.04	.10	orga	anize tra	avel sch	edule ir	n order	to make	e most e	ffective	use of t	time	

Sub-task Maintains safe work environment. A-3.05 <u>NL</u> <u>NS</u> <u>PE</u> <u>NB</u> <u>QC</u> <u>ON</u> <u>MB</u> <u>SK</u> <u>AB</u> <u>BC</u> <u>NT</u> <u>YT</u> <u>NU</u> yes NV yes NV NV NV yes yes yes yes yes yes yes

Key Competencies

A-3.05.01	keep work area clean
A-3.05.02	use lock-out and tag-out procedures to prevent unwanted or unsafe operation of equipment
A-3.05.03	use anti-spill kits and procedures
A-3.05.04	apply local, provincial and national safety regulations such as WHMIS and TDG
A-3.05.05	recognize worksite hazards that require the use of PPE and safety equipment
A-3.05.06	recognize potential hazards such as noise level, air quality, and flammable and explosive materials
A-3.05.07	report hazardous conditions and work practices to prevent workplace injuries
A-3.05.08	clean, handle, store, remove and dispose of hazardous materials such as batteries and waste products according to jurisdictional regulations
A-3.05.09	perform safety inspection of equipment and surrounding work area
A-3.05.10	ensure all equipment is stored, parked on leveled ground and attachments lowered
A-3.05.11	communicate work-related information such as tagging out and noting work in progress

Task 4	Performs	routine	trade	activities.
I GOIL I	I CIIOIIII	TOUCHIC	uuuc	uctivities.

K 1	government regulations
K 2	safe handling procedures for compressed gas cylinders and liquid nitrogen
K 3	cutting equipment such as gas, plasma and arc/air
K 4	types of fuel gases such as acetylene and propane
K 5	properties of metals and reactions to heat, cold and chemicals
K 6	types of component heating methods such as torch (acetylene or propane) induction heaters, ovens and heat lamps

K 7		expa	expansion and contraction of metals through heating and cooling											
K 8		type	types of component cooling methods such as CO2 and liquid nitrogen											
K 9		risk	risks associated with heating equipment											
K 10		type	types of cleaning equipment and procedures											
K 11		type	types of cleaning agents											
K 12		reac	tions of	materia	als to sp	ecific cl	eaning	agents						
K 13		safe	safe handling, storage and disposal of cleaning agents											
K 14		safe	safe handling, storage and disposal of waste											
Sub-ta	ask													
A-4.01	1	He	Heats materials.											
NIT	NIC	DE	NID	00	ONI	MD	CIZ	ΑĐ	D.C.	NIT	VТ	NITI		
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV		
J	<i>y</i>	<i>y</i>	<i>y</i>		<i>y</i>	<i>J</i>)	<i>y</i>	<i>y</i>					
Key Competencies														
A-4.01.01			use component heating methods such as using induction heaters, ovens, heat											
4 4 04	00		lamps and torches											
A-4.01.02		determine required heating of materials according to manufacturers' specifications												
A-4.01.03		measure heat of metals using methods such as using heat stick, using infrared temperature gun and measuring with temperature probe												
		tem	peratur	e gun ai	nd meas	suring v	vith ten	nperatu	re probe	2				
Sub-ta	ask													
A-4.02	2	Co	ols mat	erials.										
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>on</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>		
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	\overline{NV}	NV		
Kev C	ompete	encies												
,	•		20111111	ant and	lina ma	thada a	ab ac .	10in ~ 11	atom CC). and 1	أميينا			
A-4.02.01		use component cooling methods such as using water, CO2 and liquid nitrogen												
A-4.02.02		determine required cooling of materials according to manufacturers' specifications												
A-4.02.03		measure cooling of metals using methods such as using a heat stick, using infrared temperature gun and measuring with temperature probe												
				_	-				_	-				

Sub-ta	ask													
A-4.03		Cu	Cuts materials.											
<u>NL</u> yes	<u>NS</u> yes	<u>PE NB QC ON MB SK AB BC NT YT NU</u>								<u>NU</u> NV				
Key Competencies														
A-4.03.01			select and use cutting tools and equipment such as torches, cutting discs, plasma cutters, hack saws and air/arc cutters											
A-4.03.02		prep	prepare work environment and material to be cut											
A-4.03.03			recognize limitations in work environment such as gases, enclosed spaces and other personnel											
A-4.03.04		dete	determine composition and function of material to be cut											
A-4.03.05			recognize manufacturers' prohibition of cutting components such as ROPS, FOPS and OPS											
Sub-task														
A-4.04		We	lds ma	terials	•									
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	AB no	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV		
Key Competencies														
A-4.04.01			select and use welding tools and equipment such as torches, metal inert gas (MIG) welders, and shielded metal arc welding (SMAW) equipment											
A-4.04.02		prep	prepare work environment and material to be welded											
A-4.04.03			recognize jurisdictional limitations, certification and licensing requirements for different types of welding											
A-4.04.04		sele	select welding material as required by the task											
A-4.04.05			recognize limitations in work environment such as gases, enclosed spaces and other personnel											
A-4.04.06		dete	determine composition and function of material to be welded											
A-4.04.07			isolate all electronics on equipment by disconnecting ground source or using surge protector to prevent damage											
A-4.04.08		isola	isolate component to be welded											

A-4.04.09		-	place ground as close to weld as possible to avoid unwanted arcing and heating through components such as bearings, bushings, cylinders and seals										
A-4.04	.10		ognize n PS and (cturers'	prohibi	tion of v	welding	compo	nents sı	uch as R	OPS,	
Sub-ta	ask												
A-4.05		Cle	eans pa	rts and	l mater	ials.							
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV	
Key Co	ompete	encies											
A-4.05.01			select cleaning agents according to manufacturers' specifications, MSDS descriptions and compatibility with material to be cleaned										
A-4.05.02		prej	prepare surface for cleaning										
A-4.05.03			select and use cleaning tools and equipment such as air scrapers, pressure washers, and abrasives										
A-4.05.04		imn	immerse parts in dip tanks and parts washers										
A-4.05.05		disp	dispose of cleaning agents according to government regulations and										

manufacturers' specifications

BLOCK B

ENGINES AND ENGINE SUPPORT SYSTEMS

Context

Heavy duty equipment technicians must be able to efficiently diagnose and repair engines and engine sub-systems to maintain equipment performance and reliability to reduce equipment down time.

All diagnostic and repair tasks must be performed according to manufacturers' specifications.

When working on high pressure fuel systems, technicians must observe additional safety procedures.

Trends

Engine and supporting systems are becoming more sophisticated and complex due to emission requirements. Electronics are prevalent throughout engines and supporting systems, and technicians increasingly need a high level of computer skills and electronic diagnostic abilities.

Due to environmental concerns, manufacturers are moving towards the use of improved or new technologies such as after treatment devices, variable rate turbo charging, high pressure common rail fuel injection and alternative fuels to reduce emission levels.

Related Sub-systems

Base engines, lubrication systems, cooling systems, fuel systems, intake and exhaust systems, engine control systems, emission control systems.

Related Components (include, but not limited to)

Base engines: heads, block, pistons, connecting rods, crankshaft, wrist pins, bearings, camshaft, harmonic balancers, gears, lifters, covers, gaskets, seals, push rods, valves, rockers, springs, flywheel housing, flywheel.

Lubrication systems: oil pumps, filters, valves, coolers, lubricants, oil lines, oil sump, bearings, bushings, gears, seals, gaskets.

Cooling systems: water pumps, piping, hoses, clamps, radiators, thermostat, shutters, shrouds, fans, fan drive, regulators, coolant, heat exchangers.

Intake and exhaust systems: muffler, tubing, piping, manifold, air cleaner, clamps, superchargers, turbochargers (variable geometry turbocharging), coolers, pre-cleaners, restriction indicators, ether injection.

Fuel systems: fuels, fuel filter, regulators, tank, lines, lift pump, mechanical and electronic injectors, pumps, fuel injector pumps, nozzles, injector tips, hoses, tubes, water separator, governors, timing and spark advance, seals, gaskets, sensors, solenoids, wiring, software.

Engine control system: electronic control modules (ECM), software, wiring, coils, spark plugs, solenoids, sensors, linkages, pedals, cables, potentiometer, engine protection devices.

Emission control system: selective catalytic reduction (SRC), diesel oxidation catalyst (DOC), diesel particulate filters (DPF), scrubber, exhaust gas recirculation (EGR) components, positive crankcase ventilation (PCV) valves, exhaust gas coolers, variable geometry turbochargers.

Tools and **Equipment**

See Appendix A.

Task 5

Diagnoses engines and engine support systems.

K 1	operational test methods such as load, no-load and governed speeds
K 2	manufacturers' engine ratings
K 3	types, viscosity and quality of fluids
K 4	fuel grade, condition and types such as bio-fuels, diesel, compressed natural gas (CNG) and liquefied propane gas (LPG)
K 5	spark ignition systems and components such as module boxes, coils, wires and spark plugs
K 6	engine types, operation, components and specifications
K 7	lubrication system types, operation, components and specifications
K 8	cooling system types, operation, components and specifications
K 9	intake and exhaust system types, operation, components and specifications
K 10	fuel system types, operation, components and specifications
K 11	engine control system types, operation, components and specifications
K 12	emission control system types, operation, components and specifications
K 13	manufacturers' safety procedures regarding high pressure fuel systems
K 14	types of starting aids

Sub-ta	ask												
B-5.01		Dia	ignose	s base	engine	•							
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV	
Key Competencies													
B-5.01.	01		ct and u			_	c tools s	such as s	scan too	ol, comp	ression		
B-5.01.02 perform tests such as cylinder leak-down, compression and vacuum									uum				
B-5.01.	identify and distinguish sources of noises, vibrations and harshness (NV engine components such as valve train, pistons and crankshaft									VH) in			
B-5.01.	04	rem	ove and	l disass	emble c	ompone	ents to i	dentify	probler	n			
B-5.01.	05	recognize worn, damaged and defective components such as worn camshafts bearings and rings										shafts,	
B-5.01.06 inspect valve timing and adjustment													
B-5.01.	take measurements of base engine components and compare to manufacturers' specifications												
B-5.01.	08	interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications									rmine		
Sub-ta	ask												
B-5.02		Dia	ignose	s lubrio	cation s	system	s.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV	
Key C	ompete	ncies											
B-5.02.	01			_				ow mete stic tool	-	ssure ga	iuges,		
B-5.02.	02		identify type of lubricant to be used according to manufacturers' specifications and operating conditions										
B-5.02.	03	_	orm ser	-	-		entify sy	ymptom	s such	as leaks	and		
B-5.02.	04	rem	ove and	l disass	emble c	ompone	ents to i	dentify	probler	n			
B-5.02.	05		e oil sam nents ar	-	-	ret test 1	results s	such as o	contami	ination,	wear		

B-5.02.06	test system pressure according to manufacturers' specifications to locate faults such as blockages, leakages and worn parts
B-5.02.07	identify components of lubrication systems such as oil pump, regulator and pressure relief valve
B-5.02.08	inspect lubrication system components for wear, damage and defects
B-5.02.09	interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications

Sub-t	ask											
B-5.03	3	Dia	agnose	s coolii	ng syst	ems.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV

Key Competencies

B-5.03.01	select and use diagnostic tools such as coolant testers, air flow meter and coolant pressure tester
B-5.03.02	pressure test cooling systems to identify fluid and pressure leaks
B-5.03.03	perform sensory inspections to identify defects such as leaks and radiator obstructions
B-5.03.04	remove and disassemble components to identify problem
B-5.03.05	determine cooler condition for reuse
B-5.03.06	test coolant concentration and condition
B-5.03.07	test radiator efficiency for air flow and heat transfer
B-5.03.08	inspect and test cooling system components such as water pump, fan, belts and shrouds for defects
B-5.03.09	interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications

Sub-ta	ask											
B-5.04	!	Dia	agnose	s intak	e and e	exhaust	systen	ns.				
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key Co	ompete	ncies										
B-5.04.	01	ider	ntify equ	ıipmen	t's type	of intak	e and e	xhaust	system	and con	nponent	ts
B-5.04.	02	select and use diagnostic tools such as pressure gauges and infrared temperature gun										
B-5.04.	03	perf	orm en	gine pe	rformar	ice tests	accord	ing to m	nanufac	turers' s	specifica	ations
B-5.04.	04	-	form ser naged co	•	-		, ,	•	ns such	as exces	sive no	ise,
B-5.04.	05	insp	ect turb	oo charg	gers							
B-5.04.	06	rem	ove and	l disass	emble c	ompone	ents to i	dentify	probler	n		
B-5.04.	07	-	inspect intake and exhaust systems for leaks or blockages using methods such as turbo boost test and air pressure test									
B-5.04.	08		rpret an	,					-		to deter	mine
		requ	uired re	pair acc	cording	to mani	ıfactur€	ers' spec	cificatio	ns		
Sub-ta	ask											
B-5.05		Dia	agnose	s fuel s	systems	5.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key Co	ompete	ncies										
B-5.05.	01	sele	ct and u	ıse diag	nostic t	ools suc	h as pre	essure a	nd vacı	ıum gaı	ıges	
B-5.05.	02	perf	orm en	gine pe	rformar	nce tests	accord	ing to n	nanufac	turers' s	specifica	ations
B-5.05.	B-5.05.02 perform engine performance tests according to manufacturers' specification B-5.05.03 perform visual and auditory inspections according to high pressure system protocols to identify symptoms such as fuel leaks, aeration and abnormal exhaust smoke											
B-5.05.	04	rem	ove and	l disass	emble c	ompone	ents to i	dentify	probler	n		
B-5.05.	05	perf	perform fuel pressure tests according to manufacturers' specifications									
B-5.05.	06	ider	ntify fue	l grade	, condit	ion and	type su	ich as d	iesel, Cl	NG and	LPG	
B-5.05.	07		rpret an uired re	•							to deter	mine

Sub-ta	ısk													
B-5.06		Dia	ignoses	s engin	e conti	rol syst	ems.							
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV		
Key Co	ompetencies													
B-5.06.	01	sele	select and use diagnostic tools											
B-5.06.	02	ider	identify engine control systems types such as mechanical or electrical											
B-5.06.	03	ider	identify spark ignition system components											
B-5.06.	04	-			l audito inkage l		ections t	o identi	ify defe	cts such	as thro	ttle		
B-5.06.	05	rem	ove and	disass	emble c	ompone	ents to i	dentify	problen	n				
B-5.06.	06	review ECM diagnostic information such as fault codes, parameters and software version									i			
B-5.06.	07	perform engine control system tests such as solenoid test, calibration test and injector cut-out test									st and			
B-5.06.	.06.08 interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications									mine				
B-5.06.	09	-	orm sta r injecti	_	d tests s	such as g	glow pl	ug, inta	ke heate	er, block	k heater	or		
Sub-ta	nsk													
B-5.07		Dia	ignoses	s emiss	sion co	ntrol sy	stems.							
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV		
Key Co	ompete	ncies												
B-5.07.	01	ider	itify equ	iipment	t's type	of emis	sion sys	tem and	d compo	onents				
B-5.07.	02	rem	remove and disassemble components to identify problem											
B-5.07.	03	test	test exhaust gas to determine emission compliance according to regulations											
B-5.07.	04		-		emissic		•							
B-5.07.05 diesel particulate filter and SCR according to manufacturers perform visual and auditory inspections to identify symptom excessive smoke and damaged components								ptoms s	uch as					

B-5.07.06	select and use on-board diagnostic tools such as gas analyser, computer and multimeters
B-5.07.07	interpret and analyze results of tests and inspections to determine required repair according to manufacturers' specifications

Repairs engines and engine support systems.

K 1	manufacturers' specifications
K 2	engine types, operation, components and specifications
K 3	lubrication system types, operation, components and specifications
K 4	cooling system types, operation, components and specifications
K 5	intake and exhaust system types, operation, components and specifications
K 6	fuel system types, operation, components and specifications
K 7	engine control system types, operation, components and specifications
K 8	emission control system types, operation, components and specifications
K 9	specified system performance to manufacturers' specifications
K 10	types, viscosity and quality of fluids
K 11	fuel grade, condition and type such as biofuels, diesel, CNG and LPG
K 12	spark ignition systems and components such as coils, wires and spark plugs
K 13	cold starting aids such as intake heaters, block heaters, ether injection and glow plugs
K 14	manufacturers' safety procedures regarding high pressure fuel systems

Sub-ta	ask													
B-6.01		Rei	pairs ba	ase eng	zines.									
2 0.01		110]	pullo D		5									
NL Was	NS NOS	<u>PE</u>	NB Wos	<u>QC</u> NV	<u>ON</u>	MB Wos	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV		
yes	yes	yes	yes	1 N V	yes	yes	yes	yes	yes	1 N V	1 N V	INV		
Key Co	ompete	ncies												
B-6.01.	select and use repair tools and equipment straight edge and micrometer								s hand t	tools, pl	astigau	ge,		
B-6.01.	02	cyli	remove, disassemble and inspect engine components such as cylinder heads, cylinder liners, crank shaft and cam shaft for conditions such as damage and wear											
B-6.01.03 select repair parts and materials such as gaskets, sealants and fastening devices according to repair requirements and manufacturers' specificat									U					
B-6.01.	04	remove, replace, recondition or service components according to manufacturers' procedures and specifications												
B-6.01.05 reassemble engine components and perform measurements														
B-6.01.06 perform valve timing adjustment														
B-6.01.07 torque components according to sequence and specifications														
B-6.01.08 perform mechanical engine timing procedures														
B-6.01.	09	adju	ıst base	engine	compoi	nents an	ıd parts							
B-6.01.	10	perf	orm pre	e-lubric	ation ar	nd prim	ing pro	cedures						
B-6.01.	11	inst	all engii	ne and	engine o	compon	ents	nts						
B-6.01.	12	com	plete re	pair by	verifyi	ng syste	m's fur	nction a	nd perfo	ormance	<u>)</u>			
Sub-ta	ask													
B-6.02		Rej	pairs lu	bricati	ion sys	tems.								
NL ves	NS ves	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB ves	<u>SK</u>	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV		
yes	yes	yes	yes	1 N V	yes	yes	yes	yes	yes	1 N V	1 N V	1 N V		
Key Co	ompete	ncies												
B-6.02.	01		select and use repair tools and equipment such as feeler gauge, oil pressure gauge and measuring tools											
B-6.02.	02					inspect le and w		ion syst	em com	nponent	s for			
B-6.02.03 select repair parts and materials such as gaskets, sealants and fadevices according to repair requirements and manufacturers' s								_						

B-6.02.04	replace, recondition or service components according to manufacturers' procedures and specifications
B-6.02.05	reassemble lubrication system components and perform measurements
B-6.02.06	identify and select specified lubricants
B-6.02.07	perform maintenance procedures such as changing oil and filter
B-6.02.08	perform priming and prelubrication of oil pressure system
B-6.02.09	complete repair by verifying system's function and performance

Sub-ta	ask											
B-6.03	}	Re	pairs co	ooling	system	s.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	encies										

B-6.03.01	select and use repair tools and equipment such as fin comb, seal installers and hand tools
B-6.03.02	remove, disassemble and inspect cooling system components for conditions such as damage and wear
B-6.03.03	select repair parts and materials such as gaskets, sealants and fastening devices according to repair requirements and manufacturers' specifications
B-6.03.04	repair or replace cooling system components such as radiators, hoses, gaskets, thermostats and water pumps
B-6.03.05	distinguish types and characteristics of coolants in order to avoid mixing incompatible types and to ensure required concentrations
B-6.03.06	drain, flush, refill and bleed coolant system
B-6.03.07	reassemble coolant system components
B-6.03.08	complete repair by verifying system's function and performance

Sub-ta	ask												
B-6.04	B-6.04 Repairs intake and exhaust systems.												
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes											
Key Co	ompete	ncies											
B-6.04.	01	select and use tools and equipment such as hand tools and press devices								sure tes	ting		
B-6.04.	02		remove, disassemble and inspect intake and exhaust system components for conditions such as damage and wear									ts for	
B-6.04.	03		ct repai ices acc	-			_	•			U		
B-6.04.	04	repair, replace or recondition intake and exhaust system components such a manifolds, mufflers and coolers								ıch as			
B-6.04.	05	reas	semble	intake a	and exh	aust sys	stem co	mponer	nts				
B-6.04.	06	repa	air, lubr	icate an	d prime	e turbo/	super cl	hargers					
B-6.04.07 maintain intake system by servicing pre-cleaners and air filters													
B-6.04.	08	com	plete re	pair by	verifyi	ng syste	em's fur	nction a	nd perfo	ormance	9		
Sub-ta	ask												
B-6.05		Re	pairs fu	ıel sys	tems.								
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	YT NV	<u>NU</u> NV	
Key Co	ompete	encies											
B-6.05.	01		ct and u s, and f	-		-	-		s fuel p	ressure	gauge, l	hand	
B-6.05.	02		ove, dis manifo			-	-		-	ts such a	as fuel l	ines	
B-6.05.	03	fast	select repair parts and materials such as gaskets, sealants, o-rings and fastening devices according to repair requirements and manufacturers' specifications										
B-6.05.	04		n and re ernors p	-	-	-		-			filters,		
B-6.05.	05	reas	semble	fuel sys	stem co	mponer	its and]	perform	measu	rements	5		
B-6.05.	07	toro	torque components according to sequence and specifications										

B-6.05.07	pressurize and bleed system
B-6.05.08	perform fuel system timing procedures
B-6.05.09	complete repair by verifying system's function and performance

D-0.U3.U)9	complete repair by verifying system's function and performance												
Sub-ta	sk													
B-6.06		Re	Repairs engine control systems.											
<u>NL</u> yes	<u>NS</u> yes									<u>NU</u> NV				
Key Co	mpete	encies												
B-6.06.0)1	select and use repair tools and equipment such as hand tools and diagnostic tools							ostic					
B-6.06.0)2		remove, disassemble and inspect mechanical engine control system components for conditions such as damage and wear											
B-6.06.0)3	replace and calibrate electronic control components such as sensors and inectors according to manufacturers' specifications and government regulations							1					
B-6.06.0)4	select repair parts and materials such as gaskets, sealants and fastening devices according to repair requirements and manufacturers' specifications												
B-6.06.0)5	repair or replace engine control system components such as ECM, actuators, coils, plugs and mechanical linkages												
B-6.06.0)6	reas	ssemble	engine	control	system	compo	nents aı	nd calib	rate				
B-6.06.0	06.07 torque components according to sequence and specification					tions								
B-6.06.0	08	com	plete re	epair by	verifyi	ng syste	em's fur	nction a	nd perfo	ormance	<u> </u>			
B-6.06.09		_	form sta er inject	_	id repai	rs such	as glow	plug, ii	ntake he	eater, bl	ock hea	ter or		

Sub-task B-6.07 Repairs emission control systems. <u>NL</u> NS <u>PE</u> <u>NB</u> <u>QC</u> ON <u>MB</u> <u>SK</u> <u>AB</u> <u>BC</u> NT<u>YT</u> NU NVNV NV NV yes yes yes yes yes yes yes yes yes **Key Competencies** B-6.07.01 select and use diagnostic tools and equipment such as scan tool and exhaust gas analysers B-6.07.02 remove, disassemble and inspect emission control system components for conditions such as damage and wear B-6.07.03 select repair parts and materials such as gaskets, sealants and fastening devices according to repair requirements and manufacturers' specifications B-6.07.04 repair or replace emission system components such as heaters, injectors, sensors, EGR valves, PVC and DPF filters B-6.07.05 reassemble emission system components and calibrate B-6.07.06 complete repair by verifying system's function and performance according to

manufacturers' specifications and government regulations

BLOCK C

HYDRAULIC, HYDROSTATIC AND PNEUMATIC SYSTEMS

Context

Heavy duty equipment technicians' work on hydraulic, hydrostatic and pneumatic systems includes maintenance, diagnostic and mechanical repairs of system components and accessories.

All diagnostic and repair tasks must be performed according to manufacturers' specifications.

Trends

There are higher pressures in these systems which reduce the overall weight and size of machines.

Smaller components are being used to reduce dimensions.

Electronic controls of these systems increase efficiency, comfort and remote operation.

There have been improvements in filtration systems.

Lubricants in these systems are more environmentally friendly.

Alternate materials such as high-velocity oxygen fuel (HVOF) are being

used to replace chrome hardening.

Material quality has improved for more precise manufacturing.

Related Components (include, but not limited to)

Pumps, lines, valves, motors, hoses, cylinders, fittings, compressors, oil, compressed air, reservoirs, air dryers, controls, rotary joints, governors, electronic controls, air filters, accumulators.

Tools and **Equipment**

See Appendix A.

Task 7

Diagnoses hydraulic, hydrostatic and pneumatic systems.

K 1	fluids and fluid conditioning systems such as filtering systems, heating and cooling exchangers, and tanks
K 2	reference material such as schematic diagrams and service manuals
K 3	specified system performance
K 4	hydraulic system types, operation, components and specifications

K 5	hydrostatic system types, operation, components and specifications
K 6	pneumatic system types, operation, components and specifications
K 7	safe work procedures
K 8	depressurization of hydraulic tanks and pneumatic systems
K 9	electro-hydraulic operation, components and testing

Sub-ta	ask													
C-7.01	L	Dia	Diagnoses hydraulic systems.											
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes										<u>NU</u> NV		
Key C	ompete	ncies												
C-7.01	.01	select and use on-board diagnostic tools such as pressure gauges, flow meter and sight glass							meters					
C-7.01	.02	locate components and perform tests such as cycle time, cylinder drift, pressure and flow test												
C-7.01	.03	perform visual and auditory inspection to identify problems succeptations and aeration					ems suc	ch as lea	ıks,					
C-7.01	.04	compare equipment operation to manufacturers' specifications to verify complaint and expected performance							7					
C-7.01	.05	take	fluid s	amples	and into	erpret r	esults to	identif	y probl	ems and	d trends	5		
C-7.01	.06	rem	remove and disassemble component to identify problem											
C-7.01	.07		recognize worn, damaged and defective components such as motors, pumps, accumulators and control valves						umps,					
C-7.01	.08		measu nufactur			•	lic syste	m comp	onents	and co	mpare t	О		
C-7.01	.09	-	ressuriz cificatio		epressu	rize hy	draulic s	system a	accordii	ng to ma	anufact	urers'		
C-7.01	.10	interpret and analyze results of functional tests and inspections to deter required repair according to manufacturers' specifications						rmine						

Sub-ta	ısk											
C-7.02		Dia	ignoses	s hydro	static s	system	s.					
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes										
Key Co	ompete	ncies										
C-7.02.	01	select and use diagnostic tools such as laptops, pressure gauges, flow meter and fluid level device								eters		
C-7.02.	02		locate components and perform tests such as cycle time, case drain, pressure and flow test								ssure	
C-7.02.	03	-	orm vis			ry inspe	ection to	o identif	y probl	ems suc	ch as lea	ıks,
C-7.02.	04		compare equipment operation to manufacturers' specifications to verify complaint and expected performance							7		
C-7.02.	05	take	fluid sa	amples	and inte	erpret re	esults to	identif	y probl	ems and	d trends	3
C-7.02.	06	remove and disassemble component to identify problem										
C-7.02.	07	recognize worn, damaged and defective components such as motors, pump and control valves							umps			
C-7.02.	08	take measurements of the hydrostatic system components and compare to manufacturers' specifications							e to			
C-7.02.	09	depressurize and repressurize hydrostatic system according to manufacturers' specifications										
C-7.02.	10	interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications										
Sub-ta	ısk											
C-7.03		Dia	ignoses	s pneu	matic s	ystems	6.					
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key Co	ompete	ncies										
C-7.03.	01	sele	ct and u	se diag	nostic to	ools suc	h as pre	essure g	auges a	nd mul	timeter	
C-7.03.	02			Ü			-	n as cycl				eak
C-7.03.03 perform visual and auditory inspection to identify processing to contamination and heat						y probl	ems suc	ch as lea	ıks,			

C-7.03.04	compare equipment operation to manufacturers' specifications to verify complaint and expected performance
C-7.03.05	remove and disassemble component to identify problem
C-7.03.06	recognize worn, damaged and defective components such as compressors, air motors and control valves
C-7.03.07	take measurements of the pneumatic system components and compare to manufacturers' specifications
C-7.03.08	depressurize and repressurize pneumatic system according to manufacturers' specifications
C-7.03.09	interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications

Repairs hydraulic, hydrostatic and pneumatic systems.

K 1	fluids and fluid conditioning systems such as filtering systems, heating and cooling exchangers, and reservoirs
K 2	reference material such as schematic diagrams and service manuals
K 3	specified system performance
K 4	hydraulic system types, operation, components and specifications
K 5	hydrostatic system types, operation, components and specifications
K 6	pneumatic system types, operation, components and specifications
K 7	safe work procedures
K 8	depressurization of hydraulic tanks, air tanks and accumulators
K 9	bleeding procedures and methods to prevent air ignition in cylinders (dieseling)
K 10	electro-hydraulic operation, components and repair

Sub-task C-8.01 Repairs hydraulic systems. NL NTNS PΕ NB <u>QC</u> ON MB SK <u>AB</u> BC ΥT NU NVyes NV NV NV yes yes yes yes yes yes yes yes **Key Competencies** C-8.01.01 select and use repair tools and equipment such as hand tools and shop tools remove, disassemble and inspect hydraulic system components for C-8.01.02 conditions such as scoring, wear patterns and heat discolouration C-8.01.03 flush hydraulic system as required according to manufacturers' specifications inspect and service accumulators C-8.01.04 C-8.01.05 select repair parts and materials such as motors, pumps and cylinders according to repair requirements and manufacturers' specifications C-8.01.06 depressurize hydraulic system as per manufacturers' specifications and government regulations C-8.01.07 remove, replace or recondition the serviced components according to manufacturers' procedures and specifications C-8.01.08 reassemble hydraulic system components and perform measurements C-8.01.09 torque components according to sequence and specifications C-8.01.10 assemble and install components according to manufacturers' specifications and procedures C-8.01.11 adjust and calibrate hydraulic system components and parts to manufacturers' specifications C-8.01.12 perform pre-lubrication, bleeding and priming procedures C-8.01.13 perform start-up and break-in according to manufacturers' specifications and procedures

complete repair by verifying system's function, operation and performance according to manufacturers' specifications and government regulations

C-8.01.14

Sub-task C-8.02Repairs hydrostatic systems. NL NTNS PΕ NB QC ON MB SK <u>AB</u> BC ΥT NU NVyes NV NV NV yes yes yes yes yes yes yes yes **Key Competencies** C-8.02.01 select and use repair tools and equipment such as hand tools, shop tools and C-8.02.02 remove, disassemble and inspect hydrostatic system components for conditions such as scoring, wear patterns and heat discolouration flush hydrostatic system as required C-8.02.03 C-8.02.04 select repair parts and materials such as motors, pumps and valves according to repair requirements and manufacturers' specifications C-8.02.05 depressurize hydrostatic system as per manufacturers' specifications and government regulations C-8.02.06 remove, replace or recondition the serviced components according to manufacturers' procedures and specifications C-8.02.07 reassemble hydrostatic system components and perform measurements C-8.02.08 torque components according to sequence and specifications C-8.02.09 assemble and install components according to manufacturers' specifications and procedures C-8.02.10 adjust and calibrate hydrostatic system components and parts according to manufacturers' specifications C-8.02.11 perform pre-lubrication, bleeding and priming procedures C-8.02.12 perform start-up and break-in according to manufacturers' specifications and procedures complete repair by verifying system's function, operation and performance C-8.02.13 according to manufacturers' specifications and government regulations

Sub-task C-8.03Repairs pneumatic systems. NLNTΥT NS PΕ NB QC ON MB <u>SK</u> <u>AB</u> BC NU NVyes NV NV NV yes yes yes yes yes yes yes yes **Key Competencies** C-8.03.01 select and use repair tools and equipment such as hand tools and shop tools C-8.03.02 remove, disassemble and inspect pneumatic system components for conditions such as scoring, wear patterns and heat discolouration C-8.03.03 select repair parts and materials such as motors, compressor and valves according to repair requirements and manufacturers' specifications C-8.03.04 depressurize pneumatic system as per manufacturers' specifications and government regulations C-8.03.05 remove, replace or recondition the serviced components according to manufacturers' procedures and specifications C-8.03.06 reassemble pneumatic system components and perform measurements C-8.03.07 torque components according to sequence and specifications C-8.03.08 assemble and install components according to manufacturers' specifications and procedures C-8.03.09 adjust and calibrate pneumatic system components and parts to manufacturers' specifications C-8.03.10 perform pre-lubrication C-8.03.11 perform start-up and break-in according to manufacturers' specifications and procedures

complete repair by verifying system's function, operation and performance according to manufacturers' specifications and government regulations

C-8.03.12

BLOCK D

DRIVETRAIN SYSTEMS

Context

Heavy duty equipment technicians must be able to efficiently diagnose and repair drivetrain systems and sub-systems to maintain equipment performance and reliability to reduce equipment down time.

All diagnostic and repair tasks must be performed according to manufacturers' specifications.

Trends

Drivetrain systems and supporting systems are becoming more sophisticated and complex due to emission requirements and to lower maintenance costs. Electronics are prevalent throughout drivetrains and supporting systems, and technicians increasingly need a high level of computer skills and electronic diagnostic abilities.

Due to environmental concerns, manufacturers are moving towards the use of improved or new technologies such as hybrid drive systems, constantly variable transmission (CVT), electronic controlled transmission (ECT) systems, electric drives and improved filtration.

Related Components (include, but not limited to) **Clutch systems:** flywheels, pressure plates, friction discs and plates, springs, forks, master cylinders, slave cylinders, bearings, seals, gaskets, fluids, filters, breathers, component control systems.

Torque converters, fluid couplers and retarders: stator, impellor, turbine, over running clutch, lockup-clutch, valves, pump, lines, coolers, seals, gaskets, bearings, fluids, filters, breathers.

Driveline systems: bearings, seals, gaskets, u-joints, yokes, slip joints, CV joints, drive shafts, lubricants.

Transmission and transfer case systems: clutch pack, piston, gears, gear sets, shafts, pump, bearings, seals, gaskets, fluids, filters, valves, lines, component control systems, cooler, breathers, planetary systems.

Axle and differential systems: axle, shafts, crown and pinion sets, spider gears, sun gears, limited slip and differential lockups, fluids, filters, coolers, lines, bearings, seals, gaskets, pump, component control systems, breathers.

Final drives: bearings, gears, seals, gaskets, shafts, fluids, filters, breathers, covers, planetary systems.

Tools and Equipment

See Appendix A.

Diagnoses drivetrain systems.

Required Knowledge

K 1	reference material such as schematic diagrams and service manuals
K 2	clutch system types, operation, components and specifications
K 3	types of torque converters, fluid couplers and retarders, their operation, components and specifications
K 4	driveline system types, operation, components and specifications
K 5	transmission and transfer case system types, operation, components and specifications
K 6	axle and differential system types, operation, components and specifications
K 7	final drive system types, operation, components and specifications
K 8	specified system performance
K 9	types, viscosity and quality of fluids

Sub-task

D-9.01 Diagnoses clutch systems.

<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	no	NV	yes	yes	yes	yes	yes	NV	NV	NV

Key Competencies

D-9.01.01	select and use diagnostics tools such as spring gauge, feeler gauge and dial indicator
D-9.01.02	identify types of clutch system and their operation
D-9.01.03	identify types of clutch controls such as manual, hydraulic, pneumatic and electric
D-9.01.04	perform sensory inspections to identify symptoms such as leaks, damaged components and odours
D-9.01.05	check fluid level and condition, and inspect for internal leaks or adjustment
D-9.01.06	perform functional tests to identify clutch slippage, vibrations or engagement
D-9.01.07	remove and disassemble components to identify problem
D-9.01.08	inspect clutch components in accordance with manufacturers' specifications and inspection procedures
D-9.01.09	interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications

Sub-ta	ask											
D-9.02	2	Dia	ignoses	s torqu	e conv	erters,	fluid c	oupler	s and r	etardeı	s.	
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key Co	Key Competencies											
D-9.02	.01		select and use diagnostics tools such as pressure gauge, temperature gauge and flow meter									
D-9.02	.02		identify types of torque converters, fluid couplers, retarders and their operation									
D-9.02.	.03	_			litory in our and	-			ympton	ns such	as leaks	,
D-9.02	.04			•	nd cond							
D-9.02	.05	-	perform tests such as converter stall speed and pressure tests to identify internal leakage, vibration and engagement									7
D-9.02	.06	remove and disassemble components to identify problem										
D-9.02	.07	inspect torque converters, fluid couplers and retarders in accordance with manufacturers' specifications and inspection procedures								ith		
D-9.02	.08		-	-	ze resu cording				-		to deter	mine
Sub-ta	ask											
D-9.03	3	Dia	ignose	s drive	line sy	stems.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key Co	ompete	ncies										
D-9.03	.01		ct and u ight edg	_	nostic t	ools suc	h as dia	al indica	itor, ang	gle gaug	ge and	
D-9.03	.02	ider	ntify typ	es of di	riveline	systems	s and th	eir ope	ration			
D-9.03	.03	-		5	spection d excess		, ,	ympton	ns such	as vibra	ition,	
D-9.03.04 remove and disassemble components to identify problem												
D-9.03	.05	insp	ect com	ponent	s for we	ear, dan	nage and	d defect	ts			

D-9.03 D-9.03		perform functionality tests according to manufacturers' specifications interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications										rmine
Sub-t	ask											
D-9.0	4	Dia	agnose	s trans	missio	n and t	ransfei	case s	ystems	.		
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	AB yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	encies										
D-9.04.01 select and use diagnostic tools such as pressure gauge, computer and multimeter									er and			
D-9.04	.02	identify types of transmission and transfer case systems such as manual, automatic, power shift and direct drive and their operation									l,	
D-9.04	.03	che	check fluid level and condition									
D-9.04	.04	perform visual and auditory inspections to identify symptoms such as vibration, abnormal noise, leaks and excessive heat										
D-9.04	.05	remove and disassemble components to identify problem										
D-9.04	.06	perform diagnostic and functional tests according to manufacturers' specifications and procedures										
D-9.04	.07		1	,	ze resu cording				_		to detei	mine
Sub-t	ask											
D-9.0		Dia	agnose	s axle a	ınd dif	ferenti	al syste	ems.				
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	AB yes	BC yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	encies										
D-9.05	5.01	sele	ct and u	ıse diag	nostic t	ools suc	ch as ter	nperatu	re gaug	e and d	lial indi	cator
D-9.05	5.02	select and use diagnostic tools such as temperature gauge and dial indicator identify types of axle and differential systems and their operation										
D-9.05	5.03				nd cond		J			•		
D-9.05	5.04	-		2	spection d excess		,	ympton	ns such	as exter	nal leak	is,
D-9.05	D-9.05.05 remove and disassemble components to identify problem											

D-9.05.06	inspect axle and differential components in accordance with manufacturers' specifications and inspection procedures
D-9.05.07	perform diagnostic and functional tests according to manufacturers' specifications
D-9.05.08	interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications

Sub-task	
D-9.06	Diagnoses final drive systems.

<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV

Key Competencies

D-9.06.01	select and use diagnostic tools such as temperature gauge and dial indicator
D-9.06.02	identify types of final drive systems and their operation
D-9.06.03	check fluid level and condition
D-9.06.04	perform visual and auditory inspections to identify symptoms such as leaks, noise and excessive heat
D-9.06.05	remove and disassemble components to identify problem
D-9.06.06	perform diagnostic and functional tests according to manufacturers' specifications
D-9.06.07	interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications

Task 10 Repairs drivetrain systems.

K 1	clutch system types, operation, components and specifications
K 2	reference material such as schematic diagrams and service manuals
K 3	types of torque converters, fluid couplers and retarders, their operation, components and specifications
K 4	driveline system types, operation, components and specifications
K 5	transmission and transfer case system types, operation, components and specifications
K 6	axle and differential system types, operation, components and specifications

K7 K8 K9 K10	spec type	final drive system types, operation, components and specifications specified system performance types, viscosity and quality of fluids manufacturers' specifications								
Sub-ta D-10.0 NL yes	 Rep PE yes	pairs cl NB no	utch sy QC NV	ostems. ON yes	MB yes	<u>SK</u> yes	AB yes	BC yes	NT NV	YT NV

Key Competence	ies
D-10.01.01	select and use repair tools and equipment such as pullers, dial indicator and alignment tools
D-10.01.02	remove, disassemble and inspect clutch system components for conditions such as damage and wear
D-10.01.03	select repair parts and materials such as gaskets, sealants and fastening devices according to repair requirements and manufacturers' specifications
D-10.01.04	replace, recondition or service components according to manufacturers' procedures and specifications
D-10.01.05	reassemble clutch system components and perform adjustments
D-10.01.06	perform bleeding procedures
D-10.01.07	complete repair by verifying system's function and performance according to manufacturers' specifications and government regulations

<u>NU</u> NV

Sub-ta	ask											
D-10.0)2	Rep	pairs to	rque c	onvert	ers, flu	id coup	plers ar	nd reta	rders.		
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	AB yes	BC yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	ncies										
D-10.02	2.01		select and use repair tools and equipment such as micrometer, feeler gauge and pullers									
D-10.02	2.02					-	-	converte ge and v		coupler	and re	tarder
D-10.02	2.03		-	-			C	gaskets, and ma			U	ions
D-10.0	2.04	-	replace, recondition or service components according to manufacturers' procedures and specifications									
D-10.0	2.05		reassemble torque converter, fluid coupler and retarder components and perform adjustments									
D-10.02	2.06	complete repair by verifying system's function and performance according to manufacturers' specifications and government regulations										
Sub-ta	ask											
D-10.0)3	Rep	pairs di	rivelin	e syste	ms.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key Co	ompete	ncies										
D-10.03	3.01	sele pres		se repa	ir tools	and equ	iipment	t such as	s pullers	s, torque	e wrenc	h and
D-10.03	3.02		ove, dis ı as dan			nspect (drivelin	e systen	n comp	onents f	or cond	litions
D-10.03	3.03		-	-			_	gaskets, and ma			_	ions
D-10.03	3.04	replace, recondition or service components according to manufacturers' procedures and specifications							,			

D-10.0 D-10.0		com	reassemble driveline components and perform adjustments complete repair by verifying system's function and performance according to manufacturers' specifications and government regulations									
Sub-ta	ask											
D-10.0	04	Rej	Repairs transmission and transfer case systems.									
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	AB yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	ncies										
D-10.0	4.01	sele pres		ise repa	ir tools	and equ	iipment	t such as	s puller	s, torqu	e wrenc	ch and
D-10.0	4.02		remove, disassemble and inspect transmission and transfer case system components for conditions such as damage and wear									
D-10.0	4.03		select repair parts and materials such as gaskets, sealants and fastening devices according to repair requirements and manufacturers' specifications									
D-10.0	4.04	replace, recondition or service components according to manufacturers' procedures and specifications								,		
D-10.0	4.05	reassemble transmission and transfer case components and perform calibration and adjustments										
D-10.0	4.06		-		-	0 5		nction ar ment re	-		e accord	ling to
Sub-ta	ask											
D-10.0	05	Rej	pairs ax	de and	differ	ential s	ystems	S.				
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	ncies										
D-10.0	5.01	sele pres		ise repa	ir tools	and equ	iipment	t such as	s puller	s, torqu	e wrenc	ch and
D-10.0	5.02					nspect are and w		l differe	ntial sy	stem co	mpone	nts for
D-10.0	5.03		-	-			_	gaskets, and ma			_	

D-10.05.04	replace, recondition or service axle and differential components according to manufacturers' procedures and specifications
D-10.05.05	reassemble components and perform adjustments
D-10.05.06	complete repair by verifying system's function and performance according to manufacturers' specifications and government regulations

1													
Sub-ta	ask												
D-10.0	06	Rej	Repairs final drive systems.										
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV	
Key C	ompete	ncies											
D-10.0	6.01	select and use repair tools and equipment such as pullers, induction heater							ater				
D-10.0	6.02					nspect f		ve syste	em com	ponents	s for		
D-10.0	6.03		-	-		terials sı r requir	_	•			U	ions	
D-10.0	6.04	replace, recondition or service final drive components according to manufacturers' procedures and specifications											
D-10.0	6.05	reas	semble	compo	nents ar	nd perfo	rm adju	ıstment	s				
D-10.0	6.06		-		•	ng syste ons and			-		e accord	ing to	

BLOCK E

STEERING, SUSPENSION, BRAKE SYSTEMS, WHEEL ASSEMBLIES AND UNDERCARRIAGE

Context

Heavy duty equipment technicians must be able to efficiently diagnose and repair steering, suspension and brake systems. These systems are integral to supporting and controlling the equipment safely.

It is important that all diagnostic and repair tasks are performed according to manufacturers' specifications and jurisdictional regulations. These components are vital to the safe operation of the equipment. There are specific safety concerns and hazards involved in working on these systems due to highly pressurized components.

Trends

There is a trend to higher standards in the safety aspect of these systems. With this, there are more electronic checks which warn of components' limitations and wear (for example, tire pressure monitoring systems).

Electronic controls are becoming more prevalent to help reduce operator fatigue. In brake systems, these are used in traction control systems. There are also more electronically-controlled steering features such as auto-centering and joystick steering, and suspension features such as load levelling and load sensing devices.

Tire installation is getting more specialized and is often out sourced to tire shops.

Related Components (include, but not limited to) Wheel steering systems: tires, wheels, hubs, axles, spindles, king pins, pins, bushings, hydraulic pumps, control valves, cylinders, pumps, tierods, ball studs, steering wheel, joystick, pitman arm, drag links, steering shaft, hydraulic motor, wheel bearings, seals, fluids and lubricants, hoses and fittings, steering box, mounting hardware, electrical/electronic controls, secondary/emergency steering.

Track steering systems: control levers, linkages, control valves, steering clutches, steering brakes, hydraulic pump, hydraulic motor, lines, fluids and lubricants, sprockets, planetary system, electrical/electronic controls.

Suspension systems: spring hangers, springs, axle assemblies, pins, bushings, walking beams, hydro-pneumatic struts, torque rods, rubber blocks, air bags, air valves, shocks, struts, valves, accumulators, cylinders, fluids and lubricants, bolts, rivets, electrical/electronic controls.

Wet/dry brake systems: lines, hoses, booster, accumulators, valves, air supply system, air control system, brake actuator and linkage, pistons, drums, calipers, wheel cylinders, slack adjusters, s-cams, rotors, discs, plates, backing plates, shoes, springs, shafts, brake bands, anti-lock systems.

Wheel assemblies: tires, rims, tubes, wheels, mounting hardware, valve stems, automatic inflation systems, chains, seals, tire pressure sensors.

Undercarriage: tracks, frame, rollers, bogies, idlers, sprockets, pins, bushings, mounting hardware, guards, adjusting mechanism, equalizer bar, pivot shaft, recoil spring, related fasteners.

Tools and Equipment

See Appendix A.

Task 11

Diagnoses steering, suspension, brake systems, wheel assemblies and undercarriage.

K 1	jurisdictional regulations
K 2	steering system types and operation such as hydrostatic, hydraulic, clutch/brake and electric over hydraulic
K 3	steering system components and specifications
K 4	suspension system types, operation, components and specifications
K 5	wheel mounting types such as pilot-mount and hub-mount
K 6	wheel types such as steel, aluminium and composite
K 7	wear limits and patterns, and measurement methodology
K 8	tire construction such as radial, bias ply, steel and solid
K 9	tire inflation and ballast methods such as calcium, nitrogen and air
K 10	tire removal and installation, and general tire safety
K 11	the effects of related systems on wheel assemblies such as steering, suspension and brake systems
K 12	types and installation of tire chains

K 13 undercarriage system types, operation, components and specifications K 14 tire pressure monitoring systems including pressure and temperature sensors Sub-task E-11.01 Diagnoses steering systems. NU NL NS PΕ NB <u>QC</u> MB SK <u>AB</u> BC NT ΥT ON NV NV NV NV yes yes yes yes yes yes yes yes yes **Key Competencies** E-11.01.01 select and use diagnostic tools such as flow gauges, pressure gauges, multimeter, handheld scanner and onboard diagnostic E-11.01.02 locate components and perform tests such as flow tests, pressure checks, cylinder leakage tests, motor leakage tests, cycle time tests and secondary steering tests E-11.01.03 perform visual and auditory inspection to identify problems such as leaks, low tire pressure, uneven track tension, irregular tire or track wear patterns and worn, bent or broken parts E-11.01.04 take fluid samples and interpret results to identify problems and trends E-11.01.05 compare equipment operation to manufacturers' specifications to verify complaint and expected performance E-11.01.06 remove and disassemble defective component to identify problem E-11.01.07 interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications

Sub-ta	ask												
E-11.0	2	Dia	Diagnoses suspension systems.										
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV	
Key Competencies													
E-11.02	2.01		ct and u multim		nostic t	ools suc	h as flo	w gaug	es, pres	sure gai	uges, pr	y bars	
E-11.02	2.02	locate components and perform tests such as pressure tests, leak tests and ride height test									nd		
E-11.02	2.03	perform sensory inspection to identify problems such as wear, leakage cracks, sags, noise and vibration								eakage,			
E-11.02	2.04	take	fluid sa	mples	and inte	erpret re	esults to	identif	y probl	ems and	d trends	3	
E-11.02	2.05		compare equipment operation to manufacturers' specifications to verify complaint and expected performance								7		
E-11.02	2.06	rem	remove and disassemble defective component to identify problem										
E-11.02		interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications											
Sub-ta	ask												
E-11.0	3	Dia	ignoses	brake	syster	ns.							
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	AB yes	BC yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV	
Key Co	ompete	ncies											
E-11.03	3.01			_				board c	-	-	-	ndheld	
E-11.03	3.02		te comp		_	rform te	ests sucl	n as leak	k test, p	ressure	test and	I	
E-11.03	3.03	_				-		o identif on and l		ems suc	ch as		
E-11.03	3.04	take	fluid sa	amples	and inte	erpret re	esults to	identif	y probl	ems and	d trends	;	
E-11.03	3.05	take fluid samples and interpret results to identify problems and trends compare equipment operation to manufacturers' specifications to verify complaint and expected performance							7				

E-11.03		inte	remove and disassemble defective component to identify problem interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications									
Sub-t	ask											
E-11.0	14	Dia	agnoses	s whee	l assen	nblies.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	NT NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	ncies										
E-11.04	4.01	select and use diagnostic tools such as tread wear gauge, torque wrench, tir pressure gauge, tire monitoring sensors and onboard diagnostic									ı, tire	
E-11.04	4.02		locate components and perform tests such as tire pressure test and wheel nut torque check									el nut
E-11.0	4.03	-	perform sensory inspection to identify problems such as leaks, cracks and worn components									nd
E-11.0	4.04	verify that components meet manufacturers' specifications for the equipment									oment	
E-11.0	4.05	remove and disassemble defective component to identify problem										
E-11.04	4.06		interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications								mine	
Sub-ta	ask											
E-11.0)5	Dia	agnose	s unde	rcarria	ge syst	ems.					
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	ncies										
E-11.0	5.01		ct and u	_	nostic t	ools suc	ch as inf	rared te	emperat	ure gur	ı, calipe	rs and
E-11.0	5.02		te comp r and tr		-	rform te	ests sucl	n as mea	asuring	pin wea	ar, bush	ing
E-11.0	5.03	-	orm ser leaks	nsory in	spection	n to ide	ntify pr	oblems	such as	wear, c	uts, cra	cks
E-11.0	5.04		pare eq plaint a		-			cturers'	specific	cations t	to verify	7

E-11.05.05	remove and disassemble defective component to identify problem
E-11.05.06	interpret and analyze results of functional tests and inspections to determine
	required repair according to manufacturers' specifications

Repairs steering, suspension, brake systems, wheel assemblies and undercarriage.

K 1	jurisdictional regulations
K 2	steering system types and operation such as hydrostatic, hydraulic, clutch/brake and electric over hydraulic
K 3	steering system components and specifications
K 4	suspension system types, operation, components and specifications
K 5	wheel mounting types such as pilot-mount and hub-mount
K 6	wheel types such as steel, aluminium and composite
K 7	wear limits and patterns, and measurement methodology
K 8	tire construction such as radial, bias ply, steel and solid
K 9	tire inflation methods such as calcium, nitrogen and air
K 10	tire removal and installation, and general tire safety
K 11	the effects of related systems on wheel assemblies such as steering, suspension and brake systems
K 12	types and installation of tire chains
K 13	undercarriage system types, operation, components and specifications

Sub-ta	ask											
E-12.0	1	Rej	pairs st	eering	system	ıs.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	encies										
E-12.0	1.01			-	ir tools ools and	-	-	t such a	s precis	ion mea	suring	tools,
E-12.01	1.02	-	depressurize steering systems as per manufacturers' specifications and government regulations									
E-12.0	1.03				emble d ecification				nponent	s accord	ding to	
E-12.01	1.04	select repair parts and materials according to repair requirements and manufacturers' specifications										
E-12.01	1.05	assemble and install components according to manufacturers' specifications and procedures								tions		
E-12.0	1.06	replace, recondition, service and reassemble components according to manufacturers' specifications and procedures										
E-12.0	1.07	,	ist and o		e steerir	ng syste	m comp	onents	and par	rts to m	anufact	urers'
E-12.0	1.08	perf	orm pre	e-lubric	ation ar	nd bleed	ling pro	cedures	6			
E-12.03	1.09		-		verifyii facturer	0,				•	-	
Sub-ta	ask											
E-12.0	2	Rep	pairs su	ıspens	ion sys	tems.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	ncies										
E-12.02	2.01		ct and u shop to	_	ir tools	and equ	uipment	t such a	s hand t	ools, po	ower too	ols
E-12.02	2.02	-	ressuriz ernmen		ng syste itions	ems acc	ording t	to manu	ıfacture	rs' spec	ificatior	ns and
E-12.02	2.03											

E-12.02.04	select repair parts and materials according to repair requirements and manufacturers' specifications
E-12.02.05	assemble and install components according to manufacturers' specifications and procedures
E-12.02.06	replace, recondition, service and reassemble components according to manufacturers' specifications and procedures
E-12.02.07	adjust and calibrate suspension system components and parts to manufacturers' specifications
E-12.02.08	perform pre-lubrication, air build-up and charging procedures
E-12.02.09	complete repair by verifying system's function, driveability and performance according to manufacturers' specifications and government regulations

Sub-ta	ask												
E-12.0	3	Re	Repairs brake systems.										
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	AB yes	BC yes	NT NV	YT NV	<u>NU</u> NV	
Key Co	ompete	ncies											
E-12.03	3.01	select and use repair tools and equipment such as hand tools, power tools and shop tools									ols		
E-12.03	3.02	depressurize suspension system as per manufacturers' specificati government regulations						tions ar	ıd				
E-12.03	3.03	remove and disassemble defective and worn components according manufacturers' specifications and procedures						ding to					
E-12.03	3.04		ct repai nufactui	-		terials a ons	ccordin	g to rep	air requ	ıiremen	ts and		
E-12.03	3.05		assemble and install components according to manufacturers' specification and procedures						tions				
E-12.03	3.06	replace, recondition, service and reassemble components according to manufacturers' specifications and procedures						ling to					
E-12.03	3.07	adjı	ıst brak	e systen	n comp	onents a	nd part	ts to ma	nufactu	ırers' sp	ecificat	ions	
E-12.03	3.08	peri	form pro	e-lubric	ation, a	ir build-	up, bre	ak-in ar	nd bleed	ling pro	cedure	S	
E-12.03	3.09		-	-	-	ng syste rs' speci				•	-		

Sub-ta	ısk											
E-12.0	4	Rep	airs w	heel as	sembl	ies.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key Co	ompete	etencies										
E-12.04	1.01		ct and u shop to	-	ir tools	and equ	ıipment	t such as	s hand t	cools, po	ower too	ols
E-12.04	1.02	-	depressurize wheel assemblies according to manufacturers' specifications and government regulations									ns
E-12.04	1.03	remove and disassemble defective and worn components according to manufacturers' specifications and procedures										
E-12.04	1.04		select repair parts and materials according to repair requirements and manufacturers' specifications									
E-12.04	1.05		assemble and install components according to manufacturers' specifications and procedures								tions	
E-12.04	1.06	replace, service and reassemble components according to manufacturers' specifications and procedures								s'		
E-12.04	1.07	adju	st tire p	ressure	to man	ufactur	ers' spe	cificatio	ons			
E-12.04	1.08	perf	orm pre	e-lubric	ation pr	ocedure	es on w	heel bea	arings			
E-12.04	1.09		-	-	verifyir facturer	· .				•	-	
Sub-ta	ısk											
E-12.0	5	Rep	oairs ui	nderca	rriage s	system	S.					
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key Co	ompete	ncies										
E-12.05	5.01			-	ir tools act wrer	-	ıipment	t such a	s pin pr	esses, to	orches, s	sledge
E-12.05	5.02	-			rcarriag governn	•		_	manuf	acturers	s'	
E-12.05.03 remove and disassemble defective and worn components ac manufacturers' specifications and procedures							s accord	ding to				

E-12.05.04	select repair parts and materials according to repair requirements and manufacturers' specifications
E-12.05.05	assemble and install components according to manufacturers' specifications and procedures
E-12.05.06	replace, recondition, service and reassemble components according to manufacturers' specifications and procedures
E-12.05.07	adjust undercarriage components and parts to manufacturers' specifications
E-12.05.08	perform pre-lubrication and break-in procedures
E-12.05.09	complete repair by verifying system's function, driveability and performance according to manufacturers' specifications and government regulations

BLOCK F

ELECTRICAL AND VEHICLE MANAGEMENT SYSTEMS

Context

Electrical and vehicle management systems are vital to the operation of the vehicle and must work together to provide feedback to and from the driver. They control the operation of various components throughout the vehicle.

Heavy duty equipment technicians must diagnose and repair electrical and electronic faults in order to return the vehicle to service promptly. Electronics increases operation efficiency and driver ergonomics. Electrical and vehicle management systems enable companies to manufacture more environmentally friendly equipment.

Trends

There is an increase in the use of ECMs to control more components. In the future, there will be more use of wireless communication systems. There is a trend towards the use of GPS. Increasingly, electronic systems are being used in vehicle stability systems, proximity awareness and anti-theft. The use of higher voltage hybrid systems will become more common.

Related Components (include, but not limited to)

Electrical: battery, alternator, starter, SP switches, insulators, cables, wires, lights, wire harness, gauges, solenoids, relays, diodes, capacitors, inverters, converters, switches, fuses, fuse panel, buzzers, alarms, senders and coils, and fluids.

Vehicle management systems: electronic control modules, senders, coils, electronic control valves, speed sensors, temperature sensors, pressure sensors, position sensor and software.

Tools and **Equipment**

See Appendix A.

Task 13

Diagnoses electrical systems.

K 1	types and operation of starting systems
K 2	types and operation of charging systems
K 3	battery systems and voltages such as 6, 12, 24, 36 and 48 volt

K 4		basi	c wiring	g princi	ples, scł	nematic	s and di	iagrams	;				
K 5		elec	electrical principles such as Ohm's law and electron theory										
K 6		_	general electrical components such as fuses, ignition switches, relays, circuit breakers and inverters										
K 7		wire	wire characteristics such as gauge, insulation and terminations										
K 8		<i>J</i> 1	types and operation of lighting systems and components such as incandescent, LED and high intensity discharge (HID)										
K 9		type	types and operation of wiper systems, components and accessories										
K 10		type	types and operation of audio and video systems										
K 11		aud	io and v	rideo sy	stem co	mpone	nts such	n as disp	olays an	d speak	ers		
K 12			service considerations such as temperature, location of components and accessories										
K 13		<i>J</i> 1	types of electronic accessories such as remote controls, GPS and material management computers										
K 14		<i>-</i> 1	types and operation of instrumentation systems such as gauges, speedometers and tachometers										
K 15			types and operation of displays such as temperature, compasses and engine monitoring										
K 16		safety systems such as warnings, interlocks and lighting											
K 17		potential hazards such as electrostatic discharge (ESD), electrocution and burns											
K 18		type	es of elec	ctrical s	ystems	such as	multip	lex and	CAN-b	us			
Sub-t	ask												
F-13.0	1	Dia	ignoses	s starti	ng/cha	rging s	ystems	and b	atteries	5.			
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	AB yes	BC yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV	
Key C	ompete	ncies											
F-13.0	1.01		ct and u perage/v	\sim						nd circu	iit tester	•	
F-13.0	1.02	-	ect com	-				as capa	citors, t	oreakers	and sw	vitches	
F-13.0	1.03		form bo		0			ng of ba	attery a	nd batte	ery syste	ems	
F-13.0	1.04	perform and interpret hydrometer test											
F-13.0	1.05	inte	interpret and follow wiring schematics and diagrams										

F-13.01.06	perform starting/charging system and battery tests such as AVR, voltage drop and parasitic draw
F-13.01.07	interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications

	required repair according to manufacturers' specifications											
Sub-t	ask											
F-13.0	2	Dia	agnose	s electi	rical co	mpone	nts, mo	otors a	nd acce	ssories	5.	
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	encies										
F-13.02	2.01		ct and u	_	nostic t	ools and	d equip	ment su	ich as m	ultimet	er, scan	tool
F-13.02	2.02	insp	ect com	nponent	ts, moto	rs and v	wires fo	r signs (of wear,	damag	e or fail	ure
F-13.02	2.03	-			and cor		ns for co	ondition	s such a	as corro	sion, po	or
F-13.02	2.04	inte	rpret an	d follo	w wirin	g schem	natics ar	nd diag	rams			
F-13.02	2.05	perf	orm tes	ts such	as volta	age drop	and re	esistance	e check	to pinpo	oint fail	ure
F-13.02	2.06		perform tests such as voltage drop and resistance check to pinpoint failure interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications									

Task 14	Repairs electrica	l systems.
	r	

K 1	types and operation of starting systems
K 2	types and operation of charging systems
K 3	battery systems and voltages such as 6, 12, 24, 36 and 48 volt
K 4	basic wiring principles, schematics and diagrams
K 5	electrical principles such as Ohm's law and electron theory
K 6	general electrical components such as fuses, ignition switches, relays, circuit breakers and inverters
K 7	wire characteristics such as gauge and insulation
K 8	types and operation of lighting systems and components such as incandescent, LED and HID

K 9		type	es and o	peratio	n of wip	er syste	ems, cor	nponen	ts and a	accessor	ies		
K 10		type	es and o	peratio	n of auc	lio and	video sy	stems					
K 11		aud	udio and video system components such as displays and speakers										
K 12			ervice considerations such as temperature and location of components and accessories										
K 13			types of electronic accessories such as remote controls, GPS and material management computers										
K 14			types and operation of instrumentation systems such as gauges, speedometers and tachometers										
K 15	•												
K 16		safe	ty syste	ms sucl	n as war	nings, i	nterlock	ks and li	ighting				
Sub-ta	ask												
F-14.0	1	Re	pairs st	arting/	chargi	ng syst	ems an	d batte	eries.				
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV	
Key C	ompete	ncies											
F-14.01	1.01		ct and u		-	uipmen	ıt such a	ıs scan t	ool, hai	nd tools	, multir	neter	
F-14.01	1.02		ct repair	•							,	es.	
F-14.01	1.03	perf	form bo	osting,	charging	g and lo	ad testi	ng of ba	attery a	nd batte	ry syste	ems	
F-14.01	1.04		ove con eries	nponen	ts to acc	ess defe	ective pa	arts sucl	h as alte	ernators	, starter	s and	
F-14.01	1.05	-	ace or rommend	-	ompone	nts acco	ording to	o manuf	facturer	s' speci	fication	s and	
F-14.01	1.06		iplete re iufactur		-	0.			-		accord	ing to	

Sub-task

F-14.02 Repairs electrical components, motors and accessories.

<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV

Key Competencies

F-14.02.01	select and use tools and equipment such as hand tools and soldering equipment
F-14.02.02	select repair parts and materials such as terminals, insulators and fastening devices according to repair requirements and manufacturers' specifications
F-14.02.03	remove components to access defective parts such as wiring harnesses, connectors, relays and fusible links
F-14.02.04	replace or repair components according to manufacturers' specifications and recommendations
F-14.02.05	repair wiring using methods such as splicing, terminal replacement, soldering and crimping
F-14.02.06	complete repair by verifying system's function and performance according to manufacturers' specifications and government regulations

Task 15 Diagnoses electronic vehicle management systems.

K 1	diagnostic code types such as fault codes, error codes and events
K 2	types of manufacturer-specific networks and software
K 3	diagnostic code protocols and actions
K 4	types, operation and interrelationship of modules
K 5	types of sensors such as revolutions per minute (RPM), throttle position (TPS) and vehicle speed sensor (VSS)
K 6	relationship of various parameters
K 7	parameter definitions
K 8	network circuitry types
K 9	input and output modules
K 10	vehicle diagnostic communication systems
K 11	methods of software transfer

K 12		basi	basic computer processes										
K 13		sens	or and	accumu	ılator op	peration	, calibra	ation an	d testin	g proce	dures		
Sub-t	ask												
F-15.0)1	Rea	Reads diagnostic trouble codes (DTCs).										
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	NT NV	YT NV	<u>NU</u> NV	
Key C	Key Competencies												
F-15.0	select and use diagnostic software and scan tool to read and erase codes in systems such as powertrain control module (PCM), transmission control module (TCM) and ECM												
F-15.0	F-15.01.02 perform functional tests to find active and intermittent codes												
F-15.0	F-15.01.03 refer to manufacturers' diagnostic sequence for code definition												
Sub-t	ask												
F-15.0)2	Mo	Monitors parameters.										
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	NT NV	<u>YT</u> NV	<u>NU</u> NV	
Key C	Compete	encies											
F-15.0	2.01		select and use scan tool to monitor parameters such as TPS, EGR and intake air temperature (IAT)										
F-15.0	2.02	use	diagnos	stic tool	s to mo	nitor pa	ramete	rs					
F-15.0	2.03	sele	ct and c	organize	e releva	nt parar	neters t	o comp	are resu	lts			
F-15.0	2.04	reco	select and organize relevant parameters to compare results record parameters (snapshots) for playback to aid with diagnosis										

Sub-ta	ask													
F-15.0	3	Int	Interprets test results.											
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV		
Key C	ompete	encies												
F-15.03.01 interpret relative parameters to compare results with manufacturers' specifications														
F-15.03	3.02	dete	ermine i	faulty ci	rcuitry	and/or	compor	nents						
F-15.03	3.03	refe	r to rec	orded p	aramete	ers to as	sist in d	liagnosi	S					
Sub-ta	ask													
F-15.0	4	Tes	sts syst	em circ	cuitry a	ınd con	nponei	nts.						
NI.	NS	PE	NB	OC	ON	MB	SK	AB	BC	NT	ΥT	NIJ		

Kev	Competer	icies
rtey	competer	icico

yes

yes

yes

F-15.04.01 select and use tools such as multimeter, circuit tester and break-out box to diagnose circuitry and components such as wiring, sensors and modules according to manufacturers' specifications

F-15.04.02 determine faulty circuitry, sensors and components

yes

yes

yes

NV

yes

NV

NV

Task 16 Repairs electronic vehicle management systems.

NV

yes

yes

K 1	methods of software transfer
K 2	basic computer processes
K 3	types of components such as control module, wire harnesses, and input and output devices
K 4	cable types such as twisted pair and shielded wire
K 5	types of wiring repair procedures such as splicing, soldering and crimping

K 6 K 7			methods of verifying repair such as clear codes, retest and operational tests sensor operation, testing, calibration and adjustment procedures											
Sub-ta	ask													
F-16.0	1	Up	dates c	ompor	nent so	ftware.								
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	BC yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV		
Key C	ompete	ncies												
F-16.0	F-16.01.01 select and use scan tool and diagnostic software to update module software													
F-16.0	1.02	2 program modules using manufacturers' specifications and updated												
F 16 0°	1 03	documentation such as service bulletins, service alerts and service software												
	F-16.01.03 configure modules according to vehicle requirements and options F-16.01.04 verify operation of updated modules according to manufacturers'													
			cificatio		-			_						
Sub-ta	ask													
F-16.0	2	Re	pairs co	mpon	ents.									
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>		
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV		
Key C	ompete													
Key Competencies F-16.02.01 select and use tools and equipment such as hand tools, scan tool and														
F-16.02	_	sele	ct and u		s and eq	uipmer	nt such a	as hand	tools, s	can tool	l and			
F-16.02 F-16.02	2.01	sele spec		ols cle-spec	cific cau	tionary						traps		
	2.01 2.02	sele spec follo and	cialty to ow vehi	ols cle-spec ng pow	cific cau er sourc	tionary ces	proced	ures suc				traps		
F-16.02	2.01 2.02 2.03	sele spec follo and tran ider	cialty to ow vehi disablii	ols cle-spec ng pow dule-sp d install	cific cau er sourc pecific d	tionary ces ata to co	proced ompone	ures suc	ch as us	ing anti	-static s	traps		
F-16.02 F-16.02	2.01 2.02 2.03 2.04	sele spec follo and tran ider veh	cialty to ow vehi disablin sfer mo ntify and	ols cle-spec ng pow dule-sp d install cificatio	cific cau er source ecific de compa ns	tionary ces ata to co	proced ^o ompone ctronic	ures suc ent compoi	ch as us	ing anti	-static s	traps		

BLOCK G

ENVIRONMENTAL CONTROL SYSTEMS

Context

Environmental control systems include accessories and options for driver's comfort and safety. Diagnosis and repair have to be performed according to manufacturers' specifications and procedures. Incorrect processes can result in personal injury, health issues and environmental damage.

Operators are required to work longer hours in the cab which increase the importance of keeping their environment safe and comfortable. Positive cabin pressure and filtered air are needed to keep the air cabin

dust-free to protect the operator and sensitive electronic circuits.

Trends

There is an increased use of non-repairable electrical components and lighter weight materials. There are more consumer-controlled features and personalization of vehicles. New comfort features include instant cabin heat and cooled/heated seats.

Related Components (include, but not limited to) **Auto control systems (Heating Ventilation Air Conditioning (HVAC)):** A/C compressor, hoses/fittings, condensers/evaporators, heater core, receiver/dryer, accumulator, controls, controller, sensors, filters, control valves, coolant/refrigeration fluids, fans/motors, vents.

Tools and **Equipment**

See Appendix A.

Task 17

Diagnoses environmental control systems.

K 1	diagnostic tools such as onboard computer, hand tools, air flow gauge and temperature gauge
K 2	heating system types, operation, components and specifications
K 3	ventilation system types, operation, components and specifications
K 4	filtration system types, operation, components and specifications
K 5	air conditioning system types, operation, components and specifications
K 6	types and operation of air flow control systems such as manual, electrical and electronic
K 7	operation of components such as fans, blend doors, levers and actuators

K 8		caus	causes of odours											
K 9		type	s and o _l	eration	n of refr	igerant	system	S						
K 10		prin	ciples of	f refrige	eration									
K 11		refri	gerants,	lubrica	ants and	l consec	uences	of impi	oper m	ixing				
K 12		elect	electronic control systems											
K 13		type	s and op	peration	n of hea	ting sys	tems							
K 14		-	operation of components such as heater core, thermostats, coolant pumps and restrictors											
K 15		cool	ant type	s and c	haracte	ristics								
K 16		cabii	n filters	and the	eir locat	ions								
K 17		cabin filters and their locations legislation regarding licensing requirements, use, handling and disposal of refrigerants												
Sub-tas	sk													
G-17.0 1	1	Dia	gnoses	heatir	ng syste	ems.								
<u>NL</u> yes	NS yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV		
Key Co	mpeten	cies												
G-17.01	.01	seled gaug		se diag	nostic to	ools suc	h as the	ermome	ter, mu	ltimeter	and va	cuum		
G-17.01	.02		te comp perature		and per	rform te	sts such	n as coo	lant lev	els, air f	flow test	ts and		
G-17.01	.03	-	orm sen , too mu		-		•		-		s noises	, no		
G-17.01	.04	com	pare eq	uipmen	t opera	tion to e	expected	d perfor	mance					
G-17.01	.05	reco moto	~	orn, da	maged	and def	ective c	compon	ents suc	ch as far	ns, hoses	s and		
G-17.01	.06	reme	ove and	disasse	emble co	ompone	ent to id	lentify p	roblem					
G-17.01	.07	dete	rmine d	iagnost	tic sequ	ence aco	cording	to man	ufactur	ers' spe	cificatio	ns		
G-17.01	.08	depi injui		e coolin	ıg syste	m befor	e remov	ving rac	liator ca	p to av	oid pers	onal		
G-17.01	.09	iden	tify faul	ty syste	ems suc	h as eng	gine coo	oling sys	stem or	HVAC				
G-17.01	.10		pret and ired rep	-					-		to deter	mine		

Sub-task G-17.02 Diagnoses ventilation and filtration systems. NLNS <u>QC</u> ON NTΥT PΕ <u>NB</u> MB <u>SK</u> <u>AB</u> BC NU NVNV NV NV yes yes yes yes yes yes yes yes yes **Key Competencies** G-17.02.01 select and use diagnostic tools and equipment such as multimeter, circuit tester and scan tool G-17.02.02 locate components and perform tests such as air flow tests, voltage tests and resistance tests G-17.02.03 perform sensory inspection to verify customer complaint such as noises and odours to guide the diagnostic process G-17.02.04 compare equipment operation to expected performance G-17.02.05 recognize worn, damaged and defective components such as filters, filter housings and fans G-17.02.06 interpret and follow wiring diagrams and air flow schematics G-17.02.07 interpret viewed values and codes to determine condition of systems, components and accessories G-17.02.08 activate system self-diagnosis function to retrieve trouble codes G-17.02.09 remove and disassemble component to identify problem G-17.02.10 check electronically controlled system operation for conditions such as blown

fuses, seized motors and broken wires

doors, restricted cabin filters and odours

G-17.02.11

G-17.02.12

inspect air flow circulation to identify problems such as partially closed

Sub-task G-17.03 Diagnoses air conditioning systems. NLNTNS PΕ NB QC ON MB <u>SK</u> <u>AB</u> BC ΥT NU NVyes NV NV NV yes yes yes yes yes yes yes yes **Key Competencies** G-17.03.01 select and use diagnostic tools and equipment such as multimeter, circuit tester, A/C gauges, A/C recovery/recycling unit and black lights G-17.03.02 locate components and perform tests such as refrigerant pressure tests, air flow tests, voltage tests and resistance tests G-17.03.03 perform visual and auditory inspection to verify customer complaint such as noises and odours to guide the diagnostic process G-17.03.04 compare equipment operation to expected performance G-17.03.05 recognize worn, damaged and defective components such as condensers, evaporators, hoses and seals G-17.03.06 interpret and follow wiring diagrams and air flow schematics G-17.03.07 interpret viewed values and codes to determine condition of systems, components and accessories G-17.03.08 activate system self-diagnosis function to retrieve trouble codes G-17.03.09 remove and disassemble components to identify problem G-17.03.10 check electronically-controlled system operation for conditions such as blown fuses, seized motors and broken wires G-17.03.11 identify compatibility of refrigerant with systems, tools and seals G-17.03.12 pressurize systems with nitrogen to locate leaks according to manufacturers' specifications and government regulations G-17.03.13 interpret and analyze results of functional tests and inspections to determine

required repair according to manufacturers' specifications or expected

performance

Sub-task

G-17.04 Diagnoses sound suppression systems.

<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV

Key Competencies

G-17.04.01	select and use diagnostic tools and equipment
G-17.04.02	perform sound level tests
G-17.04.03	perform sensory inspection to identify problems such as noise and vibration
G-17.04.04	recognize worn, damaged and defective components such as door and window seals, and loose fasteners
G-17.04.05	remove and disassemble components to identify problem
G-17.04.06	compare equipment operation to manufacturers' specifications to verify complaint and expected performance
G-17.04.07	record sound levels to identify problems and trends
G-17.04.08	interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications and regulations

Task 18

Repairs environmental control systems.

K 1	heating system components
K 2	ventilation system components
K 3	filtration system components
K 4	air conditioning system components
K 5	specified system performance
K 6	types and operation of air flow control systems
K 7	procedures to correct problems such as odours, air flow restrictions and noises
K 8	types and operation of refrigerant systems
K 9	refrigerant system hazards
K 10	types and operation of components such as compressors, clutches and receiver dryers
K 11	metering devices such as orifice tubes, expansion valves and coolant valves

K 12	types of refrigerants and oils
K 13	legislation regarding licensing requirements, use, handling and disposal of refrigerants
K 14	electronic control systems
K 15	types and operation of heating systems
K 16	types of coolants and chemical additives
K 17	water quality suitable for heating systems

K 16		type	es or coc	nants a	na cnen	nicai ad	aitives					
K 17		wat	er quali	ty suita	ble for l	neating	systems	3				
Sub-ta	ask											
G-18.0)1	Repairs heating systems.										
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key Co	ompete	encies										
G-18.0	1.01		ct and u			juipmer eter	nt such a	as hand	tools, s	can tool	ls, coola	nt
G-18.0	1.02		select repair parts and materials such as gaskets, sealants and fastening devices according to repair requirements and manufacturers' specifications									
G-18.0	1.03		remove, disassemble and inspect heating system components for conditions such as low heat and no air flow									tions
G-18.0	1.04	follo	ow repa	ir seque	ence acc	cording	to manı	ıfacture	ers' spec	rification	ns	
G-18.0	1.05	dep inju		ze coolii	ng syste	m befor	re remo	ving rac	liator ca	p to av	oid pers	sonal
G-18.0	1.06	fill a	and blee	ed cooli	ng syste	em						
G-18.0	1.07	hose		ontrol v		ce and r ccordin			-			
G-18.0	1.08	adjı	ıst heati	ng syst	em com	ponent	s and pa	arts to n	nanufac	turers'	specific	ations
G-18.0	1.09	reas	semble	heating	system	compo	nents a	nd perf	orm me	asurem	ents	
G-18.0	1.10					ow syste deodor		h mater	ials sucl	n as con	npresse	d air,
G-18.0	1.11		-		•	ng syste ons and			-		e accord	ling to

Sub-ta	ısk													
G-18.0)2	Rep	pairs ve	entilati	on and	filtrat	ion sys	stems.						
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV		
Key Co	ompete	ncies												
G-18.02	2.01		ct and u cialized		and eq	uipmer	it such a	as hand	tools, s	can tool	s and			
G-18.02	2.02		select repair parts and materials such as gaskets, sealants and fastening devices according to repair requirements and manufacturers' specifications											
G-18.02	2.03		remove, repair or replace faulty components such as control units, filters and blend doors											
G-18.02	2.04		follow repair sequence according to manufacturers' specifications and expected performance											
G-18.02	2.05	replace, recondition, service and reassemble components such as control units, filters and blend doors according to manufacturers' specifications and procedures												
G-18.02	2.06	reassemble ventilation and filtration system components and perform measurements												
G-18.02	2.07				e air flo surized	2		n mater	ials sucl	h as con	npresse	d air,		
G-18.02	2.08		_	_	verifyir cificatio				_		e accord	ing to		
Sub-ta	nsk													
G-18.0)3	Rep	oairs ai	r cond	itionin	g syste	ms.							
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV		
Key Co	ompete	ncies												
G-18.03	3.01			_	ir tools ares	_	-	to evad	cuate an	ıd recha	rge sys	tem		
G-18.00	3.02		-	-	nd mat			-	ir seque	nce acc	ording t	О		
G-18.00	3.03		ver refr sdiction	0	and eva	acuate a	ir cond	itioning	; system	accord	ing to			

G-18.03.04		remove, repair and replace faulty components such as switches, hoses and expansion valves											
G-18.03.05		follow repair sequence according to manufacturers' specifications and expected performance											
G-18.03.06	reas	reassemble air conditioning system components and perform measurements											
G-18.03.07		recharge system to recommended amounts of refrigerant and oils according to manufacturers' specifications											
G-18.03.08		clean and deodorize air flow systems with materials such as compressed air, sanitizers, pressurized deodorizers and cleaning agents											
G-18.03.09	req	convert systems to run on other refrigerants according to manufacturers' requirements by performing tasks such as replacing fittings and changing refrigerant oil											
G-18.03.10		nplete re nufactui		-				-		e accord	ing to		
Sub-task													
G-18.04	Re	pairs so	ound si	appres	sion sy	stems.							
NL Ni yes ye		<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	AB yes	<u>BC</u> yes	<u>NT</u> NV	YT NV	<u>NU</u> NV		

Key Competencies

G-18.04.01	select and use repair tools and equipment such as scrapers, applicator gun and seal removers to repair panels, seals and insulation
G-18.04.02	select repair parts and materials and follow repair sequence according to manufacturers' specifications and procedures
G-18.04.03	remove, disassemble, recondition and replace faulty components such as matting, insulation and seals
G-18.04.04	reassemble sound suppression system components and perform measurements
G-18.04.05	complete repair by verifying system's function and performance according to manufacturers' specifications and government regulations

BLOCK H

STRUCTURAL COMPONENTS, ACCESSORIES AND ATTACHMENTS

Context

The structural components are necessary to provide a safe working environment for the operator and others.

The accessories and attachments are vital to the productivity and diversity of the equipment. They must work together to be efficient.

Heavy duty equipment technicians must diagnose, repair and install structural components, accessories and attachments as per company's preference.

The accessories and attachments enable companies to manufacture more environmentally friendly equipment.

Trends

Manufacturers are building machines with the intent of having the versatility needed in the equipment industry. A broad range of attachments and accessories are offered to clients from manufacturers or aftermarket suppliers.

An increase in safety awareness created the need for the development of specific attachments and accessories such as guards, safety glass and machine lock-outs.

For productivity, there is an increase in electronic monitoring, controlled attachments and accessories such as GPS, load management devices, tree harvesters and lighting.

Productivity will dictate the future of structural components, accessories and attachments.

Inspection of structural components, especially ROPS, is being done by engineers for liability reasons.

Equipment features include more operator friendly controls and even full automated control such as joysticks, automated function sequences and automatic levelling controls.

Related Components (include, but not limited to)

Structural components: frames, ROPS/FOPS/OPS, guards, covers and belly pans, boom, sticks and loader arms, platform, stairs, rails, swing and articulation bearings.

Operator station: switches, handles, levers, pedals, gauges, power controls, padded walls/insulation/sound proofing, emergency exit system, sun visors, steering, seat, seat belt, bulbs, glass, wiper, windshield washer, door, radio, mirrors, GPS.

Attachments and accessories: manufacturers' or after-market attachments (buckets, hammer, forks, tree harvesters, clams and grapples), mounting hardware, hydraulic components (hoses, fittings, couplers, actuators, valves, electrical and electronic controls), ground engaging tools, manufacturers' or after-market accessories (auto greaser, light, anti-vandalism equipment, cold weather package, railings, platforms).

Tools and Equipment

See Appendix A.

Task 19

Diagnoses structural components, accessories and attachments.

Required Knowledge

K 1	structural component construction
K 2	government and company regulations
K 3	operator station types, operation, regulations, components and specifications
K 4	attachment types, operation, regulations, components and specifications
K 5	accessory types, operation, regulations, components and specifications
K 6	interaction of components, accessories and attachments with existing systems
K 7	fundamentals of alignment using tools such as plumb bobs and laser levels

Sub-ta	ask											
H-19.0	01	Dia	Diagnoses structural compone									
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV

Key Competencies

H-19.01.01	select and use diagnostic tools such as dial indicator and magnetic particle tester
H-19.01.02	locate components and perform tests such as dye check test, pin and bearing clearance test and magnetic particle test
H-19.01.03	perform sensory inspection to identify problems such as cracks, leaks and defects

H-19.01.04	compare equipment operation to manufacturers' specifications to verify complaint and expected performance
H-19.01.05	remove and disassemble defective component to identify problem
H-19.01.06	interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications
Sub-task	

Sub-ta	ask											
H-19.0	02	Dia	agnose	s opera	tor sta	tion co	mpone	ents.				
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	ncies										
H-19.0	2.01	select and use diagnostic tools such as decibel meter, diagnostic software an multimeter						re and				
H-19.0	2.02		locate components and perform operational tests of components, accessories and attachments									
H-19.0	2.03	-	perform sensory inspection to identify problems such as cracks, leaks and defects									
H-19.0	2.04	compare equipment operation to manufacturers' specifications to verify complaint and expected performance										
H-19.0	2.05	rem	ove and	d disass	emble d	lefective	compo	nent to	identify	y proble	em	
H-19.0	2.06	interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications						mine				

H-19.03 Diagnoses attachments and accessories.

<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
yes	yes	yes	yes	NV	yes	yes	yes	yes	yes	NV	NV	NV

Key Competencies

H-19.03.01	select and use diagnostic tools such as flow meter, multimeter and diagnostic software
H-19.03.02	locate components and perform tests such as flow test, pressure test and circuit test
H-19.03.03	perform sensory inspection to identify problems such as cracks, leaks and defects
H-19.03.04	compare equipment operation to manufacturers' specifications to verify complaint and expected performance
H-19.03.05	remove and disassemble defective component to identify problem
H-19.03.06	interpret and analyze results of functional tests and inspections to determine required repair according to manufacturers' specifications

Task 20

Repairs structural components, accessories and attachments.

K 1	construction of structural components
K 2	operator station types, operation, regulations, components and specifications
K 3	attachment types, operation, regulations, components and specifications
K 4	accessory types, operation, regulations, components and specifications
K 5	company standards and regulations
K 6	equipment systems related to structural components, accessories and attachments
K 7	specified accessory performance
K 8	interaction of components, accessories and attachments with existing systems
K 9	government regulations such as Canadian Welding Bureau (CWB)
K 10	fundamentals of alignment using tools such as plumb bobs and laser levels

Sub-t	ask											
H-20.01 Performs mechanical repairs on structural components.												
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	ncies										
H-20.0)1.01	select and use repair tools and equipment such as precision measuring tools, hand tools, shop tools and welding equipment										
H-20.0	01.02		remove and disassemble defective and worn components according to manufacturers' specifications and procedures									
H-20.0	01.03		ct repai: nufactur	-			ccordin	g to rep	air requ	ıiremen	ts and	
H-20.0	01.04	assemble and install components according to manufacturers' specifications and procedures										
H-20.0)1.05	-	replace, recondition, service and reassemble components such as frames, lift arms and booms according to manufacturers' specifications and procedures									
H-20.0)1.06	-	perform adjustments on components such as bearings and booms to manufacturers' specifications									
H-20.0	01.07	perf	orm pre	e-lubric	ation pi	ocedur	es					
H-20.0	01.08	complete repair by verifying system's function, operation and performance according to manufacturers' specifications and government regulations										
Sub-t	ask											
H-20.	02	Rej	pairs o _l	perator	statio	n comp	onents	5.				
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	ncies										
H-20.0	02.01		ct and up tools,	-		-	-				and too	ls,
H-20.0)2.02		ove and						nponent	s accord	ding to	
H-20.0)2.03		ct repai nufactur	-			ccordin	g to rep	air requ	ıiremen	ts and	
H-20.0	02.04	_	manufacturers' specifications replace, recondition, service and reassemble components according to manufacturers' specifications and procedures									

H-20.02.05	adjust operator station components such as controls and sensors to manufacturers' specifications
H-20.02.06	complete repair by verifying system's function, operation and performance according to manufacturers' specifications and government regulations

Sub-ta	ask											
H-20.0	03	Re	pairs at	ttachm	ents ar	nd acces	ssories	•				
<u>NL</u> yes	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> NV	<u>ON</u> yes	MB yes	<u>SK</u> yes	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> NV
Key C	ompete	encies										
H-20.0	3.01			-		and equ l weldin	-		s precis	ion mea	asuring	tools,
H-20.0	3.02					defective ons and			nponent	ts accord	ding to	
H-20.0	3.03		ct repai nufactui	-		terials a ons	ccordin	g to rep	air requ	ıiremen	its and	
H-20.0	3.04	replace, recondition, service and reassemble components according to manufacturers' specifications and CWB welding procedures										
H-20.03.05 adjust attachments and accessories such as buckets, forks and auto-gremanufacturers' specifications							uto-grea	aser to				
H-20.0	3.06	per	form pr	e-lubric	ation, b	leeding	and sta	ırt-up p	rocedur	es		
H-20.0	3.07	perform pre-lubrication, bleeding and start-up procedures complete repair by verifying system's function, operation and performance according to manufacturers' specifications and government regulations										

Sub-task H-20.04 Installs attachments and accessories. NL NS PE NB <u>QC</u> ON <u>MB</u> <u>SK</u> <u>AB</u> BC NTΥT NU NV yes NV NV NV yes yes yes yes yes yes yes yes **Key Competencies** H-20.04.01 select and use tools and equipment such as precision measuring tools, hand tools and shop tools remove and disassemble components according to manufacturers' H-20.04.02 specifications and procedures for installation of attachments and accessories H-20.04.03 select parts and materials according to installation requirements and manufacturers' specifications H-20.04.04 assemble and install components according to manufacturers' specifications and procedures H-20.04.05 adjust attachments and accessories such as clams, buckets and tree harvesters to manufacturers' specifications H-20.04.06 complete installation by verifying system's function, operation and

regulations

performance according to manufacturers' specifications and government



APPENDIX A

TOOLS AND EQUIPMENT

Basic Hand Tools

1/4, 3/8, 1/2, and 3/4 -inch drive socket sets micrometer

pick (o-ring, seal) adjustable wrench

bar (pry, aligning, heel) pin punch battery post and clamp cleaner, battery pipe wrench

terminal nut

battery terminal puller pliers: insulated, snap ring, torque, multipliers

brass drift punch center punch scraper chisel screwdriver convertible 2/3 jaw puller tape measure test light

cutting equipment: side cutter, tube cutter,

wire cutter, plier cutters, shears

digital multimeter tool chest

feeler gauge set torque wrench (pneumatic & hydraulic)

file torx bit

H puller universal joint hacksaw and blade utility knife hammer: impact, rubber, sledge, air, slide, soft vernier caliper

blow

hex key set, metric and imperial wire brush

impact wrench (up to 1/2-inch) wire crimper and stripper

jumper wire wrench set, combination (metric & imperial) magnetic pick-up tool (telescopic, flex) wrench set, flare nut (metric & imperial)

metric and imperial steel rule

Shop Tools

3/4 – 1 inch power bar/torque wrench bleeding equipment

air compressor booster cable air line adapter butane torch

alignment tool caliper: outside, inside

analyzer: gas, infrared, vibration meter carburetor tool battery charger chemical agitator

battery load/starting system tester chisel: air, electric, hand bearing heater clutch alignment tool

black light component heating or cooling equipment

Shop Tools (continued)

compressors: air, mechanical spring, piston

ring, pneumatic spring, spring, valve spring computer equipment: terminal, on-board

computer, portable diagnostic computer,

printer

connecting rod aligner container

continuity tester

coolant recycling unit cooling system pressure tester crack detecting equipment

crimping tool

cutting and welding torch set

cylinder cart and tank diagnostic equipment

drift

drill: bench, hand drivers, twist, air

exhaust expander

extension cord/trouble light

fast charger file

flaring tool flushing kit fuel quality test kit

fuel recovery and storage system funnel

graduated vessel

grease gun grinder: bench, hand, valve

hand pump

harness tester

honing equipment

hot air gun labelling kit

leak detection equipment

leakdown tester level protractor module tester

nitrogen charging equipment

overhaul tools

press: arbor, spring, hydraulic, bushing, shop,

mechanical, hand

pry bar

puller: bearing, gear, heavy duty, mechanical

reamer

recycling unit

refractometer

retrieval and storage equipment

ridge reamer sandblaster sander

saw: jigsaw, hacksaw, hole saw

scanning tool seal driver shop vacuum soldering iron/gun

spacer

spark lighter steering tool

straight edge strobe light stud extractor

suction cups tachometer tap and die set

temperature gauge thermostat tester

thread file tire bar tire machine

tire tread depth gauge

torque angle tool, torque wrench

torque multiplier tube bender

vacuum pump

valve grinding equipment valve guide service kit valve lapping block

valve seat grinding equipment

valve spring tester

vice

welding equipment

Safety Equipment

apron goggles communication device ladder

CPR accessories (disposable) leather gloves

ear protection leggings
emergency backup lighting manlift
eye wash station respirator
face shield safety boots
fall arrest equipment safety cage
fall prevention equipment safety glasses
fire extinguisher safety hat

fireproof blanket splash suit first aid station sprinkler system

gas mask stretcher

gloves

Hoisting, Rigging and Holding Equipment

axle stand hydraulic guard bottle/axle jack hydraulic hand jack

cable hoist mobile crane chain hoist repair stand clamp shim/blocking clevis shop crane sling/cable/chain dolly engine crane spreader bar engine repair stand support stand floor hoist tire guard

forklift transmission jack

ground strap vice

hydraulic floor jack

Cleaning Equipment

air blowgun hot tank degreaser
brake cleaning equipment parts cleaning solvent
caustic cleaning tank pressure washer
cleaning cloth soft brush
cleaning gloves solvent washer

crocus cloth steam cleaner glass bead machine wire brush

Measuring Tools, Gauges and Equipment

air pressure gauge pinion angle gauge

ammeter

belt tension gauge boost gauge borescope

compression gauge cylinder bore gauge depth micrometer

dial gauge

electric pressure gauge

flowmeter

fuel pressure gauge holding gauge

hydraulic pressure testing gauge/fittings

hydrometer

inside micrometer

level

manifold gauge measuring rod

mechanical pressure gauge

meter stick

non-magnetic feeler gauge oil temperature gauge phototachometer plasti-gauge pressure gauge pull-type scale pyrometer

small hole gauge spectroscope spring scale steel ruler stethoscope straight edge tachometer

telescoping gauge

test lead test light thermometer timing gauge timing light

tire gauge torquemeter

transmission gauge set

vacuum gauge vibration analyzer APPENDIX B GLOSSARY

accessories non-essential components added to the machine to enhance the

operation or extend machine longevity; for example: greasing systems, radio, air conditioning and extra lights. Although some accessories are non-essential to the machine operation, they are

sometimes required in extreme operating environments

attachments components added to the machine that are integral to its operation

to perform a specific job; for example: ripper, winch, thumb,

hammer, tamper or forks

base engine assembled block and head including internal components and

gear trains

break-in a controlled operation specified by the manufacturer on new or

repaired components to maximize service life

cold weather accessories used to aid machine start-up and operation in cold

weather environments; may include fluid heaters, extra batteries, glow plug systems, ether injection systems, heating pads and inlet

air heaters

package

driveline the shafts, bearings and joints located between a drive component

and a driven component

drivetrain the mechanical portion of the driveline from the flywheel to the

tires or the track excluding hydrostatic systems and electric

motors

electrical starting, charging, lighting and accessory circuits without

systems computer control modules

electronic electrical systems operated via computerized electronic control

systems modules and related sensors and wiring

hydrostatic a hydraulic system which uses fluid under pressure to transmit

system power through tubes or hoses to drive components such as wheel

or track drives

operator environment where the operator controls and monitors the

station equipment

overhaul rebuild or repair to like new condition

powertrain includes the drivetrain plus the engine (including hydrostatic systems and electric motors), used to produce power and transmit that power to the drive components (wheels, tracks, legs, etc.) sensory diagnosing or inspecting using sight, sound, smell and feel inspection start-up a specific procedure to begin operation of a machine or system structural components that make up the integral structure of the machine; component for example: frame, lift arms, booms, sticks, loader frames, counterweights, ROPS, FOPS and OPS suspension components that support the main frame from the ground and may include undercarriage, axle and wheel assemblies undercarriage track type components required to support the machine and transmit power from the final drive to the ground vehicle interface between the operator and the equipment's other systems that enables operation and monitoring of the machine manageme nt system wheel wheel or rim assembly, tire and attaching hardware assembly

APPENDIX C ACRONYMS

AVR amperage/voltage/resistance

BSP British Standard Pipe

CAN controller area network

CNG compressed natural gas

CO₂ carbon dioxide

CVIP Commercial Vehicle Inspection Program

CVT constantly variable transmission

CWB Canadian Welding Bureau

DOC diesel oxidation catalyst

DPF diesel particulate filter

DTCs diagnostic trouble codes

ECM electronic control modules

ECT electronic controlled transmission

EGR exhaust gas recirculation

ESD electrostatic discharge

FOPS falling object protective structure

GPS Global Positioning System

HID high intensity discharge

HS high-speed

HVAC heating, ventilation and air conditioning

HVOF high-velocity oxygen fuel

IAT intake air temperature

JIC Joint Industry Committee

LED light emitting diode

LPG liquefied petroleum gas

MIG metal inert gas

MSDS Material Safety Data Sheet

NVH noises, vibrations and harshness

OH&S occupational health and safety

OPS operator protection structure

ORB o-ring boss

ORF o-ring flange

PCM powertrain control module

PCV positive crankcase ventilation

PPE personal protective equipment

ROPS roll-over protective structure

RPM revolutions per minute

SAE Society of Automotive Engineers

SMAW shielded metal arc welding

SRC selective catalytic reduction

TCM transmission control module

TDG transport of dangerous goods

TIG tungsten inert gas

TPS throttle position sensor

VIN vehicle identification number

VSS vehicle speed sensor

WHMIS Workplace Hazardous Materials Information System

APPENDIX D

BLOCK B

BLOCK AND TASK WEIGHTING

23%

BLOCK A COMMON OCCUPATIONAL SKILLS

%	<u>NL</u> 5	<u>NS</u> 10	<u>PE</u> 8	<u>N</u> 5		<u>QC</u> NV	<u>ON</u> 7	<u>M</u> 10		<u>K</u> 9	<u>AB</u> 10	<u>BC</u> 5	<u>N1</u> NV		<u>(T</u> JV	<u>NU</u> NV	National Average 8%
	Task	1	Use	s and	l ma	intai	ns to	ols ar	nd eq	uipr	nent.						
		%	<u>NL</u> 30	<u>NS</u> 10	<u>PE</u> 20	<u>NB</u> 21	<u>QC</u> NV	<u>ON</u> 33	MB 30	<u>SK</u> 27	<u>AB</u> 20		NT NV				24%
	Task	2	Perf	orms	s ger	neral	mair	ntena	nce a	nd ii	nspe	ction	ıs.				
		%	<u>NL</u> 30	<u>NS</u> 40	<u>PE</u> 30		<u>QC</u> NV		MB 30	<u>SK</u> 37	<u>AB</u> 35		NT NV	<u>YT</u> NV			36%
	Task	3	Org	anize	es w	ork.											
		%	<u>NL</u> 20	<u>NS</u> 30	<u>PE</u> 20		<u>QC</u> NV	<u>ON</u> 0	MB 10	<u>SK</u> 19	<u>AB</u> 25		NT NV				17%
	Task	4	Perf	orms	s rou	ıtine	trade	e acti	vities								

% 20 20 30 30 NV 22

%	<u>NL</u> 20	<u>NS</u> 15	<u>PE</u> 15	<u>NB</u> 20	<u>QC</u> NV	<u>ON</u> 13	<u>MB</u> 17	<u>SK</u> 15	<u>AB</u> 16	<u>BC</u> 15	<u>NT</u> NV	YT NV	<u>NU</u> NV	National Average 16%
---	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	----------	-----------------	----------------------------

NL NS PE NB QC ON MB SK AB BC NT YT NU

30

ENGINES AND ENGINE SUPPORT SYSTEMS

17 20 20 NV NV NV

Task 5 Diagnoses engines and engine support systems.

	<u>NL</u>	<u>NS</u>	\underline{PE}	<u>NB</u>	<u>QC</u>	<u>ON</u>	MB	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	ΥT	<u>NU</u>	60%	/
%	60	67	60	50	NV	70	55	65	55	60	NV N	٧V	NV	60%	0

Task 6	Repairs engines and engine support systems.
- 0.01.	Trop tills crightes three crightes step port systems.

NL NS PE NB QC ON MB SK AB BC NT YT NU % 40 33 40 50 NV 30 45 35 45 40 NV NV NV

40%

BLOCK C HYDRAULIC, HYDROSTATIC AND PNEUMATIC SYSTEMS

															National
		<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	NT	<u>YT</u>	<u>NU</u>	Average
	%	20	20	18	20	NV	25	16	17	15	20	NV	NV	NV	19%
L															1770

Task 7 Diagnoses hydraulic, hydrostatic and pneumatic systems.

NL NS PE NB QC ON MB SK AB BC NT YT NU 63%

Task 8 Repairs hydraulic, hydrostatic and pneumatic systems.

NL NS PE NB QC ON MB SK AB BC NT YT NU % 40 25 40 50 NV 20 40 37 40 40 NV NV NV 37%

BLOCK D DRIVETRAIN SYSTEMS

	NII	NIC	PE	NIR	OC	ON	MB	CI/	ΛD	P.C	NIT	VT	NILI	National
	INL	1113	ΓE	<u>NB</u>	<u>QC</u>	<u>ON</u>	MB	<u>3N</u>	<u>AD</u>	<u>bC</u>	<u>NT</u>	11	<u>NU</u>	Average
%	10	15	13	12	NV	12	15	16	15	20	NV	NV	NV	14%

Task 9 Diagnoses drivetrain systems.

NL NS PE NB QC ON MB SK AB BC NT YT NU % 60 67 55 60 NV 80 55 60 45 50 NV NV NV 59%

Task 10 Repairs drivetrain systems.

NL NS PE NB QC ON MB SK AB BC NT YT NU 41%

BLOCK E STEERING, SUSPENSION, BRAKE SYSTEMS, WHEEL ASSEMBLIES AND UNDERCARRIAGE

														National
	<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>	Average
%	15	10	18	13	NV	14	15	9	13	15	NV	NV	NV	14%

Task 11 Diagnoses steering, suspension, brake systems, wheel assemblies and undercarriage.

NL NS PE NB QC ON MB SK AB BC NT YT NU % 60 40 50 50 NV 80 60 53 50 60 NV NV NV

Task 12 Repairs steering, suspension, brake systems, wheel assemblies and undercarriage.

NL NS PE NB QC ON MB SK AB BC NT YT NU

44%

BLOCK F ELECTRICAL AND VEHICLE MANAGEMENT SYSTEMS

%	<u>NL</u> 20	<u>NS</u> 20	<u>PE</u> 15	<u>NB</u> 20	<u>QC</u> NV	<u>ON</u> 20	<u>MB</u> 17	<u>SK</u> 20	<u>AB</u> 15	<u>BC</u> 15	NT NV	YT NV	<u>NU</u> NV	National Average 18%	
---	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	-----------------	----------	----------	-----------------	----------------------------	--

Task 13 Diagnoses electrical systems.

<u>NL NS PE NB QC ON MB SK AB BC NT YT NU</u> % 30 45 30 30 NV 48 30 31 30 30 NV NV NV

Task 14 Repairs electrical systems.

NL NS PE NB QC ON MB SK AB BC NT YT NU


8 20 30 20 20 NV 2 20 13 20 20 NV NV NV

	1461(10	Diagnoses electronic venicle management systems.	
	%	NL NS PE NB QC ON MB SK AB BC NT YT NU 30 15 30 30 NV 48 30 43 30 30 NV NV NV	32%
	Task 16	Repairs electronic vehicle management systems.	
	%	NL NS PE NB QC ON MB SK AB BC NT YT NU 20 10 20 20 NV 2 20 13 20 20 NV NV NV	16%
BLO	OCK G	ENVIRONMENTAL CONTROL SYSTEMS	
%	NL NS 5 7	PE NB QC ON MB SK AB BC NT YT NU 6 5 NV 5 5 8 9 5 NV NV NV	National Average 6%
	Task 17	Diagnoses environmental control systems.	
	%	NL NS PE NB QC ON MB SK AB BC NT YT NU 60 70 55 60 NV 80 55 60 50 60 NV NV NV	61%
	Task 18	Repairs environmental control systems.	
	%	NL NS PE NB QC ON MB SK AB BC NT YT NU 40 30 45 40 NV 20 45 40 50 40 NV NV NV	39%
BLO	ЭСК Н	STRUCTURAL COMPONENTS, ACCESSORIES AND ATTAC	HMENTS
%	NL NS 5 3	PE NB QC ON MB SK AB BC NT YT NU 7 5 NV 4 5 6 7 5 NV NV NV	National Average 5%
	Task 19	Diagnoses structural components, accessories and attachments.	
	%	NL NS PE NB QC ON MB SK AB BC NT YT NU 60 33 50 51 NV 80 40 50 50 50 NV NV NV	52%
	Task 20	Repairs structural components, accessories and attachments.	
	%	NL NS PE NB QC ON MB SK AB BC NT YT NU 40 67 50 49 NV 20 60 50 50 50 NV NV NV	48%

Diagnoses electronic vehicle management systems.

Task 15

APPENDIX E PIE CHART*



TITLES OF BLOCKS

BLOCK A	Common Occupational Skills	BLOCK E	Steering, Suspension, Brake Systems, Wheel Assemblies and Undercarriage
BLOCK B	Engines and Engine Support Systems	BLOCK F	Electrical and Vehicle Management Systems
BLOCK C	Hydraulic, Hydrostatic and Pneumatic Systems	BLOCK G	Environmental Control Systems
BLOCK D	Drivetrain Systems	BLOCK H	Structural Components, Accessories and Attachments

^{*}Average percentage of the total number of questions on an interprovincial examination, assigned to assess each block of the analysis, as derived from the collective input from workers within the occupation from all areas of Canada. Interprovincial examinations typically have from 100 to 150 multiple-choice questions.

TASK PROFILE CHART -Heavy Duty Equipment Technician

B	LC	\mathbf{C}	K
	Ç		

A - COMMON OCCUPATIONA L SKILLS

TASKS

1. Uses and maintains tools and equipment.

2. Performs general maintenance and inspections.

3. Organizes work.

4. Performs routine trade activities.

5. Diagnoses

engines and

systems.

engine support

B - ENGINES AND ENGINE SUPPORT SYSTEMS

1.01 Maintains tools and equipment.

2.01 Maintains

2.06 Performs

scheduled

maintenance

procedures.

4.01 Heats

materials.

fluids.

1.02 Uses hoisting and lifting equipment.

2.02 Services fasteners, sealing devices, adhesives and

2.07 Identifies operational faults.

3.02 Completes

documentation.

gaskets.

3.01 Uses documentation and reference materials.

> 4.02 Cools materials.

5.02 Diagnoses lubrication systems.

5.03 Diagnoses cooling systems.

5.04 Diagnoses intake and exhaust systems.

1.04 Uses personal protective equipment (PPE) and safety

2.04 Services bearings and seals.

equipment.

2.05 Services safety features.

3.03 Communicates with others.

4.03 Cuts

materials.

SUB-TASKS

1.03 Operates

2.03 Services

hoses, tubing,

2.08 Performs

operational

check-out.

piping and

fittings.

access equipment.

3.04 Prepares job action plan.

3.05 Maintains safe work environment.

4.04 Welds materials.

4.05 Cleans parts and materials.

5.05 Diagnoses

fuel systems.

5.06 Diagnoses engine control systems.

5.01 Diagnoses

base engine.

5.07 Diagnoses emission control systems.

BLOCK S	TASKS	SUB-TASKS				
	6. Repairs engines and engine support systems.	6.01 Repairs base engines.	6.02 Repairs lubrication systems.	6.03 Repairs cooling systems.	6.04 Repairs intake and exhaust systems.	6.05 Repairs fuel systems.
		6.06 Repairs engine control systems.	6.07 Repairs emission control systems.			
C - HYDRAULIC, HYDROSTATIC AND PNEUMATIC SYSTEMS	7. Diagnoses hydraulic, hydrostatic and pneumatic systems.	7.01 Diagnoses hydraulic systems.	7.02 Diagnoses hydrostatic systems.	7.03 Diagnoses pneumatic systems.		
	8. Repairs hydraulic, hydrostatic and pneumatic systems.	8.01 Repairs hydraulic systems.	8.02 Repairs hydrostatic systems.	8.03 Repairs pneumatic systems.		
D - DRIVETRAIN SYSTEMS	9. Diagnoses drivetrain systems.	9.01 Diagnoses clutch systems.	9.02 Diagnoses torque converters, fluid couplers and retarders.	9.03 Diagnoses driveline systems.	9.04 Diagnoses transmission and transfer case systems.	9.05 Diagnoses axle and differential systems.
		9.06 Diagnoses final drive systems.				
	10. Repairs drivetrain systems.	10.01 Repairs clutch systems.	10.02 Repairs torque converters, fluid couplers and retarders.	10.03 Repairs driveline systems.	10.04 Repairs transmission and transfer case systems.	10.05 Repairs axle and differential systems.
		10.06 Repairs final drive systems.				

BLOCKS	TASKS			SUB-TASKS		
E - STEERING, SUSPENSION, BRAKE SYSTEMS, WHEEL ASSEMBLIES AND UNDERCARRIAGE	11. Diagnoses steering, suspension, brake systems, wheel assemblies and	11.01 Diagnoses steering systems.	11.02 Diagnoses suspension systems.	11.03 Diagnoses brake systems.	11.04 Diagnoses wheel assemblies.	11.05 Diagnoses undercarriage systems.
	12. Repairs steering, suspension, brake systems, wheel assemblies and	12.01 Repairs steering systems.	12.02 Repairs suspension systems.	12.03 Repairs brake systems.	12.04 Repairs wheel assemblies.	12.05 Repairs undercarriage systems.
F - ELECTRICAL AND VEHICLE MANAGEMENT SYSTEMS	13. Diagnoses electrical systems.	13.01 Diagnoses starting/charging systems and batteries.	13.02 Diagnoses electrical components, motors and accessories.			
	14. Repairs electrical systems.	14.01 Repairs starting/charging systems and batteries.	14.02 Repairs electrical components, motors and accessories.			
	15. Diagnoses electronic vehicle management systems.	15.01 Reads diagnostic trouble codes (DTCs).	15.02 Monitors parameters.	15.03 Interprets test results.	15.04 Tests system circuitry and components.	
	16. Repairs electronic vehicle management systems.	16.01 Updates component software.	16.02 Repairs components.			
G - ENVIRON- MENTAL CONTROL SYSTEMS	17. Diagnoses environmental control systems.	17.01 Diagnoses heating systems.	17.02 Diagnoses ventilation and filtration systems.	17.03 Diagnoses air conditioning systems.	17.04 Diagnoses sound suppression systems.	
	18. Repairs environmental control systems.	18.01 Repairs heating systems.	18.02 Repairs ventilation and filtration systems.	18.03 Repairs air conditioning systems.	18.04 Repairs sound suppression systems.	

BLOCKS

H - STRUCTURAL COMPONENTS, ACCESSORIES AND ATTACHMENTS

TASKS

19. Diagnoses structural components, accessories and attachments.

20. Repairs structural components, accessories and attachments. 19.01 Diagnoses structural components.

19.02 Diagnoses operator station components.

19.03 Diagnoses attachments and accessories.

SUB-TASKS

20.01 Performs mechanical repairs on structural components. 20.02 Repairs operator station components.

20.03 Repairs attachments and accessories.

20.04 Installs attachments and accessories.