

National Occupational Analysis

Gasfitter Class A





National Occupational Analysis

Gasfitter - Class A

2014

Trades and Apprenticeship Division Division des métiers et de l'apprentissage

Labour Market Integration Directorate Direction de l'intégration au marché du

travail

National Occupational Classification: 7253

Disponible en français sous le titre : Monteur/monteuse d'installations au gaz

(classe A)

This publication is available online: www.red-seal.ca
This document is available on demand in alternative formats (Large Print, Braille, Audio Cassette, Audio CD, e-Text Diskette, e-Text CD, or DAISY), by contacting 1 800 O-Canada (1 800 622-6232). If you have a hearing or speech impairment and use a teletypewriter (TTY), call 1 800 926-9105.
© Her Majesty the Queen in Right of Canada, 2014
PDF
Cat. No.: Em15-1/1-2014E-PDF

ISBN: 978-1-100-23340-6

FOREWORD

The Canadian Council of Directors of Apprenticeship (CCDA) recognizes this National Occupational Analysis (NOA) as the national standard for the occupation of Gasfitter - Class A.

Background

The first National Conference on Apprenticeship in Trades and Industries, held in Ottawa in 1952, recommended that the federal government be requested to cooperate with provincial and territorial apprenticeship committees and officials in preparing analyses of a number of skilled occupations. To this end, Employment and Social Development Canada (ESDC) sponsors a program, under the guidance of the CCDA, to develop a series of NOAs.

The NOAs have the following objectives:

- to describe and group the tasks performed by skilled workers;
- to identify which tasks are performed in every province and territory;
- to develop instruments for use in the preparation of Interprovincial Red Seal Examinations and curricula for training leading to the certification of skilled workers;
- to facilitate the mobility of apprentices and skilled workers in Canada; and,
- to supply employers, employees, associations, industries, training institutions and governments with analyses of occupations.

ACKNOWLEDGEMENTS

The CCDA and ESDC wish to express sincere appreciation for the contribution of the many tradespersons, industrial establishments, professional associations, labour organizations, provincial and territorial government departments and agencies, and all others who contributed to this publication.

Special acknowledgement is extended by ESDC and the CCDA to the following representatives from the trade.

Pierre Beaupré Quebec Frank Boone Nova Scotia

Shawn Carpenter Prince Edward Island

Tim Furlong Manitoba
Chris Henriksen Saskatchewan
Ed Kneller United Association

Shane McCarthy Ontario

Wesley McMyn

Joey Molloy

Richard Pickering

Michael Pizzolato

Matt Reid

Shane Ryder

British Columbia

British Columbia

Prince Edward Island

New Brunswick

Jake TschetterManitobaRyan UrquhartNova ScotiaAlan VanderploegOntario

John Wood United Association

This analysis was prepared by the Labour Market Integration Directorate of ESDC. The coordinating, facilitating and processing of this analysis were undertaken by employees of the NOA development team of the Trades and Apprenticeship Division. The host jurisdiction of Manitoba also participated in the development of this NOA.

Comments or questions about National Occupational Analyses may be forwarded to:

Trades and Apprenticeship Division Labour Market Integration Directorate Employment and Social Development Canada 140 Promenade du Portage, Phase IV, 5th Floor

Gatineau, Quebec K1A 0J9

Email: redseal-sceaurouge@hrsdc-rhdcc.gc.ca

TABLE OF CONTENTS FOREWORD Ι II **ACKNOWLEDGEMENTS** TABLE OF CONTENTS Ш STRUCTURE OF ANALYSIS VI DEVELOPMENT AND VALIDATION OF ANALYSIS VIII **ANALYSIS SAFETY** 3 SCOPE OF THE GASFITTER-CLASS A 4 OCCUPATIONAL OBSERVATIONS 6 ESSENTIAL SKILLS SUMMARY 7 COMMON OCCUPATIONAL SKILLS **BLOCK A** Task 1 9 Performs safety-related functions. Task 2 Maintains and uses tools and equipment. 11 Plans and prepares for installation, service and Task 3 15 maintenance. **BLOCK B** GAS PIPING PREPARATION AND ASSEMBLY Task 4 Fits tube and tubing for gas piping systems. 18 Task 5 Fits plastic pipe for gas piping systems. 21 Task 6 Fits steel pipe for gas piping systems. 23

BLOCK C	VENTING	AND AIR SUPPLY SYSTEMS						
	Task 7	Installs venting.	26					
	Task 8	Installs air supply system.	29					
	Task 9	Installs draft control systems.	31					
BLOCK D	CONTROL	S AND ELECTRICAL SYSTEMS						
	Task 10	Selects and installs electronic components.	34					
	Task 11	Selects and installs electrical components.	38					
	Task 12	Installs automation and instrumentation control systems.	40					
BLOCK E	INSTALLATION OF SYSTEMS AND EQUIPMENT							
	Task 13	Installs gas-fired system piping and equipment.	42					
	Task 14	Installs gas-fired system components.	45					
	Task 15	Installs propane storage and handling systems.	47					
BLOCK F	TESTING A	AND COMMISSIONING OF GAS-FIRED SYSTEMS						
	Task 16	Tests gas-fired systems.	50					
	Task 17	Commissions gas-fired systems.	53					
BLOCK G	SERVICIN	G GAS-FIRED SYSTEMS						
	Task 18	Maintains gas-fired systems.	56					
	Task 19	Repairs gas-fired systems.	58					
	Task 20	Decommissions gas-fired systems.	61					

APPENDICES

APPENDIX A	TOOLS AND EQUIPMENT	67
APPENDIX B	GLOSSARY	71
APPENDIX C	ACRONYMS	72
APPENDIX D	BLOCK AND TASK WEIGHTING	74
APPENDIX E	PIE CHART	78
APPENDIX F	TASK PROFILE CHART	79

STRUCTURE OF ANALYSIS

To facilitate understanding of the occupation, the work performed by tradespersons is divided into the following categories:

Blocks the largest division within the analysis that is comprised of a

distinct set of trade activities

Tasks distinct actions that describe the activities within a block

Sub-Tasks distinct actions that describe the activities within a task

Key Competencies activities that a person should be able to do in order to be called

'competent' in the trade

The analysis also provides the following information:

Trends changes identified that impact or will impact the trade including

work practices, technological advances, and new materials and

equipment

Related Components a list of products, items, materials and other elements relevant to

the block

Tools and Equipment categories of tools and equipment used to perform all tasks in the

block; these tools and equipment are listed in Appendix A

Context information to clarify the intent and meaning of tasks

Required Knowledge the elements of knowledge that an individual must acquire to

adequately perform a task

The appendices located at the end of the analysis are described as follows:

Appendix A — Tools and Equipment	a non-exhaustive list of tools and equipment used in this trade
Appendix B — Glossary	definitions or explanations of selected technical terms used in the analysis
Appendix C — Acronyms	a list of acronyms used in the analysis with their full name
Appendix D — Block and Task Weighting	the block and task percentages submitted by each jurisdiction, and the national averages of these percentages; these national averages determine the number of questions for each block and task in the Interprovincial exam
Appendix E — Pie Chart	a graph which depicts the national percentages of exam questions assigned to blocks
Appendix F — Task Profile Chart	a chart which outlines graphically the blocks, tasks and sub-tasks of this analysis

DEVELOPMENT AND VALIDATION OF ANALYSIS

Development of Analysis

A draft analysis is developed by a committee of industry experts in the field led by a team of facilitators from ESDC. This draft analysis breaks down all the tasks performed in the occupation and describes the knowledge and abilities required for a tradesperson to demonstrate competence in the trade.

Draft Review

The NOA development team then forwards a copy of the analysis and its translation to provincial and territorial authorities for a review of its content and structure. Their recommendations are assessed and incorporated into the analysis.

Validation and Weighting

The analysis is sent to all provinces and territories for validation and weighting. Participating jurisdictions consult with industry to validate and weight the document, examining the blocks, tasks and sub-tasks of the analysis as follows:

BLOCKS Each jurisdiction assigns a percentage of questions to each block for an

examination that would cover the entire trade.

TASKS Each jurisdiction assigns a percentage of exam questions to each task

within a block.

SUB-TASKS Each jurisdiction indicates, with a YES or NO, whether or not each sub-

task is performed by skilled workers within the occupation in its

jurisdiction.

The results of this exercise are submitted to the NOA development team who then analyzes the data and incorporates it into the document. The NOA provides the individual jurisdictional validation results as well as the national averages of all responses. The national averages for block and task weighting guide the Interprovincial Red Seal Examination plan for the trade.

This method for the validation of the NOA also identifies common core sub-tasks across Canada for the occupation. If at least 70% of the responding jurisdictions perform a sub-task, it shall be considered common core. Interprovincial Red Seal Examinations are based on the common core sub-tasks identified through this validation process.

Definitions for Validation and Weighting

YES sub-task performed by qualified workers in the occupation in a specific

jurisdiction

NO sub-task not performed by qualified workers in the occupation in a specific

jurisdiction

NV analysis <u>N</u>ot <u>V</u>alidated by a province/territory

ND trade Not Designated in a province/territory

NOT sub-task, task or block performed by less than 70% of responding jurisdictions; these will not be tested by the Interprovincial Red Seal

CORE (NCC) Examination for the trade

NATIONAL average percentage of questions assigned to each block and task in

AVERAGE % Interprovincial Red Seal Examination for the trade

Provincial/Territorial Abbreviations

NL Newfoundland and Labrador

NS Nova Scotia


PE Prince Edward Island
NB New Brunswick

QC Quebec
ON Ontario
MB Manitoba
SK Saskatchewan

AB Alberta

BC British Columbia
NT Northwest Territories
YT Yukon Territory

NU Nunavut



SAFETY

Safe working procedures and conditions, accident prevention, and the preservation of health and company assets are of primary importance to industry in Canada. These responsibilities are shared and require the joint efforts of government, employers and employees. It is imperative that all parties become aware of circumstances that may lead to injury or harm. Safe learning experiences and work environments can be created by controlling the variables and behaviours that may contribute to accidents or injury.

It is generally recognized that safety-conscious attitudes and work practices contribute to a healthy, safe and accident-free work environment.

It is imperative to apply and be familiar with the Occupational Health and Safety (OH&S) Acts and Workplace Hazardous Materials Information System (WHMIS) regulations. As well, it is essential to determine workplace hazards and take measures to protect oneself, co-workers, the public and the environment.

Safety education is an integral part of training in all jurisdictions. As safety is an imperative part of all trades, it is assumed and therefore it is not included as a qualifier of any activities. However, the technical safety tasks and sub-tasks specific to the trade are included in this analysis.

SCOPE OF THE GASFITTER-CLASS A

"Gasfitter – Class A" is this trade's official Red Seal occupational title approved by the CCDA. This analysis covers tasks performed by gasfitters - class A whose occupational title has been identified by some provinces and territories of Canada under the following names:

	NL	NS	PE	NB	QC	ON	MB	SK	AB	ВС	NT	YT	NU
Gasfitter					✓								
Gasfitter First Class													✓
Gasfitter (General)								✓					
Gasfitter Level 1		✓											
Gasfitter (A)									✓		✓		
Gasfitter (Class A)							✓			✓			
Gasfitter (First Class)												✓	
Gas Installer (Class D)			\										
Gas Technician 1				√		√							

Gasfitters – Class A size, install, test, adjust, maintain and repair lines, appliances, equipment and accessories in various sectors. Gases may include natural gas, manufactured gas, or mixtures of propane gas and air, propane, propylene, butanes (normal butane or isobutane), butylenes and hydrogen. They work on appliances and equipment including those exceeding 400 000 Btuh (British Thermal Units per hour) or 120 kW (kilowatts). Appliances and equipment would include boilers, burners, makeup air units, furnaces, process burners, commercial equipment and various other gas-fired equipment, some of which can be quite complex.

Gasfitters – Class A may work in the residential, manufacturing, and industrial, commercial, and institutional (ICI) sectors. They may be employed by utility companies to repair and extend gas mains, and install, repair and service pipes and fittings between mains and buildings. For mechanical and service companies, they may install and maintain piping and appliances. Gasfitters – Class A may also be employed in the propane industry to install and service propane vaporizers, temporary heating, and propane metering, dispensing and pumping equipment. For safety reasons, the gasfitting trade is regulated across Canada. Regulatory authorities for the trade are the provincial or territorial licensing or certification bodies.

The work environment for gasfitters – class A is varied and may involve working in extreme or adverse conditions. Gasfitters – Class A may work both indoors and outdoors. They may work in confined spaces, at heights, and around heavy equipment and piping systems. Gasfitters –

Class A may respond to emergencies at any time. There are some hazards involved in working with electricity, flammable gases and power tools. Work conditions may be stressful as gasfitters - class A may need to respond to emergency hazardous situations.

Gasfitters – Class A require manual dexterity and upper and lower limb coordination to operate power tools in cramped conditions and to climb ladders. Good physical condition is important because the work often requires considerable standing, lifting and moving of heavy items. They are also required to crouch, bend, kneel, crawl and twist when moving around equipment and piping systems.

Strong mechanical aptitudes, problem solving skills and a good understanding of electrical/electronic and combustion theory are essential for working in this trade. In addition, there is a requirement for strong mathematical, spatial visualization and communication skills. Gasfitters - Class A must be able to interpret drawings and technical manuals.

This analysis recognizes similarities or overlaps with the work of other trades such as gasfitters – class B, plumbers, steamfitters/pipefitters, oil heat system technicians, welders, refrigeration and air conditioning mechanics, electricians, sheet metal workers and instrumentation and control technicians. Experienced gasfitters – class A often act as mentors and coaches to apprentices in the trade. Career advancement opportunities may include supervisory positions such as supervisor, maintenance manager or service manager, starting their own contracting business or becoming trainers.

OCCUPATIONAL OBSERVATIONS

Gasfitters require more computer and digital skills to work in this trade. More computers and laptops are now used to perform diagnostics and setup of systems. Increasingly, building automation systems incorporate the environmental control systems. Mobile and wireless communication are used to communicate with clients, and gather technical information for the trade.

The type, use and accuracy of analyzers have increased. There is also an increase in use, type and quality of electronic tools such as signal generators and network communication tools.

There are more plastics and stainless steels used in piping and tubing and equipment. These are used for increased durability and longevity. Gasfitters adapt their work practices, tools and equipment to work with these new materials.

Quality control (QC) and quality assurance (QA) practices have increased significantly. Gasfitters now spend more of their time documenting work performed, materials used, and processes used for testing. They must stay up-to-date and aware of the QC and QA requirements in the jurisdiction where they work.

Safety procedures and practices have become more and more stringent. There are additional requirements for performing hazard assessments, using personal protective equipment (PPE) and attending safety meetings. Gasfitters must maintain ongoing safety training in a number of areas, including Transport of Dangerous Goods (TDG), confined space, hazardous energy isolation, mobile equipment and fall protection.

There is a trend towards green building certification such as Leadership in Energy and Environmental Design (LEED) certification resulting in tighter "building as a system" requirements which facilitate better energy conservation and healthier building environments. Gasfitters must consider these requirement in the workplace and when installing, servicing and verifying the final operation of systems.

ESSENTIAL SKILLS SUMMARY

Essential skills are needed for work, learning and life. They provide the foundation for learning all other skills and enable people to evolve with their jobs and adapt to workplace change. Through extensive research, the Government of Canada and other national and international agencies have identified and validated nine essential skills. These skills are used in nearly every occupation and throughout daily life in different ways.

A series of CCDA-endorsed tools have been developed to support apprentices in their training and to be better prepared for a career in the trades. The tools can be used independently or with the assistance of a tradesperson, trainer, employer, teacher or mentor to:

- understand how essential skills are used in the trades;
- learn about individual essential skills strengths and areas for improvement; and
- improve essential skills and increase success in an apprenticeship program.

Tools are available online or for order at: http://www.hrsdc.gc.ca/eng/jobs/les/index.shtml .

The essential skills profile for the gasfitter trade indicates that the most important essential skills are **document use**, **oral communication** and **decision making**.

The application of these skills may be described throughout this document within the competency statements which support each subtask of the trade. The following are summaries of the requirements in each of the essential skills, taken from the essential skills profile. A link to the complete essential skills profile can be found at www.red-seal.ca.

Reading

Gasfitters read descriptions and explanations on work orders and memos from supervisors and clients on details of the work tasks and activities that need to be done. They read warnings and instructions on labels, signs, tags and placards to make decisions about special precautions or procedures that are needed for a particular job. They must interpret code specifications and requirements to determine if equipment or system installations meet code requirements.

Document Use

Gasfitters use manufacturers' specification sheets, equipment manuals and code books to locate technical information and operation settings in order to complete maintenance and repair procedures. They refer to drawings, pictures and diagrams in equipment manuals in order to troubleshoot equipment problems and complete repair and replacement procedures. Gasfitters use and read schematic drawings to understand various systems such as equipment, control, electrical, gas supply and energy distribution systems.

Writing

Gasfitters write detailed notes in logbooks, notebooks, layout drawings and inspection checklists to keep records of equipment installation, changes and deficiencies. They provide descriptive texts on work orders to provide description of work performed, equipment

deficiencies and required remedial actions. Gasfitters create as-built diagrams and sketches. Gasfitters may complete sections of incident or accident reports.

Numeracy

Gasfitters calculate materials needed and determine estimates for installation or service jobs. Gasfitters convert length and volume measurement from metric to imperial units and vice versa. They also perform calculations for venting, combustion air and gas pipe sizing requirements. They take measurements such as distance, volume, temperature and pressure. These calculations and measurements are used for such things as sizing combustion air, energy distribution and exhaust gas analysis.

Oral Communication

Gasfitters communicate with customers, managers, supervisors, co-workers and other trades to discuss equipment problems and outline job requirements, legal implications and negotiate repair processes. They also follow up with customers after jobs are completed to explain equipment operation and answer questions. Gasfitters may also communicate with a range of officials, such as inspectors and engineers.

Thinking Skills

Gasfitters problem solve when facing unexpected installation, service and removal problems. They may decide to not enter homes or buildings where personal health and safety may be at risk. Based on their sensory inspections, their knowledge of instrumentation, controls and equipment performance and the urgency to restart systems, gasfitters determine how to troubleshoot, maintain or replace equipment or components. They may also decide how and where to install system components to meet manufacturers' specifications, code requirements and maintain efficiency. Gasfitters evaluate efficiency of gas-fired systems. They also plan and organize their daily tasks.

Working with Others

Gasfitters may work alone or with a team depending on the task requirements. When working with others, they may coordinate with other trades and contractors. They mentor and train apprentices and co-workers on the job.

Computer Use

Gasfitters use computer programs to create installation layouts or to troubleshoot system or equipment problems. They use computers to interface with equipment and programming, changing parameters and maintaining control systems. They use electronic communication to communicate with customers, coworkers, suppliers or subcontractors.

Continuous Learning

Gasfitters often have in-house training or attend seminars to update their required site-specific and safety certifications such as WHMIS, fall arrest training, first aid and many others. Gasfitters must become proficient with new equipment, technology, regulations, codes and procedures by attending training sessions and seminars, reading manuals and through on-the-job experience.

BLOCK A

COMMON OCCUPATIONAL SKILLS

Trends Safety requirements are becoming more stringent.

There are more electronic-based tools and equipment. There is an

increase in the use of digitally based documentation and

communication.

Disposal and recycling methods are becoming more important due to

environmental concerns and LEED requirements.

Related Components All components apply.

Tools and **Equipment**

See Appendix A.

Task 1

Performs safety-related functions.

Context

Gasfitters must be able to recognize hazards and protect themselves, others, property and the environment when working with gas systems and equipment.

Required Knowledge

K 1	types of PPE such as safety glasses, gloves, face shields, hearing protection, respiratory equipment, safety footwear and hard hats
K 2	types of safety equipment such as fall arrest devices, first aid kits and eye wash stations
K 3	limitations of PPE and safety equipment
K 4	PPE and safety equipment operations
K 5	client and company safety policies
K 6	disposal and recycling procedures
K 7	emergency procedures and location of on-site first aid stations and equipment
K 8	jurisdictional health and safety acts and regulations
K 9	training requirements such as fall protection and confined space entry
K 10	clear path for access to and egress from confined spaces
K 11	workers' rights and responsibilities

K 12	fire safety and hot work permit procedures
K 13	housekeeping practices
K 14	WHMIS
K 15	locations of WHMIS manuals and material safety data sheets (MSDS)
K 16	lock-out, tag-out and zero energy procedures (individual or group)
K 17	environmental protection procedures
K 18	spill kits
K 19	due diligence
K 20	stored energy potential (thermal, electric, kinetic, radiation)
K 21	job safety analysis
K 22	safety training
K 23	site specific training requirements
K 24	authority having jurisdiction (AHJ)

•		•
C11	h_t^	10/2
Ju	b-ta	15K

A-1.01 Uses personal protective equipment (PPE) and safety equipment	A-1.01	Uses personal	protective eq	uipment (PPE)	and safety e	quipment
--	--------	---------------	---------------	---------------	--------------	----------

<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
NV	ves	ves	ves	ves	ND	ves	ND	ves	ves	NV	NV	ND

Key Competencies

A-1.01.01	select PPE and safety equipment specific to job task
A-1.01.02	organize PPE and safety equipment according to company policies and OH&S regulations
A-1.01.03	clean and store PPE and safety equipment according to manufacturers' recommendations
A-1.01.04	recognize worn, damaged or defective PPE and safety equipment, and remove from service
A-1.01.05	ensure proper fit of PPE and safety equipment

Sub-task

A-1.02 Maintains safe work environment.

<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
NV	yes	yes	yes	yes	ND	yes	ND	yes	yes	NV	NV	ND

Key Competencies

A-1.02.01	recognize and address hazards such as poor housekeeping that could cause personal injury, or equipment or environmental damage
A-1.02.02	handle and store hazardous materials according to WHMIS
A-1.02.03	install safety protection such as signage, barrier tape and barricades
A-1.02.04	identify and implement adequate ventilation in workspace
A-1.02.05	ensure clear path of access to and egress from confined spaces
A-1.02.06	test air quality of confined spaces on a continuous basis using hand held devices
A-1.02.07	follow confined space procedures and regulations
A-1.02.08	ensure cables and straps do not get caught in rotating equipment
A-1.02.09	follow lock-out and tag-out procedures to isolate hazardous energies such as electricity, steam and fuel sources
A-1.02.10	follow elevated height procedures and requirements
A-1.02.11	perform air analysis to ensure air quality and identify dangerous air substances such as CO, H ₂ S and radon
A-1.02.12	protect surrounding area when using torches or open flame

Maintains and uses tools and equipment.	Task 2	Maintains and uses tools and equipment.
---	--------	---

Context Gasfitters need to use and maintain tools and equipment in order to

perform their daily tasks safely and efficiently.

Required Knowledge

K 1	gas properties such as limits of flammability, flame speed, ignition temperature and density
K 2	principles and concepts of electronics and electricity
K 3	principles and concepts of chemistry and physics
K 4	manufacturers' specifications
K 5	types of technical instruments and testers

K 6	types of tools such as hand, power and powder-actuated
K 7	company policies and procedures
K 8	lock-out and tag-out procedures
K 9	safe operating procedures for power and powder-actuated tools
K 10	licensing and training requirements for the use of powder-actuated tools and power elevated work platforms
K 11	types of fasteners
K 12	safety precautions, hazards, risks and safe work procedures
K 13	types of lifting, rigging and hoisting equipment
K 14	training requirements for lifting, rigging and hoisting equipment
K 15	components of lifting, rigging and hoisting equipment
K 16	hand signals for lifting, rigging and hoisting
K 17	rigging and hoisting practices such as load weight calculations, working load limits and sling angles
K 18	knots and hitches
K 19	basic welding, brazing and soldering equipment
K 20	interpretation of testing results
K 21	operating procedures such as arc flash protection
K 22	safe testing procedures for AC/DC voltages
K 23	inspection procedures
K 24	AHJ

Sub-task

A-2.01 Maintains hand, power and powder-actuated tools.

<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
NV	ves	ves	ves	ves	ND	ves	ND	ves	ves	NV	NV	ND

Key Competencies

A-2.01.01	clean and lubricate hand, power and powder-actuated tools according to
	manufacturers' recommendations
A-2.01.02	recognize worn, damaged or defective tools, and remove from service
A-2.01.03	store tools according to manufacturers' recommendations

Sub-ta	ask											
A-2.02	2	Use	es techi	nical ir	nstrum	ents an	d teste	rs.				
<u>NL</u> NV	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> yes	<u>ON</u> ND	MB yes	<u>SK</u> ND	AB yes	BC yes	<u>NT</u> NV	YT NV	<u>NU</u> ND
Key C	ompete	ncies										
A-2.02	A-2.02.01 select technical instruments and testers for specific tasks											
A-2.02	.02	inte	rpret re	sults pr	ovided	by tech	nical ins	strumer	nts and	testers		
A-2.02	.03		orate tec cification		instrum	ents an	d tester	s accord	ling to 1	manufad	cturers'	
A-2.02	.04	measure AC/DC circuit and resistance according to specific task and equipment requirements with instruments such as multimeters and megohmmeters										
A-2.02	.05	_	_			-	uments gauges		manon	neters, a	and	
A-2.02	.06	perform tests and analysis such as gas analysis, indoor air quality test, combustion analysis and hazardous leak test, according to job requirements										
A-2.02	.07	identify unsafe, worn, damaged or defective technical instruments and testers, and remove from service										
A-2.02	.08	inspect technical instruments and testers before each use to ensure accuracy and safety										
A-2.02	.09	store technical instruments and testers according to manufacturers' specifications										
Sub-ta	ask											
A-2.03		Use	es acces	ss equi	pment	•						
<u>NL</u> NV	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> yes	<u>ON</u> ND	MB yes	<u>SK</u> ND	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	YT NV	<u>NU</u> ND
Key C	ompete	ncies										
A-2.03	.01					_	o consid		n unstab	ole cond	itions s	uch as
A-2.03	.02		ap and o	-	access e	equipmo	ent acco	ording to	o OH&S	5 regula	tions ar	ıd
A-2.03	.03		ntify uns n service		orn, dan	naged o	r defect	ive acce	ess equi	pment,	and rem	nove

A-2.03.04	clean and maintain access equipment according to manufacturers'
	specifications
A-2.03.05	dismantle and store access equipment according to manufacturers' specifications

Sub-t	ask											
A-2.04	4	Op	erates l	lifting,	riggin	g and l	noistin	g equi _l	oment.			
<u>NL</u> NV	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> yes	<u>ON</u> ND	MB yes	<u>SK</u> ND	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> ND

Key Competencies

A-2.04.01	select and tie knots according to load and application
A-2.04.02	select lifting and rigging equipment such as spreader beams, slings and chokers, according to load and application
A-2.04.03	set up load to enable access for lifting chains and slings
A-2.04.04	locate lifting points to ensure proper sling angle and to balance and secure the load
A-2.04.05	secure load using rigging methods such as choking, slinging and securing hooks, according to manufacturers' specifications and safety procedures
A-2.04.06	use rigging and tag lines to guide and control the load
A-2.04.07	follow daily procedures such as inspection of rigging equipment and storage
A-2.04.08	use approved hand signals
A-2.04.09	maintain and store lifting, rigging and hoisting equipment in designated area

Task 3 Plans and prepares for installation, service and maintenance.

Context

Gasfitters plan and prepare for installation, service and maintenance by using and interpreting drawings, specifications and codes. They may also prepare drawings and provide specifications for installation. They select systems and their components according to the job requirements. In organizing their work, gasfitters lay out gas-fired equipment and systems, and check for the availability of equipment. They also ensure that all documentation is in order. Gasfitters work with other trades to ensure timely and safe completion of site work.

Required Knowledge

K 1	codes such as Natural Gas and Propane Installation Code (B149), Canadian Electrical Code (CEC), National Building Code (NBC)
K 2	safety requirements such as OH&S and WHMIS
K 3	electrical, electronic and mechanical drawings, including schematics, isometrics, wiring diagrams, layouts, interconnections, elevations, block and single lines
K 4	conventionally accepted symbols, abbreviations, National Electrical Manufacturers Association (NEMA) numbers
K 5	electrical terminology
K 6	standards such as American National Standards Institute (ANSI), Canadian Standards Association (CSA) and Underwriters Laboratories of Canada (ULC)
K 7	heat loss calculations
K 8	types of gas-fired equipment and components
K 9	hangers and supports
K 10	gas pressure requirements
K 11	venting system combinations and category of appliances I, II, III and IV
K 12	additional requirements for equipment such as process ovens, baking ovens, process furnaces, and atmosphere generators
K 13	altitude elevation rated equipment
K 14	certification requirements
K 15	components and their symbols on valve trains (main and pilot)
K 16	regulator applications, clearances, sizing and their accessories
K 17	types of fans, auxiliary fans, and dampers and interlocks for equipment such as furnaces and ovens
K 18	sizing charts and calculations

K 19	gas properties such as limits of flammability, flame speed, ignition temperature and density
K 20	principles and concepts of electronics and electricity
K 21	principles and concepts of chemistry and physics
K 22	manufacturers' specifications
K 23	acts, regulations, standards and AHJ

Sub-t	ask											
A-3.01	1	Int	erprets	drawi	ngs an							
<u>NL</u> NV	<u>NS</u> yes	<u>PE</u> yes										
Key C	ompete	encies										
A-3.01	A-3.01.01 select drawings, specifications and codes according to job requirements										;	
A-3.01	.02	revi	ew drav	wings a	nd spec	ificatior	ns for in	consist	encies a	nd accu	racy	
A-3.01	.03	sele	select and use tools such as scaled rulers, calculators and charts									
A-3.01	.04	measure lengths and dimensions of equipment and pipe to ensure consistency with job site										
A-3.01	.05	calculate material requirements such as fittings, hangers and supports according to drawings, specifications and codes										
A-3.01	.06		identify orientation of equipment and pipes to determine installation location and to avoid conflicts with other objects									
A-3.01	.07				awings ents and	0 1	lans and	d drawi	ngs to a	nssist in	determ	ining
A-3.01	.08				nine mi		amoun	t and ty	pe of m	aterial a	accordir	ng to
A-3.01	.09				m and c allowan		e minim	um ser	vice clea	arances,	access	
A-3.01	.10				diagran nd refe		plans a stems	nd drav	wings u	sing sta	ndard	
A-3.01	.11			-		0	schema nents us			0		
A-3.01	.12		ss-refere ıracy	ence all	types of	plans a	and drav	wings to	o each c	other to	ensure	

Sub-ta	ask											
A-3.02	2	Sel	ects sy	stems,	equipi	ment aı	nd com	ponen	ts.			
<u>NL</u> NV	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> yes	<u>ON</u> ND	MB yes	<u>SK</u> ND	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> ND
Key Competencies												
A-3.02	.01	identify and choose systems, equipment, venting and components requirements according to system capacity, site conditions, AHJ and codes										des
A-3.02	.02	inte	rpret ar	ıd apply	y heat lo	oss calcu	ılations	for job	require	ments		
A-3.02	.03	and	size systems such as gas-fired appliances, fuel-gas piping, venting, air supply and controls based on appliance input, according to codes, AHJ, and job and manufacturers' specifications									
A-3.02.04 determine on-site availability and capacity of drainage, fuel, electrical and control compatibility to compare with equipment requirements												
Sub-ta	Sub-task Sub-task											
A-3.03	3	Org	ganizes	s work								
<u>NL</u> NV	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> yes	<u>on</u> ND	MB yes	<u>SK</u> ND	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> ND
Key C	ompete	ncies										
A-3.03	.01	dete	ermine l	abour r	equiren	nents ac	cording	to size	and sco	ope of w	ork	
A-3.03	.02	acqı	ıire per	mits ac	cording	to site 1	requirer	nents, A	AHJ and	codes		
A-3.03	.03		ct tools iiremen	-	uipmen	t and en	isure av	ailabilit	ty, accor	rding to	job	
A-3.03	.04				chedules quireme		ther tra	des, cus	stomers	and ins	spectors	
A-3.03	.05	-			oute doc safety p			-		C		ent
A-3.03	.06		dinate labour	_	s of tran ite	sportat	ion and	placem	ent of e	equipme	ent, mat	erial
A-3.03	.07	crea	te bill o	f mater	ial acco	rding to	drawir	ngs, cod	les and	specific	ations	
A-3.03	.08	orde	er and a	cquire	materia	ls accor	ding to	job requ	uiremen	its		
A-3.03	.09		dinate I drawii		docume	entation	such as	s daily l	ogs, tim	ne sheet	and as-	built

BLOCK B

GAS PIPING PREPARATION AND ASSEMBLY

Trends There is an increase in use of Corrugated Stainless Steel Tubing (CSST)

in piping due to ease of installation.

Related Pipes: plastic pipe, steel pipe

Components (include, but not limited to)

Fittings: riser, tee, coupling, 90°, 45°, flanges, unions, flare nuts

Tube and tubing: copper, stainless, aluminum

Lubrication, joining compounds.

Tools and **Equipment**

See Appendix A.

Task 4

Fits tube and tubing for gas piping systems.

Context Gasfitters prepare (fabricate) tube and tubing for proper installation and

trouble-free operation. Preparation of tube and tubing includes

inspection, cutting, bending, joining, supporting and protection. The

fabrication of gas piping systems may be done on or off site.

Required Knowledge

K 1	thermal coefficient of expansion
K 2	АНЈ
K 3	Natural Gas & Propane Installation Code (B149.1), Propane Storage and Handling Code (B149.2), and code for the Field Approval of Fuel-related Components on Appliances and Equipment (B149.3)
K 4	piping identification
K 5	tube material such as copper, aluminum and stainless steel
K 6	tubing material such as copper, aluminum and corrugated stainless steel
K 7	types and sizes of copper tube such as K, L, and G
K 8	wall thickness of stainless tube and tubing
K 9	standard measuring procedures such as center-to-center, end-to-center, end-to-end, gain or loss and measuring of angles
K 10	common angles such as 90° and 45°
K 11	metric and imperial systems of measurement and conversions
K 12	trade math concepts such as Pythagorean theorem and algebra

K 13	restrictions on bending of tube and tubing
K 14	joining methods such as brazing, flaring and using compression fittings
K 15	types of joints such as flared, compression and brazed
K 16	types of gaskets, fittings and lubricants
K 17	tube and tubing contents such as natural gas and propane
K 18	types of fluxes for brazing copper tube and tubing
K 19	methods of preventing electrolysis

Sub-ta	ask											
B-4.01	-	Pre	Prepares tube and tubing for fitting.									
<u>NL</u> NV	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> yes	<u>ON</u> ND	MB yes	<u>sk</u> ND	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> ND
Key C	ompete	encies										
B-4.01.	.01	sele	select tube and tubing according to job specifications, codes and AHJ									
B-4.01.	.02	insp	inspect tube and tubing for deficiencies such as impurities, dents and cracks									
B-4.01.	.03	calculate offset and rolling offset dimensions according to spool sheets, drawings and site conditions										
B-4.01.	.04		measure tube and tubing to dimensions according to spool sheets, drawings and site conditions considering fitting, bend and flare allowances									
B-4.01.	.05	mar	k tube a	nd tub	ing usin	ng tools	such as	soap st	one and	l marke	rs	
B-4.01.	.06		select tools and equipment such as tube and tubing cutters and reamers according to the type of the tube and tubing									
B-4.01.	.07	cut	tube an	d tubing	g to leng	gth						
B-4.01.	.08	rear	n tube a	nd tubi	ing to re	emove b	ourrs fro	m ends	3			
B-4.01.	.09		seal ends until tube and tubing is installed to prevent contamination using material such as caps and plugs							ing		
B-4.01.	.10	labe AH		n of tub	e and tu	ıbing ad	ccording	to job	specific	ations, o	codes ar	ıd

Sub-ta	ask											
B-4.02		Ber	nds tub	e and	tubing	for gas	pipin	g syste:	ms.			
<u>NL</u> NV	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> yes	<u>ON</u> ND	MB yes	<u>SK</u> ND	<u>AB</u> yes	BC yes	<u>NT</u> NV	YT NV	<u>NU</u> ND
Key C	Key Competencies											
B-4.02.	01	select tube bender such as ratchets and crank being bent							cording	to size	and ma	terial
B-4.02.	02		measure and mark bend points according to spool sheets, drawings and site conditions								l site	
B-4.02.	B-4.02.03 place tube and tubing in benders and bend to match determined dimensions and angles									sions		
Sub-ta	ask											
B-4.03		Con	nnects	tube a	nd tubi	ng for	gas pip	oing sy	stems.			
<u>NL</u> NV	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> yes	<u>ON</u> ND	MB yes	<u>sk</u> ND	AB yes	BC yes	<u>NT</u> NV	YT NV	<u>NU</u> ND
Key C	ompete	ncies										
B-4.03.	01		ntify styl nufactur	,					ompres	sion acc	cording	to
B-4.03.	02		ct fitting ing prac	•			and cou	ıpling a	ccording	g to ma	terial ar	nd
B-4.03.	03	clea: dirt	n tube, t	tubing a	and fitti	ngs to r	emove :	impurit	ies such	as oxid	lation a	nd
B-4.03.	04		mble th	•	gs on the	e tube a	nd tubi	ng acco	rding to	manuf	acturer	s'
B-4.03.	05	flari	ct tools, ng tools cification	accord	ling to r	naterial					0	, and
B-4.03.	06	join	tube an	d tubin	g using	method	ds such	as brazi	ng and	flaring		
B-4.03.	07	-	vide pro codes	tection	and suj	oport of	tube ar	nd tubir	ng accor	ding to	specific	cations

Task 5

Fits plastic pipe for gas piping systems.

Context

Gasfitters prepare plastic pipe for proper installation and trouble-free operation. Fitting of plastic pipe includes inspection, cutting, joining, supporting and protection according to codes and manufacturers' specifications. The fabrication of gas piping systems may be done on or off site.

Required Knowledge

K 1	grades and composition of plastic pipe
K 2	standard measuring procedures such as center-to-center, end-to-center, and end-to-end
K 3	metric and imperial systems of measurement and conversions
K 4	thermal coefficient of expansion
K 5	AHJ
K 6	Natural Gas & Propane Installation Code (B149)
K 7	manufacturers' specifications
K 8	piping identification
K 9	restrictions on use of plastic pipe
K 10	joining methods such as heat fusion and mechanical
K 11	types of fittings and lubricants
K 12	plastic pipe contents such as natural gas and propane
K 13	methods of pipe tracing
K 14	hazards of cutting plastic pipe such as dust and exposed fibres

Sub-task

B-5.01 Prepares	s plastic	pipe	for fitting.
-----------------	-----------	------	--------------

<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
NV	ves	ves	ves	ves	ND	ves	ND	ves	ves	NV	NV	ND

Key Competencies

B-5.01.01	select plastic pipe according to jurisdictional codes
B-5.01.02	inspect plastic pipe for deficiencies such as impurities, dents and cracks
B-5.01.03	calculate plastic pipe length and fitting allowances
B-5.01.04	calculate dimensions according to spool sheets, drawings and site conditions

and site conditions considering fitting allowances	
B-5.01.06 select tools and equipment such as plastic pipe cutters, reamers and chamfering tools	
B-5.01.07 cut plastic pipe to length according to job requirements	
B-5.01.08 ream plastic pipe to remove burrs from the ends	
B-5.01.09 chamfer ends according to size and manufacturers' specifications of pipe	olastic
B-5.01.10 label section of plastic pipe according to job specifications, codes and	AHJ

α 1		1
611	へーtっ	0/
Du	b-ta	ЛС

B-5.02 Connects plastic pipe for gas piping systems.

<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
NV	yes	yes	yes	yes	ND	yes	ND	yes	yes	NV	NV	ND

Key Competencies

B-5.02.01	identify style of joint such as heat fusion, electrofusion and mechanical according to manufacturers' specifications, codes and AHJ
B-5.02.02	select fittings such as risers, tees and couplings according site conditions
B-5.02.03	clean plastic pipe and fittings for joining methods to remove contaminants such as dirt and oil
B-5.02.04	select tools and equipment such as heat fusion machine and electrofusion machine according to manufacturers' specifications, codes and AHJ
B-5.02.05	join plastic pipe by means such as fusion or insert type fitting
B-5.02.06	provide protection and support of plastic pipe according to specifications and codes

Task 6

Fits steel pipe for gas piping systems.

Context

Gasfitters prepare steel pipe for proper installation and trouble-free operation. Fitting of steel pipe includes inspection, cutting, joining, supporting and protection according to codes and manufacturers' specifications. The fabrication of gas piping systems may be done on or off site.

Required Knowledge

K 1	types, sizes, weights and schedules of steel pipe such as stainless, seamless and galvanized
K 2	manufacturers' specifications
K 3	Natural Gas & Propane Installation Code (B149)
K 4	AHJ
K 5	standards and regulations such as ANSI/American Society of Mechanical Engineers (ASME)
K 6	sequence of bolt tensioning
K 7	types of fittings and lubricants
K 8	standard measuring procedures such as center-to-center, end-to-center, and end-to-end
K 9	piping identification
K 10	metric and imperial systems of measurement and conversions
K 11	trade math concepts such as Pythagorean theorem and algebra
K 12	joining methods such as threading, welding and flanging
K 13	thermal coefficient of expansion
K 14	hangers and support for joints
K 15	types of gaskets, fittings and lubricants
K 16	methods of preventing electrolysis

Sub-ta	ask													
B-6.01		Prepares steel pipe for fitting.												
<u>NL</u> NV	<u>NS</u> yes	<u>PE</u> yes												
Key C	ompete	ncies												
B-6.01.	01	select steel pipe according to job specifications, codes and AHJ												
B-6.01.	.02	insp	inspect steel pipe for deficiencies such as defects, dents and cracks											
B-6.01.	.03				l rolling conditio		dimensi	ons acc	ording t	to spool	sheets,			
B-6.01.	04				to dime sidering				ool she	ets, dra	wings a	nd		
B-6.01.	.05	mar	k steel p	oipe usi	ng tools	s such a	s soap s	stone, m	arkers	and pen	cils			
B-6.01.06 select cutting tools and equipment such as a pipe cutters, grind chopsaws, according to size of the pipe							, grinde	ers and						
B-6.01.	select tools and equipment such as reamers, grinders and files according t type of steel pipe to remove defects such as burrs and scales from ends							g to						
B-6.01.08 cut steel pipe to length														
B-6.01.09 bevel, square and clean pipe end for joining according to AHJ and cod requirements							nd code							
B-6.01.	10		ends ui n as cap		l pipe is lugs	sinstalle	ed to pr	event co	ontamir	nation u	sing ma	iterial		
B-6.01.	11	labe	l sectio	n of stee	el pipe a	iccordir	ng to job	specifi	cations,	codes a	and AH	J		
Sub-ta	ask													
B-6.02	<u>!</u>	Co	nnects	steel p	ipe for	gas pi	ping sy	stems.						
<u>NL</u> NV	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> yes	<u>ON</u> ND	MB yes	<u>SK</u> ND	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> ND		
Key C	ompete	ncies												
B-6.02.	.01	sele	ct steel j	pipe ac	cording	to job s	pecifica	tions, c	odes an	d AHJ				
B-6.02.01 select steel pipe according to job specification B-6.02.02 identify style of joint such as threaded, welde mechanical compression fittings according to codes and AHJ								0			ions,			
B-6.02.	03		select fittings such as 90°, 45°, tees and couplings according to material and joining practices, codes and AHJ											

B-6.02.04	clean steel pipe and fittings for joining methods such as threaded, welded, and flanged to remove impurities such as oil and dirt
B-6.02.05	select tools and equipment such as hand and power dies according to joining practices, manufacturers' specifications, codes and AHJ
B-6.02.06	select joining compounds such as pipe dope and thread sealant tape according to manufacturers' specifications, codes and AHJ
B-6.02.07	join steel pipe and fittings by machine or hand according to AHJ, codes and national piping practices
B-6.02.08	follow specified sequence of bolt tensioning and torquing
B-6.02.09	provide protection and support of steel pipe according to specifications and codes

BLOCK C

VENTING AND AIR SUPPLY SYSTEMS

Trends

Venting systems are changing due to the use of more energy efficient condensing appliances in more applications. As such, venting materials are becoming more diversified. There is an increase in the use of plastic venting and specialty materials such as stainless steel, polypropylene, polyvinyl chloride (PVC) and chlorinated polyvinyl chloride (CPVC). With the increase of environmental concerns and to have a healthy occupied space, "building as a system" is being widely adopted to help reduce energy consumption and to meet green building requirements. New building construction designs require better air supply systems and conditioned air supply systems for energy efficiency.

Related Components (include, but not limited to) **Venting:** fittings, flashings, pipes, sleeves, fasteners, connectors, fire stops, sealants, adhesives, chimney

Air supply systems: fittings, pipes, fasteners, turning vanes, terminations, grilles, louvres

Draft control systems: fans, blowers, blades, motors, pressure switches, dampers, gauges, flow indicators, recorders.

Tools and Equipment

See Appendix A.

Task 7

Installs venting.

Context

Gasfitters install venting to convey potential hazardous flue gases to a safe location.

K 1	venting system combinations and category of appliances I, II, III and IV
K 2	types of venting material such as plastic, stainless steel, copper, aluminum, galvanized steel and masonry
K 3	composition and weight of venting materials
K 4	acts, regulations, standards and AHJ
K 5	company policies and procedures
K 6	roles and responsibilities when multiple trades are involved in the work
K 7	standard measuring procedures such as center-to-center, end-to-center, and end-to-end

K 8		meti	metric and imperial systems of measurement and conversions										
K 9		proc	procedures for assembling venting										
K 10			mechanical components and accessories such as locking bands and mechanical connections										
K 11		man	nufactur	ers' spe	ecificatio	ons							
K 12		haza	ards of o	cutting	and joir	ning ver	nts						
K 13		stacl	k, draft	and chi	imney e	ffects							
K 14			venting considerations such as condensation, draining, grade, flue gas velocity, and material clearances for natural and mechanical draft										
K 15			codes such as National Gas and Propane Installation Code (B149), CEC and NBC										
K 16		haza	hazards such as those associated with CO and CO2 concentrations										
K 17		heat	t recove	ry syste	ems and	scrubb	ers						
Sub-ta C-7.01		Lay	ys out v	enting	3.								
		J											
<u>NL</u> NV	NS Was	<u>PE</u>	NB	<u>QC</u>	<u>on</u> ND	MB	<u>sk</u> ND	<u>AB</u>	BC	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> ND	
1 1 1	yes	yes	yes	yes	ND	yes	ND	yes	yes	1 N V	1 N V	ND	
Key C	ompete	encies											
C-7.01	.01		select and use tools and equipment such as laser levels, measuring tapes, chalk lines and drills										
C-7.01.02		trap cons	determine location of venting lines, terminations and condensation drain traps according to drawings, codes, specifications and best practices, and considering the structure without having an effect on the integrity of the structure.										
C-7.01.03			select supporting material such as hangers, brackets and braces according to job and manufacturers' specifications										
C-7.01.04		selec	select venting material according to codes and manufacturers' specifications										
C-7.01.05			measure, locate and mark distances of support material according to codes and manufacturers' specifications										
C-7.01	.06	_	ition sup nufactur	_			ng to co	des, cle	arance i	requirer	nents aı	nd	
C-7.01.07			en supp ps and s		terial to	structu	re using	g fastene	ers such	as bolts	s, ancho	ors,	

Sub-ta													
		_						•					
C-7.02	<u>'</u>	Pre	Prepares venting material for assembly.										
<u>NL</u>	<u>NS</u>	<u>PE</u>	PE NB QC ON MB SK AB BC NT YT NU								<u>NU</u>		
NV	yes	yes	yes	yes	ND	yes	ND	yes	yes	NV	NV	ND	
Key C	Key Competencies												
C-7.02	.01		select and use tools and equipment such as hacksaws, chopsaws, plastic pipe cutters and tin snips										
C-7.02	.02	mea	sure se	ction le	ngth acc	cording	to venti	ing tern	nination	locatio	n		
C-7.02	.03		calculate venting material length and fitting allowances according to system requirements and manufacturers' specifications										
C-7.02	.04	cut	venting	materia	al to len	gth acco	ording t	o calcul	lations				
Sub-ta	ask												
C-7.03	3	Co	nnects	materi	al for v	enting	•						
<u>NL</u> NV	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> yes	<u>on</u> ND	MB yes	<u>sk</u> ND	<u>AB</u> yes	BC yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> ND	
Kov C	amnata	ncios											
-	ompete		ال مدم الم	1.			، حام در د	مالئساء م		سمه دما	ala o o a a	ı	
C-7.03	.01		ct and to on devi		s and eq	luipmer	it such a	as arilis	, wrenc	nes, tore	cnes and	a	
C-7.03	.02		prepare material for joining using methods such as cleaning, crimping and priming, according to manufacturers' specifications										
C-7.03	.03	coni	connect components using methods such as cementing, brazing and welding										
C-7.03	.04	thre	thread components according to manufacturers' specifications										
C-7.03	.05			,	compon facture:					ıd single	e wall v	ents	
C-7.03	.06		fit components such as fittings and terminations according manufacturers' specifications and codes										
C-7.03	.07	mou	mount and secure venting on supports										
C-7.03	.08		nect ver	_	applian	ice vent	connec	tor acco	ording to	o manu	facturer	's'	
C-7.03	.09	-	orm proording to		est prio	r to con	necting	materia	al to ens	sure sys	tem inte	egrity	

Task 8 Installs air supply system.

Context Gasfitters install air supply systems to maintain safe and efficient

operation of gas appliances. In this task, air supply systems include combustion, dilution and ventilation air in a building as a system.

Required Knowledge

K 1	combustion, dilution, ventilation and relief air requirements and applications
K 2	types of air supply systems such as direct and indirect
K 3	types of air supply materials such as plastic, stainless steel, galvanized steel and specialty materials
K 4	sizing charts and calculations of combustion, dilution and ventilation air
K 5	grille sizing allowances
K 6	calculations for conditions such as free area termination, air volume and material weight
K 7	support limitations and load carrying requirements
K 8	National Gas and Propane Installation Code (B149), applicable codes and AHJ
K 9	manufacturers' specifications
K 10	metric and imperial systems of measurement and conversions
K 11	air quality characteristics
K 12	psychrometric characteristics and charts
K 13	category appliance types such as I, II, III and IV
K 14	heat recovery systems and combustion air heaters

Sub-task

C-8.01 Lays out air supply system.

<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
NV	yes	yes	yes	yes	ND	yes	ND	yes	yes	NV	NV	ND

C-8.01.01	select and use hand and power tools such as drills and measuring tapes
C-8.01.02	determine location of air supply systems, intakes and terminations according to drawings, codes, specifications and best practices
C-8.01.03	select air supply material according to system type, job specifications and codes

C-8.01.04	select supporting material such as hangers, brackets and braces according to job requirements
C-8.01.05	measure, identify and mark location of air supply system according to codes
C-8.01.06	position air supply systems according to codes and clearance requirements
C-8.01.07	fasten support material to structure using fasteners such as bolts, anchors, straps and screws

Sub-ta	Sub-task											
C-8.02	2	Connects air supply systems.										
<u>NL</u> NV	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> yes	<u>ON</u> ND	MB yes	<u>SK</u> ND	AB yes	<u>BC</u> yes	<u>NT</u> NV	YT NV	<u>NU</u> ND

C-8.02.01	select and use tools and equipment such as rigging equipment, power tools and hand tools
C-8.02.02	assemble air supply systems using mechanical fastening components such as s-cleats, drive cleats, bolts and screws, according to layout and drawings, and AHJ
C-8.02.03	mount and secure air supply systems manually or mechanically in support material according to drawings and layout
C-8.02.04	seal joint connections using sealants or mechanical joints to prevent leakage according to codes and manufacturers' specifications
C-8.02.05	fasten air supply systems to appliances according to codes
C-8.02.06	terminate air supply systems according to codes and manufacturers' specifications

Task 9 Installs draft control systems.

Gasfitters install draft control systems to maintain safe and efficient Context

operation of gas appliances. In this task, draft control systems include

forced and induced draft control devices in the building as a system.

Required Knowledge

K 1	sizing calculations for draft control systems
K 2	building as a system effects
K 3	stack, chimney and draft effects
K 4	types of natural draft control systems such as barometric dampers, draft hoods and draft dampers
K 5	types of mechanical draft control systems such as induced and forced draft fans
K 6	system components such as fans, blowers, motors, blades and controls
K 7	fan and blower applications in combustion systems such as positive and non-positive displacements
K 8	National Gas and Propane Installation Code (B149), applicable codes and AHJ
K 9	manufacturers' specifications

Sub-task

Installs natural draft control systems. C-9.01

<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
NV	yes	yes	yes	yes	ND	yes	ND	yes	yes	NV	NV	ND

C-9.01.01	select type of natural draft control systems such as barometric dampers, draft hoods and draft diverters according to manufacturers' specifications and job requirements
C-9.01.02	select and use tools and equipment such as differential pressure gauges, manometers, draft gauges, and hand and power tools
C-9.01.03	determine location of natural draft control system according to manufacturers' specifications
C-9.01.04	select supporting material such as hangers, brackets and braces according to job requirements

C-9.01.05	measure, identify and mark location of natural draft control system according to codes, manufacturers' specifications and job requirements
C-9.01.06	mount, secure and adjust natural draft control system and draft dampers according to codes, manufacturers' specifications and job requirements
C-9.01.07	connect and wire natural draft control systems to appliance according to manufacturers' specifications

Sub-t	ask											
C-9.02	2	Ins	talls m	echani	cal dra	ft cont	rol syst	tems.				
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
NV	ves	ves	ves	ves	ND	ves	ND	ves	ves	NV	NV	ND

C-9.02.01	select types of mechanical draft control systems such as induced and forced draft fans according to manufacturers' specifications and job requirements
C-9.02.02	select and use tools and equipment such as differential pressure gauges, manometers, draft gauges, and hand and power tools
C-9.02.03	determine location of mechanical draft control system according to manufacturers' specifications
C-9.02.04	select supporting material such as hangers, brackets and braces according to job requirements
C-9.02.05	measure, identify and mark location of mechanical draft control system according to codes, manufacturers' specifications and job requirements
C-9.02.06	assemble mechanical draft control system components according to manufacturers' specifications
C-9.02.07	mount and secure mechanical draft control system according to codes, manufacturers' specifications and job requirements
C-9.02.08	connect and wire mechanical draft control systems to appliance according to manufacturers' specifications and codes

BLOCK D

CONTROLS AND ELECTRICAL SYSTEMS

Trends

Computers and software have become more sophisticated and powerful in the amount of data they can store and process. There have been improvements in the simplicity and size of the human-machine interface (HMI). The capabilities and capacity of controllers are expanding. Communication platforms are becoming more seamlessly integrated and standardized. These rapid changes in technologies require continuous learning and upgrading of skills.

There is a decline in the use of pneumatic and mechanical systems and devices.

There is a trend towards green building certification such as LEED certification.

Related Components (include, but not limited to) Dampers, actuators, gas valves, motors, cabling, wiring, fasteners, brackets, sensors, transmitters, external HMIs.

Tools and **Equipment**

See Appendix A.

Task 10

Selects and installs electronic components.

Context

Gasfitters assemble, place, secure and connect combustion control systems, flame safeguards, and safety and operating controls for sectors such as residential and ICI.

The controls enable the systems to start, stop, monitor and modulate to obtain safe and energy efficient operation.

K I	electricity principles such as Ohm's Law and Kirchhoff's Laws
K 2	electrical symbols and wiring diagrams
K 3	electrical systems such as low voltage, utility voltage, 3-phase and AC/DC
K 4	electrical components such as relays, transformers, capacitors, power supplies and protective devices

K 5	electrical motors, starters and related components such as variable frequency drives (VFDs), motor controls and DC motor controls
K 6	CEC relevant to equipment
K 7	electronic principles and components such as resistors and circuits
K 8	code for the Field Approval of Fuel-related Components on Appliances and Equipment (B149.3)
K 9	types of combustion control system components such as pressure transmitters, servo motors, control modules, fuel air ratio controls, and O_2 , NOx and CO monitors
K 10	procedures for installing combustion controls
K 11	types of flame safeguards such as solid state and microprocessor
K 12	applications and procedures for installing flame safeguards
K 13	applications for types of flame detection such as ultraviolet (UV) and infrared (IR) scanners
K 14	types of safety and operating control components such as on-off operators, low and high gas pressure switches, and combustion air proving switches
K 15	procedures for installing safety and operating controls such as accommodating venting requirements
K 16	operational sequence of digital and analog controls
K 17	how to operate computer interfaces and use programs
K 18	control point instrumentation such as resistance temperature detectors (RTD), pressure transducers, thermocouples and flow meters
K 19	control signals such as 4 to 20 mA (milliamps) and 0-10 DC volts
K 20	communication protocols such as Modbus and BACnet
K 21	manufacturers' specifications
K 22	programmable logic controllers (PLCs)
K 23	jurisdictional regulations
K 24	integrating different types of controls
K 25	lock-out and tag-out procedures
K 26	static discharge
K 27	AHJ

Sub-ta	ask													
D-10.0	01	Performs selection and installation of combustion controls.												
<u>NL</u> NV	<u>NS</u> yes	<u>PE</u> yes												
Key C	ompete	ncies												
D-10.0	1.01	veri	fy origi	nal equ	ipment	specific	ations							
D-10.0	1.02		select and verify components considering factors such as site requirements, manufacturers 'specifications and type of equipment											
D-10.0	1.03	gen	select and use tools and equipment such as drills, multimeters, signal generators, wire strippers, wiring identification equipment, and network cabling tools and testers											
D-10.0	1.04				enclosu nufactui			_	or new	panel c	onside	ring		
D-10.0	1.05		oare loc ponent		ıch as in	stalling	g mount	ing poi	nts and	bracket	s for			
D-10.0	1.06				t combu MI acco					-				
D-10.0	1.07	- '	_		gure con as emis				ng to job	design				
D-10.0	1.08	veri	fy, set u	ıp and o	onfirm	operati	on prio	r to com	missior	ning				
D-10.0														
Sub-ta	ask													
D-10.0		Per	forms	selecti	on and	install	ation o	of flam	e safeg	uards.				
<u>NL</u> NV	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> yes	<u>ON</u> ND	MB yes	<u>SK</u> ND	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> ND		
Key C	ompete	ncies												
D-10.0	2.01	verify original equipment specifications												
D-10.0	2.02	select and verify components considering factors such as site requirements, manufacturers' specifications and type of equipment												
D-10.02.03		gen	select and use tools and equipment such as drills, multimeters, signal generators, wiring identification equipment, and network cabling tools and testers											

D-10.02.04	select location and enclosures such as an existing or new panel and considering factors such as manufacturers' specifications
D-10.02.05	prepare location such as installing mounting points and brackets for components
D-10.02.06	mount and connect flame safeguards and associated components such as valve train devices according to manufacturers' installation procedures
D-10.02.07	configure flame safeguard according to job design specification such as purge times and flame amplifiers
D-10.02.08	verify, set up and confirm operation prior to commissioning
D-10.02.09	update drawings to create as-built final drawings

Sub-t	ask											
D-10.0	03	Per	forms	selectio	on and	install	ation o	f safet	y and o	perati	ng con	trols.
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
NV	yes	yes	yes	yes	ND	yes	ND	yes	yes	NV	NV	ND

D-10.03.01	verify original equipment specifications
D-10.03.02	select and verify components considering factors such as site requirements, manufacturers' specifications and type of equipment
D-10.03.03	select and use tools and equipment such as drills, multimeters, signal generators, wiring identification equipment, and network cabling tools and testers
D-10.03.04	select location and enclosures such as an existing or new panel and considering factors such as manufacturers' specifications
D-10.03.05	prepare location such as installing mounting points and brackets for components
D-10.03.06	mount and connect safety and operating controls and associated components such as high limit controls, gas valves and pressure switches according to manufacturers' installation procedures
D-10.03.07	configure safety and operating controls according to job design specification such as set points, high limits and minimum gas pressures
D-10.03.08	verify, set up and confirm operation prior to commissioning
D-10.03.09	update drawings to create as-built final drawings

Task 11

Selects and installs electrical components.

Context

Gasfitters assemble, place, secure and connect electrical components for sectors such as residential, commercial, industrial and institutional.

Electrical components enable system operation by providing power to sub-systems such as electronic controls, pumps and motors to obtain the designed condition and maintain safe operation.

K 1	electricity principles such as Ohm's Law and Kirchhoff's Laws
K 2	electrical symbols and wiring diagrams
K 3	electrical systems such as utility voltage and 3-phase
K 4	electrical components such as pumps, solenoid valves, relays, transformers, capacitors, power supplies and protective devices
K 5	AC/DC motors, starters and related components such as VFDs, motor controls, DC motor controls and electronically commutated motors (ECM)
K 6	CEC relevant to equipment
K 7	electronic principles and components such as capacitors and resistors
K 8	operational sequence of digital and analog controls
K 9	control signals such as 4 to 20 mA (milliamps) and 0-10 DC volts
K 10	communication protocols such as Modbus and BACnet
K 11	manufacturers' specifications
K 12	jurisdictional regulations
K 13	integrating different types of controls
K 14	lock-out and tag-out procedures
K 15	АНЈ

Sub-ta	ask													
D-11.0)1	Sel	Selects electrical components.											
<u>NL</u> NV	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> yes	<u>ON</u> ND	MB yes	<u>sk</u> ND	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> ND		
Key Co	ompete	ncies												
D-11.0	D-11.01.01 verify original equipment specifications such as revolutions per minute (RPM)						uch as v	voltage,	ampera	nge and				
D-11.0	1.02	(SSI sucl	select and verify components such as a transformers, relays (solid state relay (SSR) and electro mechanical relay) and motor starters considering factors such as site requirements, manufacturers' specifications and type of equipment											
Sub-ta	ask													
D-11.0	D-11.02 Performs assembly and connection of electrical components.													
<u>NL</u> NV	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> yes	<u>ON</u> ND	MB yes	<u>sk</u> ND	AB yes	BC yes	<u>NT</u> NV	YT NV	<u>NU</u> ND		
Key C	ompete	ncies												
D-11.0	2.01				s and eq		nt such a	as drills	, multin	neters, s	signal			
D-11.0	2.02						h as an e ecificatio	0	or new	panel c	conside	ring		
D-11.0	2.03		oare loc iponent		ıch as in	stalling	mount	ing poi	nts and	bracket	s for			
D-11.0	2.04		ınt and allation			cal com	ponents	accord	ing to n	nanufac	turers'			
D-11.0	2.05		_		d ECMs		ing to jo	ob desig	gn speci	fication	s such a	S		
D-11.0	2.06	veri	fy, set u	ıp and o	onfirm	operati	on prior	to com	missior	ning				
D-11.0	2.07	update drawings to create as-built final drawings												

Task 12 Installs automation and instrumentation control systems.

Context Gasfitters assemble, place, secure and connect automation and

instrumentation control systems in residential and ICI sectors.

Automation control systems are used to control single units such as a

boiler as well as multiple heating applications for buildings. Instrumentation control systems are used to control the flow of

mediums such as liquid, steam and air.

Automation and instrumentation control systems provide monitoring, management, scheduling, load shedding, energy conservation, and enabling/disabling of equipment and processes to achieve efficiencies and precise parameter control.

K 1	electricity principles such as Ohm's Law and Kirchhoff's Laws
K 2	electrical symbols and wiring diagrams
K 3	CEC relevant to equipment
K 4	electronic principles and components such as capacitors, diodes, triacs and resistors
K 5	communication standards such as serial ports including RS-232 and RS-485, and communication speeds
K 6	wireless devices and network cabling
K 7	microprocessor and electronic controls
K 8	procedures for installing automation and instrumentation control systems
K 9	types of automation control systems that monitor energy consumption such as water, air, gases and electricity in buildings
K 10	types of automation and instrumentation control system components such as controllers, peripheral devices and input/output devices
K 11	types of instrumentation control systems such as boiler processor controllers that control pressure and flow
K 12	control point instrumentation such as RTD, pressure transducers, thermistors and flow meters
K 13	how to operate HMIs and use programs
K 14	control signals such as 4 to 20 mA (milliamps) and 0-10 DC volts
K 15	communication protocols such as Modbus, local operation network (LON) and BACnet
K 16	operational sequence of digital and analog controls
K 17	manufacturers' specifications
K 18	PLCs

K 19 K 20 K 21 K 22 K 23 K 24		jurisdictional regulations integrating different types of controls lock-out and tag-out procedures static discharge psychrometric characteristics and charts AHJ												
Sub-t	ask													
D-12.0	01		Performs selection of automation and instrumentation control systems.											
<u>NL</u> NV	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> yes	<u>ON</u> ND	MB yes	<u>SK</u> ND	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	YT NV	<u>NU</u> ND		
Key C	ompete	encies												
D-12.0	1.01		verify original equipment specifications such as voltage and network protocols											
D-12.0	1.02		select components such as controllers, input and output devices, interface devices and final control elements											
D-12.0	1.03		ct comn ımunica			dards s	uch as b	oaud rat	es and i	networl	ς			
Sub-t	ask													
D-12.0	02		forms trumer		•			of autoi	nation	and				
<u>NL</u> NV	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> yes	<u>ON</u> ND	MB yes	<u>SK</u> ND	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> ND		
Key C	ompete	encies												
D-12.0	2.01	select and use tools and equipment such as hand tools, wiring identification equipment, and network cabling tools and testers												
D-12.0	2.02		ct locati ors such					_	or new	panel c	onsider	ing		
D-12.02.03		factors such as manufacturers' specifications prepare location such as installing mounting points and brackets for components and cabling												

D-12.02.04	mount and connect automation and instrumentation control systems, and associated components such as power supplies and switching devices according to manufacturers' installation procedures
D-12.02.05	program and configure controllers according to job design specifications such as control sequence requirements
D-12.02.06	verify, set up and confirm operation prior to commissioning
D-12.02.07	update drawings to create as-built final drawings

BLOCK E

INSTALLATION OF SYSTEMS AND EQUIPMENT

Trends The incorporation of advanced electronic devices in a range of

appliances is increasing. LEED may restrict the use of some materials such as certain solvents and plastics. There is an increase in conversion

from other energy sources to propane and natural gas.

Related

Components (include, but not

limited to)

Pipes: plastics, steels

Fittings: risers, tees, couplings, 90°, 45°, flanges, unions, flare nuts **Fasteners:** rods, inserts, hangers, clamps, tie wires, zip ties, epoxies

Tube and tubing: copper, stainless, aluminum

Vaporizers, pumps, tanks, cylinders.

Tools and **Equipment**

See Appendix A.

Task 13

Installs gas-fired system piping and equipment.

Context Gasfitters install and connect gas-fired appliances to gas piping systems

and energy distribution systems.

K 1	installation tools and equipment
K 2	fittings such as flanges, couplings, unions and adapters
K 3	lifting equipment
K 4	gas-fired equipment such as gas burner systems, gas-fired appliances and regulators
K 5	dual fuel burners
K 6	principles and practices of electrical systems
K 7	principles and practices of electrical controls and control systems
K 8	QA and QC program
K 9	types of pipe
K 10	manufacturers' specifications
K 11	National Gas and Propane Installation Code (B149), applicable codes and AHJ

K 12	standards and regulations such as CSA, National Fire Protection Association (NFPA) and ANSI/ASME
K 13	input gas pressures , flow rates and Btuh inputs
K 14	metric and imperial systems of measurement and conversions
K 15	component requirements for pilot and main valve trains
K 16	methods of pipe tracing according to code and AHJ
K 17	seismic considerations

Sub-ta	ask													
E-13.0	1	Ins	Installs gas-fired equipment.											
<u>NL</u> NV	<u>NS</u> yes	PENBQCONMBSKABBCNTYTyesyesNDyesNDyesNVNV								<u>NU</u> ND				
Key C	ompete	ncies												
E-13.0	1.01	identify location for gas-fired equipment according to layout, site and code requirements					e condi	tions						
E-13.01.02		select tools and equipment such as dollies, lifting equipment and installation tools												
E-13.01.03		measure placement of gas-fired equipment according to layout, site conditions and code requirements												
E-13.0	1.04	installs hangers and supports according to codes and site conditions												
E-13.0	E-13.01.05 lift and move gas-fired equipment such as gas-fired appliances and regulators into place according to site conditions and codes		and											
E-13.01.06			secure and hang gas-fired equipment to support using fasteners such as rods, inserts and hangers according to drawings and manufacturers' specifications											
E-13.01.07		secure and square gas-fired equipment to housekeeping pads using fasteners such as bolts and inserts according to drawings and manufacturers' specifications										teners		

Sub-ta	ask													
E-13.0	2	Installs gas piping systems.												
<u>NL</u> NV	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> yes	<u>ON</u> ND	MB yes	<u>SK</u> ND	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> ND		
Key C	ompete	ncies												
E-13.02	_	ider	identify location for piping according to layout, site conditions and code requirements											
E-13.02	2.02	sele	select piping, supports, fittings and tracers according to codes, AHJ and site requirements											
E-13.02	2.03		select and use tools and equipment such as pipe wrenches and threaders according to installation requirements											
E-13.02	2.04	secure and hang piping to structure using fasteners such as rods, inserts an hangers according to drawings, codes, manufacturers' specifications and si conditions												
E-13.02	2.05	bury underground pipe according to drawings, manufacturers' specifications, codes, site conditions and AHJ												
E-13.02.06 install tracers along pipe according to many site requirements					nufactu	rers' sp	ecificati	ons, AF	IJ and					
E-13.02	2.07	provide protection of piping according to codes, AHJ and site requirements						ents						
Sub-ta	ask													
E-13.0	3	Co	nnects	gas su	pply to	equip	ment.							
<u>NL</u> NV	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> yes	<u>ON</u> ND	MB yes	<u>SK</u> ND	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> ND		
Key C	ompete	ncies												
E-13.03	3.01		select and use tools and equipment such as wrenches, tape measures, levels and plumb bobs											
E-13.03	3.02	sele	select gas connectors such as quick-connects and flex connectors											
E-13.03	3.03		,		ounds s factures			-		_	tape			
E-13.03.04			according to manufacturers' specifications, codes and AHJ measure height and clearances of appliance connection according to codes and manufacturers' specifications											

E-13.03.05	install final connections to single fuel burner equipment according to codes
	and AHJ
E-13.03.06	install final connections to dual fuel equipment according to codes and AHJ

Sub-task

E-13.04 Connects equipment to energy distribution systems.

<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
NV	yes	yes	yes	yes	ND	yes	ND	yes	yes	NV	NV	ND

Key Competencies

E-13.04.01	select tools and equipment such as wrenches, tape measures, levels and plumb bobs
E-13.04.02	select joining compounds such as pipe dope and thread sealing tape according to manufacturers' specifications, codes and AHJ
E-13.04.03	level appliance distribution system connections according to manufacturers' specifications such as hydronic heating, steam, and CO ₂ generators
E-13.04.04	assemble final connection points using joining compounds according to manufacturers' specifications

Task 14 Installs gas-fired system components.

Context Gasfitters install valve trains and accessories to ensure safe operation and pressure control of gas-fired equipment.

K 1	installation tools and equipment
K 2	fittings such as flanges, couplings, unions and adapters
K 3	lifting equipment
K 4	dual fuel burners
K 5	gas-fired equipment such as gas burner systems, gas-fired appliances and regulators
K 6	QA and QC program
K 7	types of pipe
K 8	principles and practices of electrical systems
K 9	manufacturers' specifications

K 10	National Gas and Propane Installation Code (B149.1), Code for the Field Approval of Fuel-Related Components on Appliances and Equipment (B149.3) and AHJ
K 11	standards and regulations such as ANSI/ASME
K 12	input gas pressures, flow rates and Btuh inputs
K 13	valve train assemblies
K 14	CEC
K 15	operation and sequencing of controls
K 16	common electrical symbols and wiring diagrams
K 17	power supplies and protective devices
K 18	motor control electrical circuits
K 19	components such as VFDs, inverters, PLCs, mechanical and electrical controls, relays, switches and electrical motors
K 20	fresh air supply, exhaust fans, dampers, interlock systems
K 21	accessories such as pilot and main regulators, manual shut-off valves, liquid propane pumps, over-pressure reliefs, electronic air cleaners, vent lines, natural gas compressors and natural gas cylinders

Sub-task									
E-14.01	In	stalls v	alve tra	ins.					
<u>NL</u> <u>NS</u> NV ve		<u>NB</u> yes	<u>QC</u>	<u>ON</u> ND			<u>NT</u> NV	YT NW	<u>NU</u> ND

E-14.01.01	select required components according to code, manufacturers' specifications, AHJ and site requirements
E-14.01.02	select and use tools and equipment such as wrenches, tape measures and vices
E-14.01.03	select joining compounds such as pipe dope and thread sealing tape according to manufacturers' specifications, codes and AHJ
E-14.01.04	select fasteners such as bolts, u-channel clips and riser clamps according to manufacturers' specifications, codes and AHJ
E-14.01.05	installs hangers and supports according to codes and site conditions
E-14.01.06	assemble valve train components according to manufacturers' specifications, codes and AHJ

E-14.01.07	fasten supports to valve train to ensure valve train is supported according to manufacturers' specifications, codes and AHJ
E-14.01.08	assemble final connection points using joining compounds according to manufacturers' specifications

Sub-ta	ask											
E-14.0	2	Ins	talls ac	cessor	ies.							
<u>NL</u> NV	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> yes	<u>ON</u> ND	MB yes	<u>SK</u> ND	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> ND
Key C	ompete	ncies										
E-14.02	2.01		select accessories according to codes, manufacturers' specifications, AHJ and site requirements						J and			
E-14.02	2.02		select and use tools and equipment such as wrenches, tape measures and vices						d			
E-14.02	2.03		select joining compounds such as pipe dope and thread sealing tape according to manufacturers' specifications, codes and AHJ									
E-14.02	2.04		select fasteners such as bolts, u-channel clips, riser clamps according to manufacturers' specifications, codes and AHJ									
E-14.02	2.05					ries to e ons, cod			in is sup	ported	accordi	ng to
E-14.02	2.06		mble fii codes	nal coni	nection	points a	ccordin	ig to ma	nufactu	ırers' sp	ecificat	ions

Task 15	Installs propane storage and handling systems.
---------	--

Context Gasfitters install propane storage tanks and cylinders, piping, safety devices and vaporizers for distribution and use.

K 1	installation tools and equipment
K 2	fittings such as flanges, couplings, unions and adapters
K 3	lifting equipment
K 4	sizing tanks and cylinders
K 5	gas vaporization systems

K 6		eme	emergency response procedures									
K 7		PPE	PPE such as neoprene gloves and fire-rated clothing									
K 8		sign	signage and identification labels									
K 9		sche	edules a	nd type	es of pip	e						
K 10		mar	nufactur	ers' spe	ecificatio	ons						
K 11					ropane l e (B149.					C, Propa	ane Stor	age
K 12		stan	dards a	nd regu	ılations	such as	ANSI/A	ASME				
K 13		TDO	j J									
K 14		inpı	ıt gas pı	ressure	s, flow r	ates an	d Btuh i	nputs				
K 15		ope	ration a	nd sequ	iencing	of conti	ols					
K 16		liqu	id with	drawal,	flaring	and eva	acuatior	procec	dures			
K 17		com	common electrical symbols and wiring diagrams									
K 18		expl	losion p	roof de	vices su	ch as co	ontrols,	motors,	tools a	nd swite	ches	
Sub-ta	ask											
E-15.0	1	Ins	talls pi	opane	storag	e syste	ms.					
	1.10				0.17		07.5		20			
<u>NL</u> NV	<u>NS</u> yes	PE Voc	<u>NB</u> yes	<u>QC</u> no	<u>on</u> ND	MB yes	<u>SK</u> ND	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> ND
1 V	yes	yes	yes	110	ND	yes	ND	yes	yes	1 N V	1 N V	ND
Key C	ompete	ncies										
E-15.01	1.01				tanks a l, desigr	•						age
E-15.01	1.02		ermine a	_	pare ins	stallatio	n locatio	on accoi	ding to	codes,	AHJ an	d
E-15.01	select and use tools and equipment such as picks, shovels, wrenches, tape measures, hand tools and rigging							pe				

secure tanks and cylinders to base using fasteners according to

manufacturers' specifications, codes and AHJ

load, unload and relocate tanks and cylinders using equipment such as

place vehicle protection barricades in designated space according to codes

place tanks and cylinders on level, solid, non-combustible base or buried underground according to manufacturers' specifications, codes and AHJ

booms, cranes and power trucks according to codes and AHJ

E-15.01.04

E-15.01.05

E-15.01.06

E-15.01.07

and AHJ

E-15.01.08	connect manifold and accessories such as tee blocks and excess flow valves to distribution system for vapour withdrawal according to manufacturers' specifications, codes and AHJ
E-15.01.09	test lines and accessories for leaks using techniques such as high pressure test, soap and pressure gauges according to manufacturers' specifications, codes and AHJ
E-15.01.10	connect liquid withdrawal to pipes, valves and vaporizers according to manufacturers' specifications, codes and AHJ

Sub-t	ask											
E-15.0)2	Ins	talls p	ropane	handl	ing sys	tems.					
<u>NL</u> NV	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> no	<u>ON</u> ND	MB yes	<u>sk</u> ND	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> ND
Key C	ompete	encies										
E-15.0	2.01	identify and prepare location for propane handling systems according to layout, site conditions and code requirements						00				
E-15.0	2.02		select piping, supports, fittings, and vehicle protection barricades according to codes, AHJ and site requirements						ding			
E-15.0	2.03		select tools and equipment such as wrenches, tape measures, hand tools and rigging									
E-15.0	2.04	assemble piping and components such as pumps, compressors, excess flo valves and metering systems				low						
E-15.0	2.05	perform pressure test on piping lines according to manufacturers' specifications, codes and AHJ										

BLOCK F

TESTING AND COMMISSIONING OF GAS-FIRED SYSTEMS

Trends

There are new technologies, materials and components used in gas-fired systems. Gasfitters must be aware of these advances in technology in order to perform testing and commissioning of these systems.

There is an increase in documentation requirements from engineers, inspectors and owners. This is due to an increase in energy efficiency, accountability, safety and environmental requirements.

Related

All components apply.

Tools and **Equipment**

Components

See Appendix A.

Task 16

Tests gas-fired systems.

Context

Gasfitters test complete gas-fired systems to ensure safety and efficiency. Testing of the system is done after installation to verify that the system meets the design parameters and criteria prior to commissioning the system.

K 1	jurisdictional testing requirements such as witness sign-off, reporting and engineers' inspection, and AHJ inspection
K 2	QA and QC requirements
K 3	codes such as National Gas and Propane Installation Code (B149.1), CEC and NBC
K 4	testing procedures specified in National Gas and Propane Installation Code (B149.1) such as time and test pressure requirements
K 5	purging and flaring sequence and procedures
K 6	testing equipment such as manometers, electronic testers and multimeters
K 7	schematic wiring diagrams for interpretations of sequence of operation

K 8	gas pressures supplied by utility and required by manufacturers' specifications
K 9	venting and air supply requirements according to National Gas and Propane Installation Code (B149.1)
K 10	building characteristics and conditions
K 11	manufacturers' specifications

Sub-task	(

F-16.01	Tests gas	piping :	systems.
	U	110	,

<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
NV	yes	yes	yes	yes	ND	yes	ND	yes	yes	NV	NV	ND

F-16.01.01	isolate system such as gas meter and pressure sensitive equipment for testing according to National Gas and Propane Installation Code (B149.1)
F-16.01.02	install testing equipment such as gauges and valves according to National Gas and Propane Installation Code (B149.1)
F-16.01.03	perform system pressurization testing using a medium such as air, nitrogen or CO ₂
F-16.01.04	record and compare test results to National Gas and Propane Installation Code (B149.1) requirements, manufacturers' specifications and AHJ
F-16.01.05	perform flaring off and purging procedures for safe gasification of piping
F-16.01.06	reconnect after testing, and paint and identify (label) piping according to National Gas and Propane Installation Code (B149.1) specifications
F-16.01.07	perform leak test using methods such as approved leak testing solution and electronic combustible gas leak detector

Sub-task F-16.02 Performs start-up procedures. NL NS PE <u>SK</u> BC NTΥT NB <u>QC</u> ON MB AB NU NVND ND NV NV ND yes yes yes yes yes yes yes **Key Competencies** F-16.02.01 purge system for start-up according to National Gas and Propane Installation Code (B149) procedures to ensure stable gas supply to appliance F-16.02.02 perform installation checks such as valve train components, linkages, safeties, type of gas and electrical inputs F-16.02.03 reconnect gas line to appliance F-16.02.04 check lines and fittings for leaks using methods such as soap test, lockup test, and electronic test according to National Gas and Propane Installation Code (B149)F-16.02.05 verify gas supply and pressure using measuring tools such as manometers and electronic testers F-16.02.06 check electrical configurations to ensure voltage and amperage are set to appliance manufacturers' requirements perform rotation check of motors F-16.02.07 F-16.02.08 perform series of dry runs to test electrical, electronic and control operation F-16.02.09 perform flame detection test to confirm strength of flame signal F-16.02.10 perform pilot turndown test to confirm smooth lighting of burners follow manufacturers' and AHJ start-up procedures such as setting controls F-16.02.11

and adjustments and air/gas ratio

confirm operation of safety and operating controls

F-16.02.12

Task 17 Comm

Commissions gas-fired systems.

Context

Gasfitters verify the operation of the entire system after installation to ensure that it attains optimum performance. Providing documentation and explanation to the end user is also a key responsibility when commissioning a system.

K 1	types and operation of gas-fired systems such as hydronic, steam, domestic hot water, hot air system, humidification, kitchen and process equipment
K 2	electrical, electronic and control system
K 3	tools and testing equipment used for commissioning such as manometers, combustion analyzers and multimeters
K 4	safety controls such as low water cut-off, high and low limits and switches
K 5	start-up procedures specified by National Gas and Propane Installation Code (B149.1), manufacturers and AHJ
K 6	system accessories such as pumps, coils, humidifiers, valves and actuators
K 7	documentation requirements for commissioning as required by manufacturers' and engineering specifications
K 8	testing procedures such as bubble test for valve closure and vent valve test
K 9	final settings and adjustments for equipment
K 10	firing rate valve procedures
K 11	calculations such as pre and post purge times based on volumes and number of air changes
K 12	manufacturers' specifications
K 13	combustion system and allowable products of combustion

Sub-task F-17.01 Performs testing, adjusting and balancing procedures. NL NS PΕ NB QC ON SK AB BC NT ΥT MB NU NV ND yes ND NV NV ND yes yes yes yes yes yes **Key Competencies** F-17.01.01 select and use diagnostic tools such as manometers, multimeters and combustion analyzers F-17.01.02 introduce gas and adjust components such as gas valves and air dampers to achieve mixtures required for complete and efficient combustion and according to manufacturers' specifications by interpreting readings obtained from diagnostic tools F-17.01.03 check conditions such as water quality and flow rates to match system requirements F-17.01.04 check temperature rise through heat exchanger and flow velocities to match system requirements F-17.01.05 evaluate equipment performance using equipment such as combustion test analysers and thermometers to verify air gas mix, combustion air volume, CO and CO₂ levels, and stack temperature F-17.01.06 perform system start-up procedures such as boilouts in hot water and steam systems, and refractory and equipment curing F-17.01.07 measure pressure drop across balancing valves and adjust flow to within system parameters F-17.01.08 adjust and calibrate controls to meet manufacturers' specifications and system demands F-17.01.09 perform operational and safety checks such as clocking meter and checking high limits

verify operation of gas-fired systems by operating equipment through several

cycles to ensure equipment meets manufacturers' specifications

check external static pressure (ESP) to match system requirements

F-17.01.10

F-17.01.11

Sub-task

F-17.02 Completes commissioning report and handover.

<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
NV	ves	ves	ves	ves	ND	ves	ND	ves	ves	NV	NV	ND

F-17.02.01	record testing results such as voltages, gas pressures and efficiencies, and
	compare to manufacturers' baseline information
F-17.02.02	prepare documentation required by job site and manufacturers' specifications
F-17.02.03	explain system operational procedures and specifications to end user

BLOCK G

SERVICING GAS-FIRED SYSTEMS

Trends

New materials and components used in gas-fired systems impact the servicing processes. These include plastic piping, electronic controls and high efficiency appliances. Often, maintenance of these systems includes inspection of installation, repairs and upgrading/retrofitting materials and components.

Decommissioning work and disposal of equipment and components has been impacted by more stringent environmental and recycling regulations and procedures.

Related Components All components apply.

Tools and **Equipment**

See Appendix A.

Task 18

Maintains gas-fired systems.

Context

Maintaining gas-fired appliances and systems is important to ensure optimal efficiency, reliable service and safe operation of the system.

K 1	sequence of operation
K 2	function and operation of tools such as manometers, draft gauges, electric meters and combustion analyzers
K 3	thermodynamic concepts such as heat transfer and temperature rise
K 4	electrical concepts such as schematics, amperage, wattage and voltage
K 5	control system components and operation
K 6	theory of combustion
K 7	lower and higher explosive limits for various fuels
K 8	types of oils and lubricants
K 9	manufacturers' specifications such as requirements for venting, gas pressures, and temperature and pressure differences
K 10	code requirements such as de-pressurization of building and draft requirements for appliance

K 12 indoor air quality requirements and building as a system	
K 13 water quality and treatment	
K 14 documentation such as maintenance reports, check sheets and per	nits
K 15 AHJ	

Sub-t	ask											
G-18.0	01	Inspects system components				nents a	nd op	eration	•			
<u>NL</u> NV	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> yes	<u>ON</u> ND	MB yes	<u>SK</u> ND	<u>AB</u> yes	<u>BC</u> yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> ND
Key Competencies												

G-18.01.01	verify that installation conforms to code requirements and AHJ
G-18.01.02	inspect fuel delivery system components such as gas lines for operation
G-18.01.03	check operator controls to verify operation to manufacturers' specifications
G-18.01.04	inspect heat emitters such as radiators and ducts
G-18.01.05	inspect venting, chimneys and air supply to ensure operation according to code
G-18.01.06	inspect refractory components of combustion chamber and heat exchangers for cracks and deterioration
G-18.01.07	inspect mechanical components such as switches, valves, dampers, fans, motors and air differential proving switches
G-18.01.08	measure air velocity to identify system conditions such as blocked screens and dampers
G-18.01.09	measure combustion chamber pressure to ensure that it is set at manufacturer-specified levels to ensure complete combustion
G-18.01.10	check operation of safety components such as flame rod, UV and infrared scanner by performing sensory inspection
G-18.01.11	check and measure spark electrode and gaps to ensure that it is set to manufacturers' specifications
G-18.01.12	test safety limits such as high limit, high and low water cut-offs, flow switches and high and low gas pressure switches to verify operation
G-18.01.13	measure and record inlet and outlet pressures to ensure they are within manufacturers' specifications and code
G-18.01.14	perform flame detection tests such as scanner check, flame signal test and ignition spark response test
G-18.01.15	perform pilot turndown test to confirm smooth lighting of burners

G-18.01.16	inspect burner performance using a combustion test analyser to verify air gas
	mix, combustion air volume, CO levels and stack temperature
G-18.01.17	verify condensate lines are clean and clear of debris
G-18.01.18	inspect gas valves to ensure complete closure
G-18.01.19	check for leaks using electronic leak detectors and sensory inspection

Sub-task

G-18.02 Performs maintenance activities.

<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
NV	yes	yes	yes	yes	ND	yes	ND	yes	yes	NV	NV	ND

Key Competencies

G-18.02.01	replace components such as belts, flame rods, filters and gaskets according to maintenance schedule
G-18.02.02	clean system components such as combustion chambers, burners, flame rods and scanners
G-18.02.03	lubricate components according to manufacturers' specifications to ensure smooth operation of system
G-18.02.04	remove components such as burners using hoisting equipment
G-18.02.05	adjust burner to ensure combustion is according to manufacturers' specifications and required operation
G-18.02.06	document repairs required for predictive component replacement

Task 19	Repairs gas-fired systems.

Context Gasfitters repair gas-fired systems by diagnosing problems and

isolating problem areas. They replace faulty components to correct the issue. It is important to subsequently verify the operation of the repaired system and fully document the repair work.

K 1	sequence of operation to assist with troubleshooting
K 2	operation of gas-fired system to be repaired
K 3	function and operation of diagnostic and repair tools such as manometers,
	draft gauges, multimeters and combustion analyzers

K 4	thermodynamic concepts such as heat transfer and temperature rise
K 5	electrical concepts such as schematics, amperage, wattage and voltage
K 6	control system components and operation
K 7	theory of combustion
K 8	lower and higher explosive limits for various fuels
K 9	types of oils and lubricants
K 10	manufacturers' specifications such as requirements for venting, gas pressures, and temperature and pressure differences
K 11	code requirements such as de-pressurization of building and draft requirements for appliance
K 12	burners and appliance disassembly and assembly procedures
K 13	diagnostic and troubleshooting procedures
K 14	documentation such as service reports, check sheets and permits
K 15	АНЈ

Sub-task												
G-19.01		Dia	agnose	s gas-fi	ired eq	uipme	nt and	compo	nents.			
NL	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	NT	<u>YT</u>	<u>NU</u>
NV	ves	ves	ves	ves	ND	ves	ND	ves	ves	NV	NV	ND

G-19.01.01	monitor equipment performance to identify faults or erratic operation
G-19.01.02	select and use diagnostic tools such as manometers, draft gauges, combustion analyzers, multimeters and ammeters
G-19.01.03	apply troubleshooting techniques to isolate problems
G-19.01.04	check flame signal using testing device to identify operation of flame safeguards
G-19.01.05	check operation of electrical components such as fuses, transformers, contacts, relays, limit switches and control devices
G-19.01.06	check and verify gas pressures to ensure switches meet operational parameters
G-19.01.07	inspect burner performance using combustion test analyzer to verify air gas mix, combustion air volume, CO levels and stack temperature
G-19.01.08	set up diagnostic monitoring devices to record and identify operating conditions and interpret fault codes

Sub-ta	ısk												
G-19.0		Sel	Selects replacement components.										
<u>NL</u> NV	<u>NS</u> Yes	<u>PE</u> yes	<u>NB</u> yes	QC yes	<u>ON</u> ND	MB yes	<u>SK</u> ND	AB yes	BC yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> ND	
Key Competencies													
G-19.02	2.01	identify equipment by make, model number, serial number and manufacturers' code											
G-19.02	2.02	sou: part	-	parts, av	vailabili	ty of eq	uipmen	it and co	ompatib	oility of	replace	ment	
G-19.02	2.03		fy repla cification		parts a	re all in	cluded	and ope	erate acc	cording	to		
G-19.02	2.04	veri	fy temp	erature	and pre	essure r	atings c	of replac	ement o	devices			
G-19.02	2.05	ensı	ıre that	compo	nent is a	pprove	d for th	e fuel b	eing us	ed			
Sub-ta	ısk												
G-19.0	3	Rej	places	compo	nents.								
<u>NL</u> NV	<u>NS</u> yes	<u>PE</u> yes	<u>NB</u> yes	<u>QC</u> yes	<u>ON</u> ND	MB yes	<u>sk</u> ND	<u>AB</u> yes	BC yes	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> ND	
Key Co	ompete	ncies											
G-19.03	G-19.03.01 lock-out and tag-out system by isolating energy sources												
G-19.03.02 remove and reassemble protective covers, shields and other components to access repair area								energy s	ources				
G-19.03	3.02	rem	ove and	l reasse:	,	,	O	0,5		her com	nponent	ts to	
G-19.03		rem acce	ove and ess repai	l reasse: r area	,	otective	covers	, shields	s and of		nponent	ts to	
	3.03	rem acce disc reco	ove and ess repair onnect a ord conf	l reasses r area and rec	mble pr	otective wiring a	covers nd link ts using	, shields ages as g sketch	s and ot necessa	ry	•	es to	
G-19.03	3.03 3.04	rem acce disc reco mar rem	ove and ess repair onnect a ord confi kings ir	reasser rarea and receiguration order ective c	mble pronnect was not contact to facility	otective wiring a mponen tate re-a	nd link	, shields ages as g sketch	s and ot necessa es, pho	ry tograph	s and		

G-19.04 Verifies operation.

<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>
NV	yes	yes	yes	yes	ND	yes	ND	yes	yes	NV	NV	ND

Key Competencies

G-19.04.01	remove lock-out and tag-out and restore energy sources
G-19.04.02	select and use testing tools such as manometers, draft gauges, combustion analyzers, multimeters and ammeters
G-19.04.03	ensure operation meets conditions specified by manufacturer
G-19.04.04	perform tests such as combustion analysis, high and low limit tests, and low water cut-off checks
G-19.04.05	ensure electrical components such as motors have the correct rotation and are at the rated operating parameters
G-19.04.06	verify operation of replacement components such as valves, regulators and switches
G-19.04.07	confirm smooth lighting and operation of burner
G-19.04.08	operate system through several cycles and monitor performance throughout
G-19.04.09	complete documentation such as service reports, check sheets and permits

Task 20	Decommissions	gas-fired	systems.
		0	-)

Context Gasfitters decommission systems for upgrading, retrofitting or demolition. Safety and isolation of energy sources is very important.

Required Knowledge

K 1	lock-out and tag-out requirements
K 2	types of gas-fired appliances such as boilers, furnaces, rooftop units and water heaters
K 3	appliance components such as valves, dampers, modulating motors and coils
K 4	accessories such as heating and cooling coils, humidifiers, electronic air cleaners, filtration systems and pumps

K 5	limitations and licensing requirements for disconnecting appliances and accessories
K 6	disposal regulations for hazardous materials
K 7	complete building system and the effect removal can have on remaining gas equipment and accessories
K 8	АНЈ

Sub-task

G-20.01 Disconnects appliances and accessories.

<u>NL</u>	<u>NS</u>	\underline{PE}	<u>NB</u>	<u>QC</u>	<u>ON</u>	MB	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	\underline{YT}	<u>NU</u>
NV	yes	yes	yes	yes	ND	yes	ND	yes	yes	NV	NV	ND

Key Competencies

G-20.01.01	select and use hand and power tools such as saws, drills and hammers
G-20.01.02	rig and hoist heavy equipment and components for removal
G-20.01.03	perform lock-out and tag-out procedures for all energy sources
G-20.01.04	disconnect and terminate control wires and tubing
G-20.01.05	isolate, purge and cap gas supply according to gas code requirements
G-20.01.06	isolate and terminate electrical supply according to CEC requirements
G-20.01.07	remove and cap venting system
G-20.01.08	remove and cap distribution system such as piping and ductwork
G-20.01.09	isolate accessory from system and remove energy source to disable function
G-20.01.10	remove accessory from appliance
G-20.01.11	check for leaks to ensure that systems are safe according to codes and safe work practices

Sub-t	ask											
G-20.02 Removes gas-fired systems and components.												
<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>

yes

ND

yes

yes

NV

ND

NV

Key Competencies

yes

yes

yes

yes

ND

NV

G-20.02.01	select and use specialized tools and rigging equipment for removal of equipment
G-20.02.02	coordinate with personnel such as a designate, other trades and contractors as required for moving equipment
G-20.02.03	store equipment according to jobsite conditions and regulations
G-20.02.04	dispose of and recycle selected materials according to environmental acts, regulations and best practices



APPENDIX A

TOOLS AND EQUIPMENT

Safety Gear and Personal Protective Equipment (PPE)

air quality monitor lock-out devices and padlock apron masks (dust, particle and filter)

arc flash protection overalls (fire-rated)

barricade/guardrails/pylons rain suit eye wash kit respirator

face shield respirator cartridge fall-arrest and restraint systems respiratory mask fire blanket rubber boots

fire extinguishers

first aid kit safety boots

gloves (industrial rubber [low/high safety glasses/goggles

voltage] and leather)

hard hat self-contained breathing apparatus

(SCBA)

hearing protection (plugs, muffs) warning signs and caution tape

high-visibility clothing welder visors leather chaps welding screens

Hand tools

adjustable wrench conduit benders

angle finder crimpers bearing puller crowbar

bolt cutters differential pressure gauge

bolt die dolly

bolt tap draft gauge
broom drift-punch set
brush (wire, paint, acid and fitting) extendable mirror
callipers feeler gauges

caulking gun files
C-clamp fish tape

centre-point set flange alignment pins chalk line flange spreader (jacks)

chisels flaring tools cloth (sand, emery, sandpaper) flashlight cold-chisel set folding rule combination wire strippers fuse pullers

combination wrench set (imperial gas cylinders, and soldering and

and metric) brazing equipment

Hand tools (continued)

gas leak detector solution pullers gasket cutter punch

grease gun purging equipment

hacksaw rasps hammers (claw, ball peen, sledge, ratchet

brass, chipping, soft-face)

hand crimper reamer
hand drill scratch awl
hand saw screw extractors

hex/torx keys (set) screwdrivers (complete set)

hole saw shovel

ignition tools (sparker, torch) socket sets (imperial and metric)

keyhole saw spacing tool knife spud wrench knockout (k.o.) set square

labelling machine striker level (line, laser and transit) swaging tool

nut driver set swedge (hand flaring tool)

oiling can T square
orifice drills tap and die set
pencil and pad tape measures

PEX pipe expander (manual) threading hand dies

pick tin snips pipe cutters (single-wheel, multitip cleaner

wheel)

pipe stands (roller and V type) toolbox pipe tap torches

pipe threader torque wrench

pipe vises (chain and yokes, transfer pump (hand-operated)

tri-stand and bench vise)

pipe wraparound tri-square
pipe wrenches tube bender
pitot tube (velometer) tube cleaner
plastic pipe cutter tube cutter
pliers (linesmen's, needle-nose, side utility brush

cutters, snap-ring, locking, slip

joint)

plumb bob wire strippers power cart wood chisels

pry bar

Power Tools

air compressor and accessories jigsaw

air tools knockout cutters arc welders (electrical, fuel) lighting equipment

band saw nibbler

blowers PEX pipe expander (power) chop-saw portable band saw (hacksaw)

circular saw powder-actuated tools compressed gas cylinders (purge, power pipe threader

shield, cutting)

cordless tools (drills, saws) power threading machine

crimping tools propane tiger torches (preheating)

electric drill reciprocating saw exhaust fans rotary hammer grinders (electric or pneumatic, soldering guns

angle, bench, die, pedestal)

hammer-drill tank lifter heat gun transfer pump

impact driver vacuum cleaners (HEPA)

impact gun welding equipment (MIG, TIG)

impact wrench

Hoisting, Rigging and Access Tools and Equipment

eye bolts rope/cable ladders (combination, extension, scaffolding

step)

lifts (electrical, hydraulic, shackles (varying sizes)

pneumatic, hand and power winch, one-person, platform, scissor lift, articulating boom)

portable wire rope winch slings and chokers

rigging tools (blocks, come-alongs,

snatch block, handlines and

pulleys)

wire rope or nylon (synthetic)

Technical Instruments and Testers

atmosphere tester manometer

calculators manufacturer-specific diagnostic

equipment

capacitor tester megohmmeter

clamp-on ammeter

combustion analyzer

computers
data recorders
differential pressure gauge and

sight tube

digital recording digital tachometer

digital tacholileter

draft gauge

drafting equipment electronic leak detector ground resistance tester

hand pump and accessories hydrostatic pump and gauge (manual and power) micrometer

multimeter (voltage, amperage,

resistance) ohmmeter rotameter rulers

scale ruler

squares (standard 24 in. combination, flange,

straightedge) string line

temperature tester thermocouple tester

thermometer (infrared, electronic,

mechanical)

true RMS meters velocity meter

APPENDIX B GLOSSARY

building as a system building is made up of components that work together to form an

integrated system.

forced draft burner that uses fans to supply air for combustion, pressurizing

the inlet to a heat exchanger

induced daft burner that induces air into the combustion chamber by applying a

negative pressure at the out let of the heat exchanger.

spool sheet Pipe fabrication details

APPENDIX C ACRONYMS

AHJ authority having jurisdiction

ANSI American National Standards Institute

ASME American Society of Mechanical Engineers

Btuh British thermal units per hour

CEC Canadian Electrical Code

CPVC chlorinated polyvinyl chloride

CSA Canadian Standards Association

CSST Corrugated Stainless Steel Tubing

ECM electronically commutated motors

ESP external static pressure

HMI human-machine interface

ICI industrial, commercial and institutional

IR infrared

kW kilowatts

LEED Leadership in Energy and Environmental Design

LON local operation network

mA milliamps

MSDS material safety data sheet

NBC National Building Code

NEMA National Electrical Manufacturers Association

OH&S Occupational Health and Safety

PLC programmable logic controller

PPE Personal Protective Equipment

PVC polypropylene, polyvinyl chloride

QA Quality assurance

QC Quality control

RPM revolutions per minute

RTD resistance temperature detector

TDG Transport of Dangerous Goods

ULC Underwriters Laboratories of Canada

UV ultraviolet

VFD variable frequency drive

WHMIS Workplace Hazardous Materials Information System

APPENDIX D

BLOCK AND TASK WEIGHTING

BLOCK A COMMON OCCUPATIONAL SKILLS

	<u>NL</u>	<u>NS</u>	<u>PE</u>	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>	National Average
%	NV	8	10	4	5	ND	5	ND	5	5	NV	NV	ND	6%

Task 1 Performs safety-related functions.

Task 2 Maintains and uses tools and equipment.

Task 3 Plans and prepares for installation, service and maintenance.

BLOCK B GAS PIPING PREPARATION AND ASSEMBLY

														National
	<u>NL</u>	<u>NS</u>	\underline{PE}	<u>NB</u>	<u>QC</u>	<u>ON</u>	<u>MB</u>	<u>SK</u>	<u>AB</u>	<u>BC</u>	<u>NT</u>	<u>YT</u>	<u>NU</u>	Average
%	NV	11	5	8	15	ND	15	ND	5	7	NV	NV	ND	10%

Task 4 Fits tube and tubing for gas piping systems.

	NL	<u>NS</u>	<u>PE</u>	<u>NB</u>	QC	<u>ON</u>	MB	<u>SK</u>	<u>AB</u>	<u>BC</u>	NT	<u>YT</u>	<u>NU</u>	200/
%	NV	16	30	29	40	ND	20	ND	30	30	NV	NV	ND	20 /0

		%	<u>NL</u> NV		<u>PE NE</u> 35 27			MB SI 20 N			NT Y	<u>T</u> <u>NL</u> IV NE	_	23%
	Task	6	Fits	steel p	pipe fo	r gas p	piping	systen	ıs.					
		%	<u>NL</u> NV	<u>NS</u> 3	<u>PE</u> <u>NE</u> 35 44						NT Y			49%
BLO	оск о	2	VEN	ITINC	G AND	AIR	SUPP	LY SYS	STEM	S				
%	<u>NL</u> NV	<u>NS</u> 12	<u>PE</u> 10	<u>NB</u> 14	<u>OC</u> 5	<u>ON</u> ND		S <u>SK</u> ND	<u>AB</u> 15	<u>BC</u> 10		YT NV	<u>NU</u> ND	National Average 11%
	Task	7	Inst	alls ve	enting.									
		%									NT Y			44%
	Task	8	Inst	alls aiı	r suppl	y syst	æm.							
		%			<u>PE</u> <u>NE</u> 40 31						NT Y			32%
	Task	9	Inst	alls dr	aft con	trol sy	ystems	S.						
		%		NS 1							NT Y			24%
BLO	оск і)	CON	NTRO	LS AN	D EL	ECTR	ICAL 9	SYSTE	EMS				
%	<u>NL</u> NV	<u>NS</u> 19	<u>PE</u> 25			<u>ON</u> ND	MB 25		<u>AB</u> 20	<u>BC</u> 25		<u>YT</u> NV	<u>NU</u> ND	National Average 20%
	Task	10	Sele	cts an	d insta	lls ele	ctroni	c comp	onents	S.				
		%			<u>PE</u> <u>NE</u> 30 36						NT Y			35%

Fits plastic pipe for gas piping systems.

Task 5

Task 11	Selects and installs electrical components.							
%	NL NS PE NB QC ON MB SK AB BC NT YT NU 6 NV 36 30 33 40 ND 35 ND 35 30 NV NV ND	34%						
Task 12	Installs automation and instrumentation control systems.							
%	<u>NL NS PE NB QC ON MB SK AB BC NT YT NU</u> 6 NV 28 40 31 30 ND 30 ND 30 NV NV ND	31%						

BLOCK E INSTALLATION OF SYSTEMS AND EQUIPMENT

%	<u>NL</u> NV	<u>NS</u> 14	<u>PE</u> 20	<u>NB</u> 16	<u>QC</u> 30	<u>ON</u> ND	<u>MB</u> 20	<u>SK</u> ND	<u>AB</u> 20	<u>BC</u> 20	<u>NT</u> NV	<u>YT</u> NV	<u>NU</u> ND	National Average 20%
	Task	: 13		Ö	s-fired	,		O				T NI	т	
		0/			<u>E NB</u>									41%

% NV 39 30 34 65 ND 40 ND 35 45 NV NV ND

Task 14 Installs gas-fired system components.

NL NS PE NB QC ON MB SK AB BC NT YT NU
% NV 41 30 34 35 ND 40 ND 45 45 NV NV ND


Task 15 Installs propane storage and handling systems.

NL NS PE NB QC ON MB SK AB BC NT YT NU % NV 20 40 32 0 ND 20 ND 20 10 NV NV ND 20%

BLOCK F TESTING AND COMMISSIONING OF GAS-FIRED SYSTEMS

%	<u>NL</u> NV	<u>NS</u> 18	<u>PE</u> 15	<u>NI</u> 20		<u>OC</u> 10	<u>ON</u> ND			S <u>K</u> JD	<u>AB</u> 20	<u>BC</u> 15	<u>N'</u> N'	<u>YT</u> NV	<u>NU</u> ND	National Average 15%
	Task	16	Test	s gas	-fire	d sys	stem	S.								
		%	<u>NL</u> NV			<u>NB</u> 52		<u>ON</u> ND					<u>NT</u> NV			51%
	Task	17	Con	nmiss	sions	s gas	-firec	ł syst	ems.							
		%	<u>NL</u> NV		<u>PE</u> 50	NB 48		<u>ON</u> ND					NT NV			49%
BL	оск (3	SER	VICI	NG	GAS	S-FIF	RED S	SYST	EMS	5					
%	<u>NL</u> NV	<u>NS</u> 18	<u>PE</u> 15	<u>Nl</u> 16		<u>QC</u> 30	<u>ON</u> ND			S <u>K</u> JD	<u>AB</u> 15	<u>BC</u> 18	<u>N'</u> N'	 <u>YT</u> NV	<u>NU</u> ND	National Average 18%
	Task	18	Mair	ntain	s gas	s-fire	ed sy	stems	S.							
		%		<u>NS</u>			<u>QC</u>	<u>ON</u> ND	<u>MB</u>		<u>AB</u> 40		<u>NT</u> NV			37%
	Task	19	Rep	airs g	gas-fi	ired	syste	ems.								
		%	<u>NL</u> NV					<u>ON</u> ND								46%
	Task	20	Deco	omm	issio	ns g	as-fiı	ed sy	sten	ıs.						
			<u>NL</u>					<u>ON</u> ND		<u>SK</u>						17%

APPENDIX E PIE CHART*



TITLES OF BLOCKS

BLOCK A	Common Occupational Skills	BLOCK E	Installation of systems and equipment
BLOCK B	Gas piping preparation and assembly	BLOCK F	Testing and commissioning of gas- fired systems
BLOCK C	Venting and air supply systems	BLOCK G	Servicing gas-fired systems
BLOCK D	Controls and electrical systems		

^{*}Average percentage of the total number of questions on an interprovincial examination, assigned to assess each block of the analysis, as derived from the collective input from workers within the occupation from all areas of Canada. Interprovincial examinations typically have from 100 to 150 multiple-choice questions.

TASK PROFILE CHART — GASFITTER-CLASS A

BLOCKS	TASKS			SUB-TASKS	5
A – COMMON OCCUPATIONAL SKILLS	1. Performs safety-related functions.	1.01 Uses personal protective equipment (PPE) and safety equipment.	1.02 Maintains safe work environment.		
	2. Maintains and uses tools and equipment.	2.01 Maintains hand, power and powder-actuated tools.	2.02 Uses technical instruments and testers.	2.03 Uses access equipment.	2.04 Operates lifting, rigging and hoisting equipment.
	3. Plans and prepares for installation, service and maintenance.	3.01 Interprets drawings and codes.	3.02 Selects systems, equipment and components.	3.03 Organizes work.	
B - GAS PIPING PREPARATION AND ASSEMBLY	4. Fits tube and tubing for gas piping systems.	4.01 Prepares tube and tubing for fitting.	4.02 Bends tube and tubing for gas piping systems.	4.03 Connects tube and tubing for gas piping systems.	
	5. Fits plastic pipe for gas piping systems.	5.01 Prepares plastic pipe for fitting.	5.02 Connects plastic pipe for gas piping systems.		
	6. Fits steel pipe for gas piping systems.	6.01 Prepares steel pipe for fitting.	6.02 Connects steel pipe for gas piping systems.		
C - VENTING AND AIR SUPPLY SYSTEMS	7. Installs venting.	7.01 Lays out venting.	7.02 Prepares venting material for assembly.	7.03 Connects material for venting.	

BLOCKS	TASKS			SUB-TASKS
	8. Installs air supply system.	8.01 Lays out air supply system.	8.02 Connects air supply systems.	
	9. Installs draft control systems.	9.01 Installs natural draft control systems.	9.02 Installs mechanical draft control systems.	
D - CONTROLS AND ELECTRICAL SYSTEMS	10. Selects and installs electronic components.	10.01 Performs selection and installation of combustion controls.	10.02 Performs selection and installation of flame safeguards.	10.03 Performs selection and installation of safety and operating controls.
	11. Selects and installs electrical components.	11.01 Selects electrical components.	11.02 Performs assembly and connection of electrical components.	
	12. Installs automation and instrumentation control systems.	12.01 Performs selection of automation and instrumentation control systems.	12.02 Performs assembly and connection of automation and instrumentation control systems.	
E - INSTALLATION OF SYSTEMS AND EQUIPMENT	13. Installs gas- fired system piping and equipment.	13.01 Installs gas- fired equipment.	13.02 Installs gas piping systems.	13.03 Connects gas supply to equipment. 13.04 Connects equipment to energy distribution systems.
	14. Installs gas- fired system components.	14.01 Installs valve trains.	14.02 Installs accessories.	
	15. Installs propane storage and handling systems.	15.01 Installs propane storage systems.	15.02 Installs propane handling systems.	

BLOCKS	TASKS			SUB-TASKS	5
F - TESTING AND COMMISSIONING OF GAS-FIRED SYSTEMS	16. Tests gas-fired systems.	16.01 Tests gas piping systems.	16.02 Performs start-up procedures.		
	17. Commissions gas-fired systems.	17.01 Performs testing, adjusting and balancing procedures.	17.02 Completes commissioning report and handover.		
G - SERVICING GAS-FIRED SYSTEMS	18. Maintains gas- fired systems.	18.01 Inspects system components and operation.	18.02 Performs maintenance activities.		
	19. Repairs gasfired systems.	19.01 Diagnoses gas-fired equipment and components.	19.02 Selects replacement components.	19.03 Replaces components.	19.04 Verifies operation.
	20. Decommissions gas-fired systems.	20.01 Disconnects appliances and accessories.	20.02 Removes gas-fired systems and components.		